

DML COMMANDS

1.INSERT COMMAND

```
insert into Bus values('as34','kukatpally','jubliehills','shuttlecoach');
```

```
insert into Bus
```

```
values('yg78','mancherial','hyderabad','lowfloorcoach');
```



```
insert into Bus
```

```
values('hb60','nalgonda','narsapur','articulatedcoach');
```

```
insert into Bus values('zx41','khammam','tenali','guidedcoach');
```

```
select * from Bus;
```

OUTPUT:

Result Grid		 Filter Rows:	<input type="text"/>	Export:
	Bus_No	source	destination	CoachType
	rt54	hyderabad	delhi	minicoach
	ft78	karimnagar	hyderabad	motorcoach
	ju43	hyderabad	banglore	doubledecker
	kj90	banglore	tenali	singledecker
	jk89	nalgonda	karimnagar	stepentrance
	as34	kukatpally	jubliehills	shuttlecoach
	yg78	mancherial	hyderabad	lowfloorcoach
	hb60	nalgonda	narsapur	articulatedcoach
	zx41	khammam	tenali	guidedcoach

2.UPDATE COMMAND

```
update passenger set age='43' where passenger_No ='1';
```

OUTPUT:

Result Grid

passenger_No	ticket_No	name	age
1	1	sachin	12
2	2	rahul	43



3.DELETE

delete from Passenger where passenger_No='2';

4.SELECT

select source, destination from Bus;

OUTPUT:

Result Grid |   Filter Rows: |

source	destination
hyderabad	delhi
karimnagar	hyderabad
hyderabad	banglore
banglore	tenali
nalgonda	karimnagar
kukatpally	jubliehills
mancheria	hyderabad
nalgonda	narsapur
khammam	tenali

select * from Bus;

Bus_No	source	destination	CoachType
rt54	hyderabad	delhi	minicoach
ft78	karimnagar	hyderabad	motorcoach
ju43	hyderabad	banglore	doubledecker
kj90	banglore	tenali	singledecker
jk89	nalgonda	karimnagar	stepentrance
as34	kukatpally	jubliehills	shuttlecoach
yg78	mancheria	hyderabad	lowfloorcoach
hb60	nalgonda	narsapur	articulatedcoach
zx41	khammam	tenali	guidedcoach