

10-1장 과제

2101080 정진용

실습과제1

□ 다음 결과가 출력되도록 필요한 명령어를 순서대로 실행하라.

```
linux@localhost:~$ less .bashrc
[1]+  Stopped                  less .bashrc
linux@localhost:~$ man bash
[2]+  Stopped                  man bash
linux@localhost:~$ vi .bashrc
[3]+  Stopped                  vi .bashrc
linux@localhost:~$ █
```

□ 위 3개의 잡을 하나씩 포그라운드로 실행하고 종료해 보시오. jobs

명령어 실행 시 다음처럼 아무것도 없어야 함

```
linux@localhost:~$ fg
vi .bashrc
linux@localhost:~$ fg
man bash
linux@localhost:~$ fg
less .bashrc
linux@localhost:~$ jobs
linux@localhost:~$ █
```

실습과제2

□ `find / -name .bahsrc` 명령어를 처음부터 백그라운드로 실행하라.

□ `Jobs` 명령어로 잡목록을 출력하라.

```
linux@localhost:~$ find / -name .bahsrc &
[1] 21370
linux@localhost:~$ find: '/lost+found': Permission denied
find: '/etc/polkit-1/localauthority': Permission denied
find: '/etc/ssl/private': Permission denied
find: '/var/log/private': Permission denied
find: '/var/lib/polkit-1': Permission denied
find: '/var/lib/ubuntu-advantage/apt-esm/var/lib/apt/lists/partial': Permission d
enied
linux@localhost:~$ jobs
[1]+  Running                  find / -name .bahsrc &
linux@localhost:~$
```

□ 위 잡을 포그라운드로 실행하고 다시 일시 정지시켜라. `jobs` 명령어 실행하면 다음처럼 출력되어야 함

```
linux@localhost:~$ fg
find / -name .bahsrc
^Z
[1]+  Stopped                  find / -name .bahsrc
linux@localhost:~$ jobs
[1]+  Stopped                  find / -name .bahsrc
linux@localhost:~$
```

□ 위 잡을 다시 포그라운드로 실행하라 -> 윈도우 폴더까지 검색하므로 실행시간이 매우 오래 걸림

```
[1]+  Stopped                  find / -name .bahsrc
linux@localhost:~$ fg
find / -name .bahsrc
find: '/mnt/c/Users/spick/AppData/Local/Temp/jmx4opdo': Permission denied
find: '/mnt/c/Users/spick/AppData/Local/Temp/nstFDD8.tmp': Permission denied
```

10-2장 과제

실습과제1

□ 셸을 실행하고 `find / -name .bashrc` 실행하라.

```
Windows PowerShell x linux@localhost: ~ x + v
Welcome to bash shell
linux@localhost:~$ find / -name .bashrc
find: '/lost+found': Permission denied
find: '/etc/polkit-1/localauthority': Permission denied
/etc/skel/.bashrc
find: '/etc/ssl/private': Permission denied
find: '/var/log/private': Permission denied
find: '/var/lib/polkit-1': Permission denied
find: '/var/lib/ubuntu-advantage/apt-esm/var/lib/apt/lists/partial': Permission d
enied
find: '/var/lib/apt/lists/partial': Permission denied
find: '/var/lib/snapd/void': Permission denied
find: '/var/lib/snapd/cookie': Permission denied
find: '/var/lib/private': Permission denied
find: '/var/cache/apparmor/e10c1cf9.0': Permission denied
find: '/var/cache/ldconfig': Permission denied
find: '/var/cache/apt/archives/partial': Permission denied
```

□ 새로운 셸을 실행하고 `ps` 명령어로 `find` 명령어의 PID를 출력 하시오.

```
396 pts/1 S+ 0:00 bash
408 pts/0 D+ 0:01 find / -name .bashrc

Windows PowerShell x linux@localhost: ~ x linux@localhost: ~ x + v
Welcome to bash shell
linux@localhost:~$ ps
  PID TTY          TIME CMD
  583 pts/2    00:00:00 bash
  621 pts/2    00:00:00 ps
linux@localhost:~$ ps a
  PID TTY          STAT TIME COMMAND
  251 hvc0      Ss+    0:00 /sbin/agetty -o -p -- \u --noclear --keep-baud conso
  262 tty1      Ss+    0:00 /sbin/agetty -o -p -- \u --noclear tty1 linux
  352 pts/0      Ss      0:00 -bash
  353 pts/1      Ss      0:00 /bin/login -f
  396 pts/1      S+      0:00 -bash
  408 pts/0      D+      0:01 find / -name .bashrc
  583 pts/2      Ss      0:00 -bash
  643 pts/2      R+      0:00 ps a
linux@localhost:~$
```

□ 새로운 셸에서 find명령어의 실행을 종료시켜 보시오.

```
linux@localhost:~$ kill 408
```

□ ps 명령어로 프로세스가 종료되었음을 확인하시오.

```
linux@localhost:~$ ps a
  PID TTY          STAT TIME  COMMAND
   251 hvc0       Ss+   0:00 /sbin/agetty -o -p -- \u --noclear --keep-baud conso
   262 tty1       Ss+   0:00 /sbin/agetty -o -p -- \u --noclear tty1 linux
   352 pts/0      Ss+   0:00 -bash
   353 pts/1      Ss    0:00 /bin/login -f
   396 pts/1      S+    0:00 -bash
   583 pts/2      Ss    0:00 -bash
  1099 pts/2      R+    0:00 ps a
linux@localhost:~$
```

실습과제2

□ 셸을 실행하고 find / -name .bashrc 명령어를 처음부터 백그라운드에서 실행하라.

```
linux@localhost:~$ find / -name .bashrc &
[1] 3290
linux@localhost:~$ find: '/lost+found': Permission denied
find: '/etc/polkit-1/localauthority': Permission denied
/etc/skel/.bashrc
find: '/etc/ssl/private': Permission denied
find: '/var/log/private': Permission denied
find: '/var/lib/polkit-1': Permission denied
find: '/var/lib/ubuntu-advantage/apt-esm/var/lib/apt/lists/partial': Permission d
enied
```

□ jobs 명령어로 find 명령어의 잡번호를 출력 하시오.

```
linux@localhost:~$ jobs
[1]+  Running                  find / -name .bashrc &
linux@localhost:~$
```

□ 잡번호를 이용하여 find 명령어의 실행을 종료하시오.

```
linux@localhost:~$ kill %1
```

□ jobs 명령어로 잡이 종료되었음을 확인하시오.

```
linux@localhost:~$ kill %1
linux@localhost:~$ jobs
[1]+  Terminated              find / -name .bashrc
linux@localhost:~$ jobs
linux@localhost:~$
```