


My Github URL


W15-P1: Setup div_xx.html, div_xx.scss, div_tku60_xx.js




6f2cc2d thl010521 Mon Dec 23 02:00:13 2024 +0800 W15-P1: Setup div_xx.html, div_xx.scss, div_tku60_xx.js

W15-P2: Show div_xx.html correctly

=> select tku60 pic 3, and show relevant youtube video




=> html, and js code for showing video 3



d987f4a thl010521 Mon Dec 23 02:01:06 2024 +0800 W15-P2: Show div_xx.html correctly


W15-P3: make P2 div_xx.html responsive



df9e72d thl010521 Mon Dec 23 02:01:45 2024 +0800 W15-P3: make P2
div_xx.html responsive

W15-P4: show absolute positioning in project_xx.html

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Molestias
 aspernatur cumque modi cum et nobis praesentium quisquam rem
 distinctio aperiam recusandae dolores nemo quos molestiae ea,
 velit porro ratione minima.



The screenshot shows the Chrome DevTools interface with the following content:

DevTools is now available in Chinese

Always match Chrome's language **Switch DevTools to Chinese**

Don't show again

Elements Console Sources >> 5 1

```
<html lang=en>
<head>
</head>
<body data-new-gr-c-s-check-loaded="14.1214.0" data-gr-ext-installed>
  <header class="header">
    <!-- projects -->
    <section class="projects">
      <div class="section-title">
      <div class="section-center projects-center">
        <a href="/project_xx.html" class="project-1">
          <article class="project">
            
            <div class="project-info"> == $0
              <h4>project title</h4>
              <p>client name</p>
            </div>
            ::after
            <article>
          </a>
        </div>
      <div class="section-center.projects-center a.project-1 article.project div.project-info">
    </div>
  </body>
</html>
```

Styles Computed Layout Event Listeners DOM Breakpoints >>

Filter show .cls + -

element.style {


```
.projects-center .project-info {
  position: absolute;
  color: #fff;
  text-align: center;
  left: 50%;
  top: 50%;
  transform: translate(-50%, -50%);
  opacity: 0;
  transition: var(--transition);
}
```

* ::before, *::after {

```
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}
```

megaMenu_00.css.css:1

user agent stylesheet



W15-logs: git logs of W15

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-12-22"
```

```
3845720 thl010521      Mon Dec 23 02:02:23 2024 +0800  W15-P4: show absolute
positioning in project_xx.html
df9e72d thl010521      Mon Dec 23 02:01:45 2024 +0800  W15-P3: make P2
div_xx.html responsive
d987f4a thl010521      Mon Dec 23 02:01:06 2024 +0800  W15-P2: Show div_xx.html
correctly
6f2cc2d thl010521      Mon Dec 23 02:00:13 2024 +0800  W15-P1: Setup div_xx.html,
div_xx.scss, div_tku60_xx.js
d19e2d6 thl010521      Mon Dec 23 01:58:22 2024 +0800  w15 code - div_00 &
projects_xx
```