

## My Github URL

W12-P1: Show answer of p1\_xx, p2\_xx, p3\_xx in midterm exam

=> show p1\_xx

=> show p2\_xx

Midterm THLee, 210410600 P1\_00 P2\_00 P3\_00

TSUNGHAN LEE, 210410600

```

<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <div class="nav">...</div>
    <div class="show-midterm-answer">...</div>
    <script src=".js/main_00.js"></script>
    <script src=".js/p2_xx.js"></script>
    <!-- Code injected by live-server -->
    <script>...</script>
  </body>
</html>

```

html body section.show-midterm-answer

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 幫助工具

元素選器 show .cls +

element.style {

```

.show-midterm-answer {
  width: 100px;
  height: 92px;
  background-color: #rgba(152, 189, 251, 0.5);
}

```

, ::after, ::before { box-sizing: border-box; }

section { display: block; unicode-bidi: isolate; }

繼承自 body

body { background: #var(--backgroundColor); font-family: var(--bodyFont); font-weight: 400; line-height: 1.75; color: #var(--textColor); }

Midterm THLee, 210410600 P1\_00 P2\_00 P3\_00

TSUNGHAN LEE, 210410600

```

<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <div class="nav">...</div>
    <div class="show-midterm-answer">...</div>
    <script src=".js/main_00.js"></script>
    <script src=".js/p2_xx.js"></script>
    <!-- Code injected by live-server -->
    <script>...</script>
  </body>
</html>

```

html body section.show-midterm-answer

樣式 已計算 版面配置 事件接聽程式 DOM 中斷點 內容 使用者代理程式樣式表

元素選器 show .cls +

element.style {

```

.show-midterm-answer {
  width: 100px;
  height: 92px;
  background-color: #rgba(152, 189, 251, 0.5);
}

```

, ::after, ::before { box-sizing: border-box; }

section { display: block; unicode-bidi: isolate; }

繼承自 body

body { background: #var(--backgroundColor); font-family: var(--bodyFont); font-weight: 400; line-height: 1.75; color: #var(--textColor); }

=> show p3\_xx

Midterm THLee, 210410600 P1\_00 P2\_00 **P3\_00**

Midterm -- TsungHan Lee, 210410600

High-Back Bench  
\$9.99

Albany Table  
\$79.99

Accent Chair

Wooden Table

The browser's developer tools are open, showing the DOM structure and CSS styles. A red box highlights the `<section>` element containing the products, and another red box highlights the `.show-midterm-answer` class definition in the CSS panel.

```

<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <div>...</div>
    <section>...</section>
    <script>...</script>
    <!-- Code injected by live-server -->
    <script>...</script>
  </body>
  <div id="immersive-translate-popup" style="all: initial">...</div>
</html>

```

```

html body section.show-midterm-answer

```

```

.show-midterm-answer {
  width: 100%;
  height: 92vh;
  background-color: #rgba(152, 189, 251, 0.5);
}

*, ::after, ::before {
  box-sizing: border-box;
}

section {
  display: block;
  unicode-bidi: isolate;
}

body {
  background: #var(--backgroundColor);
  font-family: var(--bodyFont);
  font-weight: 400;
  line-height: 1.75;
  color: #var(--textColor);
}

```

Midterm THLee, 210410600 P1\_00 P2\_00 **P3\_00**

Midterm -- TsungHan Lee, 210410600

High-Back Bench  
\$9.99

Albany Table

The browser's developer tools are open, showing the DOM structure and CSS styles. A red box highlights the `<section>` element containing the products, and another red box highlights the `.show-midterm-answer` class definition in the CSS panel.

```

<!DOCTYPE html>
<html lang="en">
  <head>...</head>
  <body>
    <div>...</div>
    <section>...</section>
    <script>...</script>
    <!-- Code injected by live-server -->
    <script>...</script>
  </body>
  <div id="immersive-translate-popup" style="all: initial">...</div>
</html>

```

```

html body section.show-midterm-answer

```

```

.show-midterm-answer {
  width: 100%;
  height: 92vh;
  background-color: #rgba(152, 189, 251, 0.5);
}

*, ::after, ::before {
  box-sizing: border-box;
}

section {
  display: block;
  unicode-bidi: isolate;
}

body {
  background: #var(--backgroundColor);
  font-family: var(--bodyFont);
  font-weight: 400;
  line-height: 1.75;
  color: #var(--textColor);
}

```

W12-P2: Embed p1\_xx, p2\_xx, p3\_xx content into index.html, and make it to work correctly

=> select p3\_xx nav link, navbar-fixed will be displayed

Midterm THLee, 210410600

P1\_00 P2\_00 P3\_00

High-Back Bench \$9.99	Albany Table \$79.99
Accent Chair \$25.99	Wooden Table \$45.99

HTML and CSS code snippets from the browser developer tools:

```

<div class="nav navbar-fixed">...</div>
<div class="cards" id="p1_xx">...</div>
<div class="grid">...</div>
<section class="p2-container" id="p2_xx">...</section>
<section class="products-container" id="p3_xx">...</section>
<script src="/js/main_00.js"></script>
<!-- Code injected by live-server -->
<script>...</script>
<div id="immersive-translate-popup" style="all: initial">...</div>
</html>

```

```

.navbar-fixed {
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    background-color: var(--grey-100);
    box-shadow: var(--shadow-1);
    z-index: 2;
}

```

=> select p1\_xx nav link, navbar-fixed will be removed

Midterm THLee, 210410600

P1\_00 P2\_00 P3\_00

7-First Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!	8-Second Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!	9-Third Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!	1-Fourth Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!
2-Fifth Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!	3-Sixth Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!	4-Seventh Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!	5-Eighth Card Lorem ipsum dolor sit amet, consectetur adipisicing elit. Minima, quae!

HTML and CSS code snippets from the browser developer tools:

```

<div class="nav">...</div>
<div class="cards" id="p1_xx">...</div>
<div class="grid">...</div>
<section class="p2-container" id="p2_xx">...</section>
<section class="products-container" id="p3_xx">...</section>
<script src="/js/main_00.js"></script>
<!-- Code injected by live-server -->
<script>...</script>
<div id="immersive-translate-popup" style="all: initial">...</div>
</html>


```

```

.nav {
    background: var(--white);
    box-shadow: var(--shadow-2);
    line-height: 1;
}

```

=> select p2\_xx nav link, navbar-fixed will be displayed



## W12-logs: git logs of W12

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-11-29"
59d190b thl010521      Sat Nov 30 23:21:22 2024 +0800 W12-P2: Embed p1_xx,
p2_xx, p3_xx content into index.html, and make it to work correctly
a36215b thl010521      Sat Nov 30 23:15:20 2024 +0800 W12-P1: Show answer of
p1_xx, p2_xx, p3_xx in midterm exam
a95f5a7 thl010521      Sat Nov 30 23:13:41 2024 +0800 w12 navbar & landing code
and md
```