

Process & Decision Documentation

Project/Assignment Decisions

I wanted to pick joyful because I thought that I would be to portray it more effectively with the tools I was given. It wasn’t something I put too much thought into but I wanted to make sure that I hit all the marks of “joy” for a blob.

Side Quests and A4 (Individual Work)

Changing the mechanics so that it jumps in a floating motion so it looks happy and not aggressive. I also changed the colours to seem more peaceful.

Role-Based Process Evidence

For individual assignments (Side Quests and A4), this section is completed individually, using a simplified version of the same structure. For Side Quests, you may omit sections below where no meaningful decision-making occurred. For example, for the first side quest which you need to just upload a blank p5.js to GitHub, you must have to remove a significant amount of the process based evidence as not a lot of design decisions were made.

All Workflow Runs

Showing runs from all workflows

Filter Workflow Runs

8 workflow runs

Event

Status

Branch

Actor

✓

pages build and deployment

pages-build-deployment #8: by [21074681](#)

main

24 minutes ago

40s

...

✓

pages build and deployment

pages-build-deployment #7: by [21074681](#)

main

37 minutes ago

56s

...

✓

pages build and deployment

pages-build-deployment #6: by [21074681](#)

main

52 minutes ago

41s

...

✓

pages build and deployment

pages-build-deployment #5: by [21074681](#)

main

Today at 1:07 PM

36s

...

ⓘ

pages build and deployment

pages-build-deployment #4: by [21074681](#)

main

Today at 1:07 PM

8s

...

✓

pages build and deployment

pages-build-deployment #3: by [21074681](#)

main

Jan 22 at 4:17 PM EST

45s

...

✓

pages build and deployment

pages-build-deployment #2: by [21074681](#)

main

Jan 22 at 3:52 PM EST

41s

...

✓

pages build and deployment

pages-build-deployment #1: by [21074681](#)

main

Jan 22 at 3:51 PM EST

51s

...

Every time I changed a few lines of code I would make sure it works before moving onto the next section

Entry Header

Name: Emily Sharpe

Role(s): Editor

Primary responsibility for this work: Change the blobs code to make it look joyful and hyper

Goal of Work Session

The goal of this session was to clarify and refine the Side Quest Week 2 concept, making sure the idea and intent were easy to understand and clearly presented on the site.

Tools, Resources, or Inputs Used

- Lecture notes (Week 2)
- Prior Side Quest expectations
- Personal drafts and site iterations
- ChatGPT 5.2

GenAI Documentation

Date Used: January 2026

Tool Disclosure: ChatGPT (GPT-5.2)

Purpose of Use:

Used for brainstorming and improving clarity of written explanations.

Summary of Interaction:

Helped rephrase sections and organize ideas more clearly.

Human Decision Point(s):

I edited or rejected suggestions that felt too generic and rewrote them to match my own voice and the course context.

Integrity & Verification Note:

I reviewed all suggestions against lecture material and the rubric to ensure accuracy and relevance.

Scope of GenAI Use:

GenAI did not create the concept, visuals, or final design decisions.

Limitations or Misfires:

Some suggestions were too broad and needed simplification.

Summary of Process (Human + Tool)

I switched between writing and reviewing the live site, refining the explanation and structure through small revisions until the concept felt clear and focused

Decision Points & Trade-offs

I chose to simplify the explanation instead of adding more detail to keep the Side Quest easy to understand and within scope.

Verification & Judgement

I checked clarity by re-reading the assignment instructions and reviewing the site as if I were seeing it for the first time.

Limitations, Dead Ends, or Open Questions

Some ideas were left out to avoid overcomplicating the Side Quest and stay within the intended scope.

Appendix

Please include a full transcript of your conversation with the GenAI. GenAI transcripts are used for transparency and verification only and are not assessed for writing quality or completeness.

Note: If GenAI is used in another language, you must include both the original language and a translated transcript in the appendix

Redesign the blob's movement and environment to express a specific emotion I want to make my blob happy, pink, make the sky calming. Id like to make it float, with happy movement and the landing blocks to make them a happy colour. with big emotions I want a subtle stretch and squish, when it lands I want it bounce a little all happy like. please add small bounce and less friction, lower gravity, auto bounce small, brighter environment can you change this code to accomidate // Y-position of the floor (ground level)

```
let floorY3;

// Player character (soft, animated blob)
let blob3 = {
  // Position (centre of the blob)
  x: 80,
  y: 0,

  // Visual properties
  r: 26, // Base radius
  points: 48, // Number of points used to draw the blob
  wobble: 7, // Edge deformation amount
  wobbleFreq: 0.9,

  // Time values for breathing animation
  t: 0,
  tSpeed: 0.01,

  // Physics: velocity
```

```
}

/* In-class tweaks for experimentation:
  • Add a new platform:
    platforms.push({ x: 220, y: floorY3 - 150, w: 80, h: 12 });

  • "Ice" feel → frictionGround = 0.95
  • "Sand" feel → frictionGround = 0.80
*/
```

Absolutely 🥰☁️

Below is **your same sketch**, rewritten to clearly express **happiness** through:

- Pink, friendly blob
- Calm, bright sky
- Floaty physics (lower gravity, less friction)
- Small joyful auto-bounce on landing
- Subtle squash and stretch (big emotions, not cartoony chaos)
- Warm, happy platform colors

Nothing is overengineered and everything stays readable for class.



can you list out the changes per thing so I can just manually manipulate the original style of code

YES — this is a smart way to do it for class 🙌

Below is a **clean checklist**, broken down **by concept**, so you can manually tweak your original code without copy-pasting a full rewrite. You can literally go section by section and adjust values.

✅ HAPPY BLOB CHANGE LIST (Manual Tweaks)

1 Sky / Environment Mood (Calming + Bright)

In `draw()`, change:

```
js  
  
background(240);
```

[Copy code](#)

To:

```
js
```

[Copy code](#)

+ Ask anything



ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

*/

Yes — this is a **very common side effect** of adding a bounce, and your instincts are right. Right now the blob **never truly settles on platforms**, so `onGround` flickers and jumps feel unreliable. Let's fix it cleanly **without killing the happy bounce**.

🧠 What's Actually Going Wrong

The core problem

This line is the culprit:

```
js
blob3.vy = -2.2;
Copy code
```

When the blob lands, you:

1. Detect a collision
2. Push it up
3. Immediately give it **upward velocity again**

So on the *next frame*:

- `vy` is negative
- Gravity pulls it down
- It re-collides
- It never stabilizes into a true grounded state



+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

2 Replace your vertical collision code

✗ Current (problematic)

```
js
blob3.vy = -2.2;
blob3.onGround = true;
Copy code
```

✓ Replace with this

```
js
if (blob3.vy > BOUNCE_THRESHOLD) {
  blob3.vy = HAPPY_BOUNCE; // happy bounce
} else {
  blob3.vy = 0; // settle cleanly
}
blob3.onGround = true;
Copy code
```

🔧 Full corrected landing block



+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

```

// in class breaks for experimentation.
• Add a new platform:
platforms.push({ x: 220, y: floorY3 - 150, w: 80, h: 12 });

• "Ice" feel → frictionGround = 0.95
• "Sand" feel → frictionGround = 0.80
*/ the jump is only working some of the time can you make it so if I hit
space, w or up arrow is an immediate action

```

Yes — what you're seeing now is **100% expected**, and it's not your fault or your logic. You've hit a classic platformer issue: **jump input timing vs physics timing**.

Right now, jumps only work **sometimes** because `keyPressed()` only fires **on a single frame**, and `onGround` is also only true **on a single frame**. If those two frames don't line up perfectly, the jump is ignored.

We'll fix this properly using **jump buffering + coyote time**, which makes jumps feel **immediate and forgiving** (industry standard).

Why Your Jump Feels Inconsistent

- `keyPressed()` happens instantly
- `onGround` is updated during physics
- Sometimes you press jump **just before landing** or **just after**
- Result: jump input is missed

This is why good platformers **never rely on** `keyPressed()` + `onGround` **alone**.

+ Ask anything

5 Your Landing Code (Confirmed Correct)

This part you already fixed correctly:

```

js
Copy code

if (blob3.vy > BOUNCE_THRESHOLD) {
  blob3.vy = HAPPY_BOUNCE;
} else {
  blob3.vy = 0;
}
blob3.onGround = true;

```

Keep this exactly as-is.

Result

After these changes:

- Jump **always fires instantly**
- You can jump:
 - Right as you land
 - Right after leaving a platform
- No missed inputs
- Keeps the **happy bounce**
- Feels smooth and playful

This is the Magic of Coyote Time & Jump Buffering - the industry standard!

🎮 What This Fix Guarantees

- Jump **always** triggers immediately
- You can jump:
 - right as you land
 - right after walking off a platform
- Blob still:
 - bounces happily
 - settles cleanly
 - feels floaty and joyful

This is **exactly** how polished platformers handle jump feel.

If you want, next I can:

- add **visual squash on jump only**
- tune jump height vs floatiness
- help you write the **Side Quest description**
- mark which changes are **core vs bonus**

You did fantastic sticking through the debugging — this is real game design work 🌸👉

📄 👍 🗨️ ↻ ...

+ Ask anything

