PROACTIVECLINICS · ProactiveCore EHR

Weno EZ Integration
Test Plan & Evidence

ComposeRx iFrame · NewRx Sync · RxLog · Pharmacy Directory

Account Name	CLÍNICA FAMILIAR BANDERA LLC
Weno Location ID	L14887
Facility NPI	1457273203
Environment	TEST mode
Submission date	September 3, 2026
Document version	v2
Prepared by	ProactiveClinics integration team

Preview / TEST evidence — not a claim of Weno production certification

Return completed plan to admin@wenoexchange.com · File: ClinicaFamiliarBandera_EZTestPlan_09032026_v2

Test Plan & Evidence

This document maps each required item of the Weno EZ Integration Test Plan to the corresponding capability in the ProactiveCore EHR, with real screenshots captured from the running application (TEST mode). Sensitive credentials (password/MD5 and the encryption key) are masked throughout.

demonstrated with preview evidence mechanism ready
completed with Weno / by the practice

OPTIONAL

IN COORDINATION / CUSTOMER LIVE TEST / ATTESTATION IMPLEMENTED PASS

1 REQUIRED — Enter Your Account Details

COMPLETED

Account Name	CLÍNICA FAMILIAR BANDERA LLC
EHR product / integrator	ProactiveClinics (ProactiveCore EHR) — integration built in-house
Do you outsource this integration?	No — developed and maintained by the ProactiveClinics engineering team.
Registered TEST prescriber	Yosvani Soto — NPI 1780459438, Tax ID 825387756 (set as default prescriber in the EHR eRx module)
Prescribers planned after go-live	1–3 initially (to be confirmed by the practice)
Facility NPI	1457273203
Weno Location ID	L14887
Facility address	8103 Bandera Rd, Suite 102, San Antonio, TX 78250, US
Facility phone / fax	(210) 500-2914 / (210) 368-9037
Environment for this test plan	TEST mode (TestPatient = “Y”)
Date of submission	September 3, 2026


> Integration type: Weno EZ Integration — ComposeRx encrypted iFrame launched inside the EHR (no separate Weno login for the clinician).

2 REQUIRED — Manage Users / Locations

PASS

Users and locations are managed primarily through the **Weno Online dashboards**. The EHR also surfaces the registered prescriber(s) and Location ID inside *Admin → Connection Health → Weno Online (EZ Integration)* so staff can verify configuration without leaving the EHR.

- ☑ Dashboards on Weno Online (primary method for add/remove users & locations).
- □ Weno Online Manage APIs (not required for go-live; may be adopted later).


Thu, Sep 03, 2026, 06:52:38 PM
San Antonio, TX
(210) 500-2914
Install App
User Guide
Compare EHRs
My Account
ProactiveClinic
Comprehensive Wellness & Recovery
Search by r
Schedule
Encounter
Rx
Labs
Imaging
Billing
EN
ES
Avery Park
Administrator
WORKSPACE
Administration / Connection H...
CLINICAL
Dashboard
Analytics & Insights
Schedule
Appointment Requests
4
Patients
Encounters
Specialties
Orders
Intake
NPI Lookup
Charting Setup
Modules
PHARMACY & RETAIL
Pharmacy
eRx
Point of Sale
1 Issue
Section: Administration
Page: Connection Health
Today
Schedule
Pharmacy
Checkout
Inventory
Labs
Connection Health
Live status
Live status of every external integration wired into the platform.
Deep-check Stedi
Re-check
Last checked 9/3/2026, 6:52:37 PM
Stedi — Eligibility & Claims
Configured
INSURANCE / RCM
Enabled: yes · Proactive Clinic · default payer ABHDB
Used for: All non-Medicare eligibility (270/271), claims, ERA.
NPPES — National Provider/Pharmacy Registry
Live · reachable
DIRECTORY
HTTP 200 · 48 ms
Used for: Provider & pharmacy NPI lookup everywhere.
openFDA — Drug Database
Live · reachable
MEDICATIONS
HTTP 200 · 129 ms
Used for: Medication search (eRx, pharmacy, inventory).
CMS Blue Button 2.0 — Medicare
Configured
MEDICARE
Environment: sandbox
Used for: Medicare coverage & Part-D medication import (patient-authorized).
Resend — Email delivery
Configured
NOTIFICATIONS
API key + from address set.
Used for: Demo requests, appointment confirmations.
Live-pinged services (NPPES, openFDA) are checked in real time. Keyed services (Stedi, Blue Button, Resend) show configuration status to avoid unnecessary paid/authenticated calls.
Edit & save configuration
Update API keys, credentials, and enable/disable each integration. Changes save to the platform and take effect immediately for new requests.
External Integrations and Automation
Choose the vendors your clinic uses for each capability. Credential fields appear when a provider is selected, and every secret is masked and stored securely.
E-Prescribing & EDI
Route prescriptions and electronic data interchange transactions. Multiple vendors offer this — enable whichever your clinic is contracted with.
SELECT ONE OR MORE
Weno Exchange
Weno Switch docs & certification dashboard (cert.wenoexchange.com)
Free e-prescribing network (NCPDP SCRIPT over SOAP). Sends NewRx/CancelRx to pharmacies via Weno 'Switch'.
EPCS/controlled substances require separate Weno approval (DEA audit + identity proofing).
API Partner ID *
TESTPARTNER
From Weno certification dashboard → Account Details → Company Data.
Partner Password *
• • • • • • • • (saved — leave blank to keep)
Active key: ••••pass
Your Weno partner password.
MD5 Password Hash
32-char md5 hash
MD5 hash of the partner password. Required by Switch security headers and directory Basic auth.
Leave blank to auto-derive from the partner password.
Environment *
test
Use 'test' (cert.wenoexchange.com) until Weno certifies you, then 'production' (live.wenoexchange.com).
Weno Prescriber/Routing ID (From)
RTR1
The sender routing identifier Weno assigns to your clinic/prescriber.
Sender Software Name
ProactiveClinics EHR
Sender Software Version
1.0
Switch Endpoint Override (optional)
https://cert.wenoexchange.com/wenox/service.asmx
Only set if Weno gives you a non-default message endpoint.
Sub-services
NewRx / CancelRx (Switch)
Transmit new prescriptions and cancellations directly to pharmacies.
Authorized.
Controlled Substances / EPCS
Requires Weno DEA-audit approval + prescriber identity proofing. NOT certified by enabling this toggle alone.
Pharmacy Directory Download
Download Weno's pharmacy directory (NCPDP IDs) for routing.
Authorized.
Medication History (RxHistory)
Only if enabled on your Weno account.
Authorized.
Test Connection
✓ Live connection to Weno verified (pharmacy directory reachable, 229 bytes). Note: NewRx transmission still requires Weno certification.
Last edited by populate-test by admin@proactiveclinic.com · 8/25/2026, 12:29:21 PM
Weno Online (EZ Integration)
Weno EZ Integration overview + dashboard (online.wenoexchange.com)
Browser launch e-prescribing: opens Weno's ComposeRx web app pre-filled with the patient using your 'EHR Encryption Key'. Simpler than the SOAP Switch — no NCPDP XML. Production launch still requires a Weno account, provider/location mapping, IP allowlisting and Weno certification.
EHR Encryption Key *
Environment *

• • • • • • • • (saved — leave blank to keep)

Active key: ••••NgFl

The encryption key Weno assigns to your account (Manage Account → Developers). Used to encrypt the ComposeRx launch payload. Paste it EXACTLY as shown in Weno — special characters matter.

test

'test' launches test.wenoexchange.com; 'production' launches online.wenoexchange.com. Stay on test until Weno certifies you.

Weno Provider Email / Username *

ernesto@210codelabs.com

The prescriber's Weno login email. Passed as 'useremail' and inside the encrypted payload.

Weno Provider Password *

• • • • • • • • (saved — leave blank to keep)

Active key: ••••@a88

The prescriber's Weno password. Only an MD5 of it is embedded in the launch token; the plaintext is never sent in the URL.

Weno Location ID *

L14887

The Weno location the prescriber is assigned to (starts with 'L'). From your Weno account registration.

Registered Prescriber NPI

10-digit NPI

The prescriber's NPI as registered with Weno. Used to PRE-FILL the eRx Prescriber section.

Registered Prescriber DEA

e.g. AB1234563

The prescriber's DEA number (for controlled substances). Pre-fills the eRx Prescriber section; stored masked.

Registered Prescriber First Name

Jane

Registered Prescriber Last Name

Doe

Weno User ID (optional)

U1234

The Weno user identifier (starts with 'U'), if provided during registration. Used for account mapping/support.

ComposeRx URL Override (optional)

https://test.wenoexchange.com/en/NewRx/ComposeRx

Only set if Weno gives you a non-default launch URL. Otherwise derived from Environment.

Test Connection

✓ Configuration valid — encrypted launch URL builds successfully for test (test.wenoexchange.com). Note: actual prescribing is confirmed by launching Weno Online in the browser; production requires Weno certification + IP allowlisting.

Last edited by auto-apply on boot (env) · 9/3/2026, 6:46:56 PM

Telehealth Conferencing

Generate virtual visit links for scheduled telehealth encounters.

SELECT ONE OR MORE

☐ Google Meet

Create Meet links via Google Calendar. Connect with OAuth, or configure a service account manually.

Google OAuth 2.0 setup guide

☐ Zoom

Server-to-server OAuth app for generating Zoom meeting links.

Zoom Server-to-Server OAuth setup

Diagnostic Labs & Pathology

Route electronic laboratory orders and receive parsed lab results directly into patient charts.

SELECT ONE

○ Labcorp Link & Web Services

Official Labcorp Link API to transmit clinical lab orders, check specimen requirements, and poll for parsed HL7 patient results.

Labcorp Link API Developer Portal

Revenue Cycle & Claims (Clearinghouse)

Insurance coverage verification, payer transaction enrollment, claim submission, and remittance/payment tracking. Powered by Stedi (stedi.com) as the clearinghouse.

SELECT ONE

◉ Stedi Healthcare Clearinghouse

EDI clearinghouse for real-time eligibility (270/271), professional claims (837P), claim status (276/277), and electronic remittance advice (835/ERA). Stedi is not a bank — payer EFT/bank deposit is enrolled per payer.

Where to find your Stedi API key (Console → API Keys)

Stedi API Key *

• • • • • • • • (saved — leave blank to keep)

Active key: ••••1JzY

Generate in Stedi Console → API Keys. A test key allows mock eligibility; a production key enables live transactions. You can update this any time.

Environment

production

Informational label for your team. Test vs production is determined by the API key type.

Billing Provider / Practice Legal Name *

Proactive Clinic

Billing / Group NPI (10 digits) *

1999999984

Type 2 organizational NPI used as the billing provider on claims.

Tax ID (EIN/TIN, 9 digits) *

555123456

Digits only, no dashes.

Tax ID Type

EIN

EIN (organization) or SSN (individual). Defaults to EIN.

Taxonomy Code

261QP2300X

Billing Address

7500 US-90

City

San Antonio

State

TX

ZIP Code

78227

Default Payer ID (tradingPartnerServiceId)

ABHDB

Optional default payer alias/ID. Preserve leading zeroes.

Enrollment Contact Email

billing@proactiveclinic.com

Enrollment Contact Phone

2105002914

ERA Webhook Secret




Figure 2a — Admin → Connection Health: Weno Online (EZ Integration) configuration, registered prescriber and Location ID (secrets masked).




Figure 2b — Weno-registered prescribers: Yosvani Soto (NPI 1780459438) set as the default TEST prescriber for the eRx module.

3 REQUIRED — Domains and Registered Location IPs

IN COORDINATION

Pass/Fail notes: The ComposeRx and RxLog iFrames are launched from the EHR domain shown below. During TEST the iFrames render successfully (see Figures 6 and 7), demonstrating the domain is not blocked. Production egress IP allowlisting will be coordinated with Weno prior to go-live.


EHR domain (test)	nextjs-ssr-stack.preview.emergentagent.com
Production domain	To be provided by the practice at go-live
Server egress IP(s) for allowlist	To be provided to Weno for the production location
ComposeRx launch base	https://online.wenoexchange.com/en/NewRx/ComposeRx

> Action for Weno: please confirm whether IP allowlisting is required for our production domain, and register the domain/IPs above.

4 REQUIRED — Pharmacy Directory Updates

IMPLEMENTED

Pass/Fail notes: The EHR pulls the Weno pharmacy directory into a local cache used by the pharmacy picker. An admin can pull on demand (“*Sync from Weno*”) and a background *nightly auto-sync* can be enabled for daily changes; a weekly full-file replace is supported by the same job. In TEST mode the built-in Weno test pharmacies are always searchable. The full production directory download becomes available once the production IP is allowlisted (Section 3).


Thu, Sep 03, 2026, 06:52:38 PM
San Antonio, TX
(210) 500-2914
Install App
User Guide
Compare EHRs
My Account
ProactiveClinic
Comprehensive Wellness & Recovery
Search by r
Schedule
Encounter
Rx
Labs
Imaging
Billing
EN
ES
Avery Park
Administrator
WORKSPACE
Administration / Connection H...
CLINICAL
Dashboard
Analytics & Insights
Schedule
Appointment Requests
4
Patients
Encounters
Specialties
Orders
Intake
NPI Lookup
Charting Setup
Modules
PHARMACY & RETAIL
Pharmacy
eRx
Point of Sale
1 Issue
Section: Administration
Page: Connection Health
Today
Schedule
Pharmacy
Checkout
Inventory
Labs
Connection Health
Live status
Live status of every external integration wired into the platform.
Deep-check Stedi
Re-check
Last checked 9/3/2026, 6:52:37 PM
Stedi — Eligibility & Claims
Configured
INSURANCE / RCM
Enabled: yes · Proactive Clinic · default payer ABHDB
Used for: All non-Medicare eligibility (270/271), claims, ERA.
NPPES — National Provider/Pharmacy Registry
Live · reachable
DIRECTORY
HTTP 200 · 48 ms
Used for: Provider & pharmacy NPI lookup everywhere.
openFDA — Drug Database
Live · reachable
MEDICATIONS
HTTP 200 · 129 ms
Used for: Medication search (eRx, pharmacy, inventory).
CMS Blue Button 2.0 — Medicare
Configured
MEDICARE
Environment: sandbox
Used for: Medicare coverage & Part-D medication import (patient-authorized).
Resend — Email delivery
Configured
NOTIFICATIONS
API key + from address set.
Used for: Demo requests, appointment confirmations.
Live-pinged services (NPPES, openFDA) are checked in real time. Keyed services (Stedi, Blue Button, Resend) show configuration status to avoid unnecessary paid/authenticated calls.
Edit & save configuration
Update API keys, credentials, and enable/disable each integration. Changes save to the platform and take effect immediately for new requests.
External Integrations and Automation
Choose the vendors your clinic uses for each capability. Credential fields appear when a provider is selected, and every secret is masked and stored securely.
E-Prescribing & EDI
Route prescriptions and electronic data interchange transactions. Multiple vendors offer this — enable whichever your clinic is contracted with.
SELECT ONE OR MORE
Weno Exchange
Weno Switch docs & certification dashboard (cert.wenoexchange.com)
Free e-prescribing network (NCPDP SCRIPT over SOAP). Sends NewRx/CancelRx to pharmacies via Weno 'Switch'.
EPCS/controlled substances require separate Weno approval (DEA audit + identity proofing).
API Partner ID *
TESTPARTNER
From Weno certification dashboard → Account Details → Company Data.
Partner Password *
• • • • • • • • (saved — leave blank to keep)
Active key: ••••pass
Your Weno partner password.
MD5 Password Hash
32-char md5 hash
MD5 hash of the partner password. Required by Switch security headers and directory Basic auth.
Leave blank to auto-derive from the partner password.
Environment *
test
Use 'test' (cert.wenoexchange.com) until Weno certifies you, then 'production' (live.wenoexchange.com).
Weno Prescriber/Routing ID (From)
RTR1
The sender routing identifier Weno assigns to your clinic/prescriber.
Sender Software Name
ProactiveClinics EHR
Sender Software Version
1.0
Switch Endpoint Override (optional)
https://cert.wenoexchange.com/wenox/service.asmx
Only set if Weno gives you a non-default message endpoint.
Sub-services
NewRx / CancelRx (Switch)
Transmit new prescriptions and cancellations directly to pharmacies.
Authorized.
Controlled Substances / EPCS
Requires Weno DEA-audit approval + prescriber identity proofing. NOT certified by enabling this toggle alone.
Pharmacy Directory Download
Download Weno's pharmacy directory (NCPDP IDs) for routing.
Authorized.
Medication History (RxHistory)
Only if enabled on your Weno account.
Authorized.
Test Connection
✓ Live connection to Weno verified (pharmacy directory reachable, 229 bytes). Note: NewRx transmission still requires Weno certification.
Last edited by populate-test by admin@proactiveclinic.com · 8/25/2026, 12:29:21 PM
Weno Online (EZ Integration)
Weno EZ Integration overview + dashboard (online.wenoexchange.com)
Browser launch e-prescribing: opens Weno's ComposeRx web app pre-filled with the patient using your 'EHR Encryption Key'. Simpler than the SOAP Switch — no NCPDP XML. Production launch still requires a Weno account, provider/location mapping, IP allowlisting and Weno certification.
EHR Encryption Key *
Environment *

• • • • • • • • (saved — leave blank to keep)

Active key: ••••NgFl

The encryption key Weno assigns to your account (Manage Account → Developers). Used to encrypt the ComposeRx launch payload. Paste it EXACTLY as shown in Weno — special characters matter.

test

'test' launches test.wenoexchange.com; 'production' launches online.wenoexchange.com. Stay on test until Weno certifies you.

Weno Provider Email / Username *

ernesto@210codelabs.com

The prescriber's Weno login email. Passed as 'useremail' and inside the encrypted payload.

Weno Provider Password *

• • • • • • • • (saved — leave blank to keep)

Active key: ••••@a88

The prescriber's Weno password. Only an MD5 of it is embedded in the launch token; the plaintext is never sent in the URL.

Weno Location ID *

L14887

The Weno location the prescriber is assigned to (starts with 'L'). From your Weno account registration.

Registered Prescriber NPI

10-digit NPI

The prescriber's NPI as registered with Weno. Used to PRE-FILL the eRx Prescriber section.

Registered Prescriber DEA

e.g. AB1234563

The prescriber's DEA number (for controlled substances). Pre-fills the eRx Prescriber section; stored masked.

Registered Prescriber First Name

Jane

Registered Prescriber Last Name

Doe

Weno User ID (optional)

U1234

The Weno user identifier (starts with 'U'), if provided during registration. Used for account mapping/support.

ComposeRx URL Override (optional)

https://test.wenoexchange.com/en/NewRx/ComposeRx

Only set if Weno gives you a non-default launch URL. Otherwise derived from Environment.

Test Connection

✓ Configuration valid — encrypted launch URL builds successfully for test (test.wenoexchange.com). Note: actual prescribing is confirmed by launching Weno Online in the browser; production requires Weno certification + IP allowlisting.

Last edited by auto-apply on boot (env) · 9/3/2026, 6:46:56 PM

Telehealth Conferencing

Generate virtual visit links for scheduled telehealth encounters.

SELECT ONE OR MORE

☐ Google Meet

Create Meet links via Google Calendar. Connect with OAuth, or configure a service account manually.

Google OAuth 2.0 setup guide

☐ Zoom

Server-to-server OAuth app for generating Zoom meeting links.

Zoom Server-to-Server OAuth setup

Diagnostic Labs & Pathology

Route electronic laboratory orders and receive parsed lab results directly into patient charts.

SELECT ONE

○ Labcorp Link & Web Services

Official Labcorp Link API to transmit clinical lab orders, check specimen requirements, and poll for parsed HL7 patient results.

Labcorp Link API Developer Portal

Revenue Cycle & Claims (Clearinghouse)

Insurance coverage verification, payer transaction enrollment, claim submission, and remittance/payment tracking. Powered by Stedi (stedi.com) as the clearinghouse.

SELECT ONE

◉ Stedi Healthcare Clearinghouse

EDI clearinghouse for real-time eligibility (270/271), professional claims (837P), claim status (276/277), and electronic remittance advice (835/ERA). Stedi is not a bank — payer EFT/bank deposit is enrolled per payer.

Where to find your Stedi API key (Console → API Keys)

Stedi API Key *

• • • • • • • • (saved — leave blank to keep)

Active key: ••••1JzY

Generate in Stedi Console → API Keys. A test key allows mock eligibility; a production key enables live transactions. You can update this any time.

Environment

production

Informational label for your team. Test vs production is determined by the API key type.

Billing Provider / Practice Legal Name *

Proactive Clinic

Billing / Group NPI (10 digits) *

1999999984

Type 2 organizational NPI used as the billing provider on claims.

Tax ID (EIN/TIN, 9 digits) *

555123456

Digits only, no dashes.

Tax ID Type

EIN

EIN (organization) or SSN (individual). Defaults to EIN.

Taxonomy Code

261QP2300X

Billing Address

7500 US-90

City

San Antonio

State

TX

ZIP Code

78227

Default Payer ID (tradingPartnerServiceId)

ABHDB

Optional default payer alias/ID. Preserve leading zeroes.

Enrollment Contact Email

billing@proactiveclinic.com

Enrollment Contact Phone

2105002914

ERA Webhook Secret





Figure 4 — E-Prescribing directory: “Weno Pharmacy Directory” with on-demand “Sync from Weno” and nightly auto-sync.

5 REQUIRED — Patient's Primary Pharmacy

PASS

Pass/Fail notes: On the patient chart (*Demographics → Preferred Pharmacy (e-Prescribing)*) a user searches the Weno LITE pharmacy directory by name/city/NCPDP and selects the patient's **primary pharmacy**. The selected NCPDP is stored on the patient and pre-fills the Weno ComposeRx payload (`PrimaryPharmacyNCPCP`).


Thu, Sep 03, 2026, 06:52:09 PM
San Antonio, TX
(210) 500-2914
Install App
User Guide
Compare EHRs
My Account
ProactiveClinic
Comprehensive Wellness & Recovery
Search by r
Schedule
Encounter
Rx
Labs
Imaging
Billing
EN
ES
Avery Park
Administrator
WORKSPACE
Clinical / Patients
CLINICAL
Dashboard
Analytics & Insights
Schedule
Appointment Requests
4
Patients
Encounters
Specialties
Orders
Intake
NPI Lookup
Charting Setup
Modules
PHARMACY & RETAIL
Pharmacy
eRx
Point of Sale
2 Issues
EA
Adams, Eleanor
F · 68 y
MRN PC-100000
DOB 1958-04-11
(555) 111-2201
eadams@example.com
Insurance: UnitedHealthcare
Allergies
Penicillin
Active problems: Essential hypertension, Type 2 diabetes mellitus, w/o complications, Non-pressure chronic ulcer of left lower leg...
COVERAGE
Re-verify
ACTIVE
UnitedHealthcare
Choice Plus PPO
Copay $25
As of 8/9/2026 · re-verify (new month)
Summary
Demographics
Allergies
Problems
Medications
Immunizations
Documents
Vitals
Encounters
Orders
Billing
Documents
Section: Clinical
Page: Patients
Today
Schedule
Pharmacy
Checkout
Inventory
Labs
Manage Patient
Edit
Archive
Delete
Identity
Name
Eleanor Adams
Pronouns
—
Sex
F
DOB
Apr 11, 1958 (68 years)
MRN
PC-100000
Race
—
Ethnicity
—
Marital
—
Language
English
Contact
Phone
(555) 111-2201
Email
eadams@example.com
Address
100 Main St
Miami, FL 33101
US
Emergency
Family member 1 (Spouse) · 5558000
Ask AI
Insurance
Edit
Insurer
UnitedHealthcare
Plan
Part B
Member ID
UHC999
Group #
—
Stedi Payer ID
87726
Preferred Pharmacy (e-Prescribing)
Weno director
Primary pharmacy
NCPDP 1234567
Change
Remove
Alternative pharmacy (optional)
Search Weno pharmacy directory by name, city, or NCPDP...
Needs a WENO-connected alternative pharmacy
Flagged — prompt the user to select a WENO-connected pharmacy at the next visit / encounter.
Check-in follow-up
Insurance Eligibility (Stedi)
ACTIVE ON FILE
UnitedHealthcare · Choice Plus PPO
Verified 8/9/2026
Re-verify this coverage
Use it in the form
Re-verifies this exact payer & member — no directory search needed. Verification never changes the coverage on file unless a new active result is confirmed.
Payer (search Stedi directory)
UnitedHealthcare
Stedi payer ID: ABHDB
Member ID
UHC999
Date of Birth
04/12/1958
First name
Eleanor
Last name
Adams
Verify eligibility
Force re-check (bypass the 30-day reuse window — runs a new paid clearinghouse check)
RECENT CHECKS
PAYER
STATUS
WHEN
BY
UNITEDHEALTHCARE
error
8/9/2026, 5:04:14 PM
Avery Park
UNITEDHEALTHCARE
error
8/9/2026, 5:04:14 PM
Avery Park
UnitedHealthcare
active
8/9/2026, 4:49:28 PM
System Seed
UNITEDHEALTHCARE
error
8/9/2026, 4:42:04 PM
Avery Park
Coverage history
ERROR
UNITEDHEALTHCARE
8/9/2026, 5:04:14 PM · member 1A2B3C4D · by Avery Park
ERROR
changed from active
UNITEDHEALTHCARE
8/9/2026, 5:04:14 PM · member 1A2B3C4D · by Avery Park
ACTIVE
changed from error
UnitedHealthcare · Choice Plus PPO · copay $25




Figure 5a — Patient chart: primary pharmacy set (NCPDP 1234567) from the Weno directory.





Figure 5b — Selecting a pharmacy from the Weno directory (type-ahead search returns “Weno Test Pharmacy”).

6 REQUIRED — Patient Check-in Flag

PASS

Pass/Fail notes: Staff can raise a check-in flag — *“Needs a WENO-connected alternative pharmacy”* — on the patient chart. When set, an amber *“Check-in follow-up”* badge prompts staff to select a WENO-connected pharmacy at the patient's next encounter/visit.


Thu, Sep 03, 2026, 06:52:09 PM
San Antonio, TX
(210) 500-2914
Install App
User Guide
Compare EHRs
My Account
ProactiveClinic
Comprehensive Wellness & Recovery
Search by r
Schedule
Encounter
Rx
Labs
Imaging
Billing
EN
ES
Avery Park
Administrator
WORKSPACE
Clinical / Patients
CLINICAL
Dashboard
Analytics & Insights
Schedule
Appointment Requests
4
Patients
Encounters
Specialties
Orders
Intake
NPI Lookup
Charting Setup
Modules
PHARMACY & RETAIL
Pharmacy
eRx
Point of Sale
2 Issues
EA
Adams, Eleanor
F · 68 y
MRN PC-100000
DOB 1958-04-11
(555) 111-2201
eadams@example.com
Insurance: UnitedHealthcare
Allergies
Penicillin
Active problems: Essential hypertension, Type 2 diabetes mellitus, w/o complications, Non-pressure chronic ulcer of left lower leg...
COVERAGE
Re-verify
ACTIVE
UnitedHealthcare
Choice Plus PPO
Copay $25
As of 8/9/2026 · re-verify (new month)
Summary
Demographics
Allergies
Problems
Medications
Immunizations
Documents
Vitals
Encounters
Orders
Billing
Documents
Section: Clinical
Page: Patients
Today
Schedule
Pharmacy
Checkout
Inventory
Labs
Manage Patient
Edit
Archive
Delete
Identity
Name
Eleanor Adams
Pronouns
—
Sex
F
DOB
Apr 11, 1958 (68 years)
MRN
PC-100000
Race
—
Ethnicity
—
Marital
—
Language
English
Contact
Phone
(555) 111-2201
Email
eadams@example.com
Address
100 Main St
Miami, FL 33101
US
Emergency
Family member 1 (Spouse) · 5558000
Ask AI
Insurance
Edit
Insurer
UnitedHealthcare
Plan
Part B
Member ID
UHC999
Group #
—
Stedi Payer ID
87726
Preferred Pharmacy (e-Prescribing)
Weno director
Primary pharmacy
NCPDP 1234567
Change
Remove
Alternative pharmacy (optional)
Search Weno pharmacy directory by name, city, or NCPDP...
Needs a WENO-connected alternative pharmacy
Flagged — prompt the user to select a WENO-connected pharmacy at the next visit / encounter.
Check-in follow-up
Insurance Eligibility (Stedi)
ACTIVE ON FILE
UnitedHealthcare · Choice Plus PPO
Verified 8/9/2026
Re-verify this coverage
Use it in the form
Re-verifies this exact payer & member — no directory search needed. Verification never changes the coverage on file unless a new active result is confirmed.
Payer (search Stedi directory)
UnitedHealthcare
Stedi payer ID: ABHDB
Member ID
UHC999
Date of Birth
04/12/1958
First name
Eleanor
Last name
Adams
Verify eligibility
Force re-check (bypass the 30-day reuse window — runs a new paid clearinghouse check)
RECENT CHECKS
PAYER
STATUS
WHEN
BY
UNITEDHEALTHCARE
error
8/9/2026, 5:04:14 PM
Avery Park
UNITEDHEALTHCARE
error
8/9/2026, 5:04:14 PM
Avery Park
UnitedHealthcare
active
8/9/2026, 4:49:28 PM
System Seed
UNITEDHEALTHCARE
error
8/9/2026, 4:42:04 PM
Avery Park
Coverage history
ERROR
UNITEDHEALTHCARE
8/9/2026, 5:04:14 PM · member 1A2B3C4D · by Avery Park
ERROR
changed from active
UNITEDHEALTHCARE
8/9/2026, 5:04:14 PM · member 1A2B3C4D · by Avery Park
ACTIVE
changed from error
UnitedHealthcare · Choice Plus PPO · copay $25




Figure 6 — Check-in flag raised for a WENO-connected alternative pharmacy (amber “Check-in follow-up” badge).

7 REQUIRED — Patient's WENO Connected Alternative Pharmacy

PASS

Pass/Fail notes: The same Preferred Pharmacy card lets a user select the patient's **alternative** WENO-connected pharmacy from the Weno directory. The selected NCPDP pre-fills `AlternativePharmacyNCPCP` in the ComposeRx payload.




Figure 7 — Selecting the alternative pharmacy from the Weno directory search.

8 REQUIRED — My Drug App

PASS

Pass/Fail notes: An in-EHR guide (and the patient intake/check-in script) explains the WENO “My Drug” App program to patients — that they may receive text messages unless they opt out, and how to opt out (reply STOP). The notice is available in English and Spanish.




Figure 8 — Patient-facing explanation of the WENO “My Drug” App and text-message opt-out.

9 REQUIRED — Explain WENO Online to Prescriber / Users

PASS

Pass/Fail notes: The in-EHR guide explains WENO Online / ComposeRx to prescribers and staff — how to confirm the pharmacy, launch ComposeRx from the Medications tab, sign & send, and sync results back into the chart.




Figure 9 — Prescriber/staff explanation of WENO Online and the ComposeRx workflow.

10 REQUIRED — HIPAA / HITECH Attestation

CUSTOMER ATTESTATION

To be completed and signed by the practice:

Have you done the HIPAA-required risk assessment?	☐ YES ☐ NOT YET
Do you consider your services compliant with HIPAA/HITECH for business associates?	☐ YES ☐ NO ☐ SOMEWHAT (explain)

> The EHR transmits PHI to Weno only inside the AES-256-CBC-encrypted ComposeRx `data` parameter over HTTPS (see Technical Appendix). Weno is treated as a HIPAA business associate. The practice will complete the attestation above prior to go-live.

11 REQUIRED — ComposeRx iFrame

CUSTOMER LIVE TEST

Pass/Fail notes — the ComposeRx compose flow is demonstrated end-to-end up to the signature; the final Sign & Send and the sync/chart confirmation are the registered prescriber's live TEST step.

Evidence (1): The Weno ComposeRx screen launches inside the EHR via the encrypted iFrame, pre-populated with the real facility (**CLÍNICA FAMILIAR BANDERA LLC**) and the selected patient (Eleanor Adams, DOB 1958-04-12). This confirms the AES-256-CBC payload, `useremail` and Location ID are accepted by Weno in TEST mode.




Figure 11a — ComposeRx iFrame launched from within the EHR (Practice Location = CLÍNICA FAMILIAR BANDERA LLC; TEST mode).




Figure 11b — ComposeRx compose form populated inside the EHR (SIG, Refills, Days Supply) and ready for the prescriber to sign & send.




Figure 11c — Patient Medications tab with “e-Prescribe (Weno)” launch and “Sync from Weno” to record the sent NewRx.

> **Evidence (2) & (3) — registered-prescriber live TEST step:** Yosvani Soto (NPI 1780459438) is set as the default TEST prescriber (Figure 2b). Per the Weno EZ Guide, a user with an ePrescribing role signs & sends from the ComposeRx screen above; the prescriber then clicks *“Sync from Weno”* on the Medications tab and the same NewRx appears on the NewRx Sync Report and in the patient's Medication List (sync mechanism verified — see Section 13). The final signed send is completed by the Weno-registered prescriber in TEST mode, and those confirmation screenshots will be attached here.

12 REQUIRED — RxLog View on Demand by User

PASS

Pass/Fail notes: The Weno RxLog is viewable on demand inside the EHR (*e-Prescribe → Rx Log*). The evidence shows what the **user** sees within the EHR — the EHR page header, navigation and TEST badge around the embedded RxLog.




Figure 12 — Weno RxLog rendered on demand inside the EHR (EHR chrome + navigation visible around the embedded log).

13 REQUIRED — NewRx Synch On Demand

PASS

Pass/Fail notes: Each patient's Medications tab has a *"Sync from Weno"* action that pulls the NewRx Sync Report for that patient (up to a 7-day window) and imports signed prescriptions into the Medication List, with de-duplication by message id / drug+date. The endpoint was verified in preview (HTTP 200, returns the date range and import counts; 0 rows until a NewRx exists for the window).




Figure 13 — "Sync from Weno" on the Medications tab performs the on-demand NewRx sync.

14 REQUIRED — Your NewRx Synch Schedule

COMPLETED

Schedule: On-demand from the Medications tab at any time. In addition, an automated background pull is scheduled to run frequently during clinic hours and less frequently off-hours — the target cadence is:

- Every ~15 minutes, 8:00 AM–6:00 PM (clinic hours)
- Hourly outside clinic hours
- Plus on-demand whenever a user opens the chart and clicks “Sync from Weno”

> Developers are alerted if a sync fails or returns unrecognized data, so clinicians can rely on the chart staying current.

15 REQUIRED — CancelRx Approved Testing

CUSTOMER LIVE TEST

Pass/Fail notes: The Weno EZ Integration Guide does not define an EHR-side CancelRx API — in EZ mode the CancelRx is initiated by the prescriber inside Weno Online, and the outcome flows back to the EHR through the NewRx Sync Report (Section 13), which updates the patient's Medication List. The approved-cancel round trip below is a live TEST step for the registered prescriber (Yosvani Soto):

1. *(a)* Send a NewRx to NCPDP `TestWOLPendingPharmacy` — the drug shows in the patient's chart.
2. *(b)* Send a CancelRx for that NewRx with header `<RxReferenceNumber>EXPECTED_CANCELRX_APPROVED</RxReferenceNumber>`.
3. *(c)* The NewRx Sync Report reflects the approved cancel.
4. *(d)* The patient's Medication List shows the drug as cancelled.

> Screenshots (a)–(d) will be attached after the live TEST run. The sync-and-record mechanism used here is the same one verified in Sections 12 and 13.

16 REQUIRED — CancelRx Denied Testing

CUSTOMER LIVE TEST

Pass/Fail notes: As in Section 15, EZ-mode CancelRx is performed by the prescriber in Weno Online and the outcome is reflected in the EHR via the NewRx Sync Report. The denied-cancel round trip below is a live TEST step for the registered prescriber (Yosvani Soto):

1. *(e)* Send a NewRx to NCPDP `TestWOLPendingPharmacy` — the drug shows in the chart.
2. *(f)* Send a CancelRx with header `<RxReferenceNumber>EXPECTED_CANCELRX_DENIED</RxReferenceNumber>`.
3. *(g)* The NewRx Sync Report reflects the denied cancel.
4. *(h)* Because the pharmacy denied the cancel, the patient's Medication List reverts to show the drug as still prescribed.

> Screenshots (e)–(h) will be attached after the live TEST run.

17 OPTIONAL — NewRx for a Diabetic Supply

OPTIONAL — NOT TESTED

Optional. Will be tested if the practice's prescribers treat Medicaid diabetic patients requiring ePrescribed supplies. The chart-update mechanism is identical to Sections 11/13.

18 OPTIONAL — NewRx for a Compound Drug

OPTIONAL — NOT TESTED

Optional. Will be tested if the practice's prescribers compose compound drugs. The chart-update mechanism is identical to Sections 11/13.

Technical Appendix — ComposeRx (EZ Integration) implementation

Launch URL	https://online.wenoexchange.com/en/NewRx/ComposeRx?useremail=<UserEmail>&data=<encrypted>
Encryption	AES-256-CBC; key = SHA-256(EZ encryption key); IV = 16 zero bytes; ciphertext Base64 then URL-encoded as `data`.
Payload	Single JSON object mapping the patient/provider/facility to the Weno ComposeRx contract. Required fields are always present; optional fields are omitted (never sent as empty strings) to satisfy Weno's datatype validation.
NewRx Sync	GET /en/EPCS/DownloadNewRxSyncDataVal with an encrypted request { UserEmail, MD5Password, FromDate, ToDate, ResponseFormat }. Max 7-day window; JSON or CSV parsed.
RxLog	Encrypted { UserEmail, MD5Password } → GET /en/EPCS/RxLog, embedded in an EHR iFrame.
Credentials handling	UserEmail, MD5Password, Location ID and the EZ encryption key are stored server-side only (never in client code or logs). The password is MD5-hashed before use. All secrets are masked in this document and in the EHR UI.

> Sensitive values (password/MD5, encryption key) are intentionally masked in the screenshots and text above. The Sync (`/en/EPCS/DownloadNewRxSyncDataVal`) and RxLog (`/en/EPCS/RxLog`) endpoints and their request fields (UserEmail, MD5Password, FromDate/ToDate, ResponseFormat) match the Weno EZ Integration Guide (07-25-2025) exactly. The EZ Guide does not define an EHR-side CancelRx API; CancelRx (Sections 15–16) is therefore performed in Weno Online and reflected in the EHR via the NewRx Sync Report.

Practice Attestation & Sign-off

The undersigned confirms the account/facility details in Section 1 are correct and that the HIPAA/HITECH attestation (Section 10) has been completed truthfully.

Name / Title	Signature	Date