CEDT

CO-WORKING

Presented by James

project#6

Project#6: Co-working Space Reservation

1. The system shall allow a user to register by specifying the name, telephone number, email, and password.
2. After registration, the user becomes a registered user, and the system shall allow the user to log in to use the system by specifying the email and password. The system shall allow a registered user to log out.
3. After login, the system shall allow the registered user to reserve up to 3 rooms by specifying the date and the preferred co-working space. The co-working space list is also provided to the user. A co-working space information includes the name, address, and telephone number, and open-close time.
4. The system shall allow the registered user to view his/her co-working space reservation.
5. The system shall allow the registered user to edit his/her co-working space reservation.
6. The system shall allow the registered user to delete his/her co-working space reservation.
7. The system shall allow the admin to view any co-working space reservation.
8. The system shall allow the admin to edit any co-working space reservation.
9. The system shall allow the admin to delete any co-working space reservation.

Introduction

```
exports.addReservation = async (req, res, next) => {
    try {

        req.body.coworking = req.params.coworkingId;

        req.body.user = req.user.id;

        const coworking = await Coworking.findById(req.params.coworkingId);

        if (!coworking) {
            return res.status(404).json({
              success:false,
              message: `No Coworking with the id of ${req.params.coworkingId}`
            });
        }

        const existedReservations = await Reservation.find({user:req.user.id});

        if (existedReservations.length >= 3 && req.user.role !== 'admin') {
            return res.status(400).json({
                success: false,
                message: `The user with ID ${req.user.id} has already made 3 reservations`
            });
        }

        const reservation = await Reservation.create(req.body);

        res.status(200).json({
            success: true,
            data: reservation
        });
```



USE CASE DIAGRAM


«Mongoose Model»
User
+_id: ObjectId
+name: String
+telephone: String
+email: String
+role: String ['user', 'admin']
-password: String
+resetPasswordToken: String
+resetPasswordExpire: Date
+createdAt: Date
+pre('save', hashPassword)
+getSignedJwtToken(): String
+matchPassword(enteredPassword): Boolean
«Mongoose Model»
Coworking
+_id: ObjectId
+name: String
+address: String
+telephone: String
+openTime: String
+closeTime: String
+virtual('reservations')
1
makes (limit 3)
0..3
1
hosts (have many reservations)
0..*
«Mongoose Model»
Reservation
+_id: ObjectId
+date: Date
+user: ObjectId «ref User»
+coworking: ObjectId «ref Coworking»
+createdAt: Date

UML PROFILE

SEQUENCE DIAGRAM





1. The system shall allow a user to register by specifying the name, telephone number, email, and password.
2. After registration, the user becomes a registered user, and the system shall allow the user to log in to use the system by specifying the email and password. The system shall allow a registered user to log out.
3. After login, the system shall allow the registered user to reserve up to 3 rooms by specifying the date and the preferred co-working space. The co-working space list is also provided to the user. A co-working space information includes the name, address, and telephone number, and open-close time.

Use Case Diagram

4. The system shall allow the registered user to view his/her co-working space reservation.
5. The system shall allow the registered user to edit his/her co-working space reservation.
6. The system shall allow the registered user to delete his/her co-working space reservation.
7. The system shall allow the admin to view any co-working space reservation.
8. The system shall allow the admin to edit any co-working space reservation.
9. The system shall allow the admin to delete any co-working space reservation.

UML Profile

Extra Credits

Sequence Diagram

การแบ่งงานในทีม (Github >> Contributors)

Slide+comment Force push
august-wish force pushed to main • 6f720c2...78caef3 • 5 minutes ago

Slide + comment
august-wish pushed 2 commits to main • 765c37d...6f720c2 • 31 minutes ago

final+extra+add constraint telephone
ponsesuto pushed 1 commit to main • 6fbc2a3...765c37d • 2 hours ago

final commit + extra function
ponsesuto pushed 1 commit to main • a1b6afa...6fbc2a3 • 22 hours ago

Slide
august-wish pushed 1 commit to main • 09a973e...a1b6afa • 22 hours ago

final commit
ponsesuto pushed 1 commit to main • 6dc15e4...09a973e • 3 days ago

Delete UML Diagram.png
Boomudm pushed 1 commit to main • 73b4baa...6dc15e4 • 3 days ago

Delete Sequence Diagram.png
Boomudm pushed 1 commit to main • 1391818...73b4baa • 3 days ago

Add files via upload
Boomudm pushed 1 commit to main • f3356c4...1391818 • 4 days ago

Done Jing Jing
Boomudm pushed 1 commit to main • 90aeda1...f3356c4 • 4 days ago

Done Force push
Boomudm force pushed to main • 09ecc6f...90aeda1 • 4 days ago

Almost Done Force push
Boomudm force pushed to main • cc5b65a...09ecc6f • 4 days ago

first-login-logout-reserve
august-wish pushed 2 commits to main • d19b557...cc5b65a • 5 days ago

first-login-logout-reserve
august-wish created master • e224071 • 5 days ago

add deadline
github-classroom[bot] created main • d19b557 • 13 days ago



Extra credits



https://youtu.be/gKFTGt1p2ok?si=HCdnv2j6YOiRefff

Add filter reservation by date

ระบบกรองข้อมูลการจองโดยใช้หลักการช่วงเวลาเพื่อความแม่นยำ โดยจะรับวันที่จากผู้ใช้มาแปลงเป็น Date Object แล้วกำหนดจุดเริ่มต้นของวัน ($gte) และจุดเริ่มของวันถัดไป ($lt)

กระบวนการนี้ช่วยให้ค้นหาข้อมูลได้ครอบคลุมทั้ง 24 ชั่วโมงของวันที่ระบุ ทำให้สามารถดึงข้อมูลออกมาได้ถูกต้องแม้เวลา Timestamp ในฐานข้อมูล MongoDB จะแตกต่างกันก็ตาม

checkAvailability

ระบบตรวจสอบความพร้อมก่อนจองโดยการวิเคราะห์เวลาที่ผู้ใช้เลือกเทียบกับเวลาเปิดทำการจริงของสถานที่ โดยระบบจะทำการดึงข้อมูลสถานที่จากฐานข้อมูลมาตรวจสอบควบคู่กับข้อมูลเวลาจองที่ส่งเข้ามา

กลไกการทำงานจะแปลงเวลาจองเป็นหน่วยชั่วโมงแล้วนำไปเปรียบเทียบกับ openTime และ closeTime ของสถานที่ หากพบว่าอยู่นอกเวลาทำการ ระบบจะปฏิเสธการจองทันทีพร้อมส่ง Contextual Message แจ้งสาเหตุเพื่อให้ผู้ใช้เปลี่ยนช่วงเวลาได้ถูกต้อง



https://github.com/2110503-CEDT68/be-project-68-james