

STADIOEquities Data Request

The goal is to supply the historical data needed to create and assess a Data Science model that forecasts which funded/active clients are likely to go inactive within six months and which registered clients are unlikely to activate.

1. Client and account data

Column name	Data type	Example	Additional information
Client ID	String, identifier	CL_004821	Stable pseudonymous client identifier. Do not provide name, ID number, phone number or email unless specifically required and approved.
Registration date	Datetime	2026-05-03 11:23:31	Timestamp when the account was registered; ISO-like yyyy-MM-dd HH:mm:ss preferred.
KYC completion date	Datetime / null	2026-05-04 08:50:20	Date/time KYC was completed. Null if never completed.
KYC status	String, categorical	Completed	Valid values should include the system's actual statuses, e.g. Started, In Progress, Completed, Failed, Abandoned.
Acquisition channel	String, categorical	Paid social	Channel responsible for the registration, using a controlled list.
Region	String, categorical	KZN	Province/region where available. Prefer standard South African province codes if used.
Age	Numeric, integer	37	Age at registration or another clearly specified reference date. Do not provide date of birth if age can be supplied.
Stated goal	String, categorical	Long-term investing	Client's stated investment goal at sign-up; provide controlled categories and an 'Unknown' category.
Risk appetite	String, categorical	Moderate	Risk-appetite category recorded at sign-up; provide the exact allowed values.

2. App and web behaviour

Column name	Data type	Example	Additional information
Event timestamp	Datetime	2026-05-03 15:23:42	Every app or online event must have a timestamp; this is necessary for temporal modelling.
Client ID	String, identifier	CL_03567	The client/account table must be joined.
Session ID	String, identifier	SES_98231	When available, use a unique session identifier.

Platform	String, categorical	iOS	Examples include the Web, Android, and iOS. Give the real system values.
Screen / feature	String, categorical	Deposit screen	Viewing or using a screen, feature, or product area.
Event type	String, categorical	Viewed	Viewed, Clicked, Started, Completed, and Abandoned are a few examples.
Onboarding step	String, categorical	Bank details	Particular onboarding procedure related to the occurrence, if any
Step outcome	String, categorical	Completed	The result of an onboarding process. When it's not applicable, use null.
Session duration	Numeric, decimal	47.5	When available, the duration is expressed in seconds.
Login count	Numeric, integer	5	Give the aggregation window if the data is provided as an aggregate; event-level data is recommended.

3. Funding and account activity

Column name	Data type	Example	Additional information
Transaction type	String, categorical	Deposit	Deposits, withdrawals, and any other pertinent account financing events should all be considered valid values.
Amount	Numeric, decimal	10000.00	Monetary sum. Indicate the currency; unless otherwise noted, ZAR is anticipated.
Funding status	String, categorical	Successful	Examples include Pending, Reversed, Failed, and Successful.
Balance	Numeric, decimal	7200.00	STADIOEquities defines account/client cash or total balance. Give a precise definition.
First deposit timestamp	Datetime / null	2026-05-04 10:15:21	The timestamp of the client's initial successful deposit, if it is available.

4. Trading activity

Column name	Data type	Example	Additional information
Trade timestamp	Datetime	2025-06-10 14:32:11	Timestamp when the trade was executed.
Client ID	String, identifier	CL_004821	Must join to the client table.
Instrument	String, categorical	Example equity	Instrument/security identifier or a pseudonymised instrument ID.
Asset class	String, categorical	Equity	Controlled asset-class category.

Trade side	String, categorical	Buy	Valid values: Buy, Sell.
Trade value	Numeric, decimal	4500.00	Value of the trade; specify currency.
Quantity	Numeric, decimal	12.5	Number of units/shares traded.
Portfolio weight	Numeric, decimal	0.82	If available, proportion of portfolio represented by the instrument at the relevant point in time; 0–1.
Concentration metric	Numeric, decimal	0.82	Any existing concentration measure, with definition and calculation window.

5. Product and subscription activity

Column name	Data type	Example	Additional information
Client ID	String, identifier	CL_005721	Must join to the client table.
Product	String, categorical	Premium	Product or subscription type.
Subscription status	String, categorical	Active	Examples: Active, Cancelled, Trial, Never subscribed.
Start timestamp	Datetime / null	2026-07-01 08:00:00	Start of subscription/product use.
End timestamp	Datetime / null	2026-08-01 08:00:00	End/cancellation timestamp where necessary.
Product take-up	String, categorical	Accepted	Outcome of a product offer where recorded.

6. Support and feedback

Column name	Data type	Example	Additional information
Ticket timestamp	Datetime	2026-08-12 11:23:00	Timestamp when ticket/query was created.
Client ID	String, identifier	CL_008421	Must join to the client table where the interaction is client-specific.
Ticket reason	String, categorical	Fee query	Controlled reason/category assigned to the ticket.
Ticket outcome	String, categorical	Resolved	Resolution status/outcome.
Resolution time	Numeric, decimal	17.4	Time to resolution; specify unit, preferably hours.
Feedback score	Numeric, decimal	4	Customer feedback score where available; specify scale.

Feedback text	String, free text	Why can't I withdraw?	Provide if approved. Preserve timestamp and client ID. Sensitive information should be removed or masked.
---------------	-------------------	-----------------------	---

7. Marketing activity

Column name	Data type	Example	Additional information
Client ID	String, identifier	CL_004821	Must join to the client table.
Campaign ID	String, categorical	ACTIVATE_JUNE26	Unique campaign identifier.
Campaign channel	String, categorical	Email	Examples: Email, Push, SMS, In-app.
Send timestamp	Datetime	2026-05-05 08:00:00	Timestamp when message/nudge was sent.
Open indicator	Boolean	True	Whether the client opened the communication where measurable.
Click indicator	Boolean	False	Whether the client clicked the communication where measurable.
Acquisition cost	Numeric, decimal	190.00	Account acquisition cost where available; specify whether client-level or campaign-level.

8. Compliance monitoring

Column name	Data type	Example	Additional information
Alert timestamp	Datetime	2026-09-02 15:31:10	Timestamp of transaction-monitoring alert.
Client ID	String, identifier	CL_004821	Pseudonymous client identifier.
Alert type	String, categorical	Rule_17	Rule/alert category; do not include unnecessary sensitive information.
Alert disposition	String, categorical	False positive	Final disposition where available.
Case outcome	String, categorical	Closed	Outcome of the investigation, if a case was opened.

9. Modeling outcomes

Column name	Data type	Example	Additional information
Client ID	String, identifier	CL_004821	Stable pseudonymous identifier.

Activation outcome	Boolean	True	Whether the client achieved the agreed definition of activation within the specified prediction window.
First deposit timestamp	Datetime / null	2025-05-04 10:15:21	Required to independently derive activation timing.
Dormancy outcome	Boolean / null	True	Whether the client met the agreed six-month dormancy definition after the relevant reference point.
Dormancy timestamp	Datetime / null	2025-11-04 00:00:00	Date when the agreed dormancy condition was first met, if derivable.
Observation end date	Datetime	2026-05-31 23:59:59	Last date through which outcomes are known for the record.