


[Github URL](#)

## W10-P1: implement /exams/midterm/p1\_xx for P1 in mid-1

=> Chrome, show P1 page with meta data



=> show the relevant code

```

File Edit Selection View Go Run Terminal Help
OPEN EDITORS
GROUP 1
pagejsx src/app/exams/midterm/p1_44.jsx
next.config.mjs
JS Shop_44.jsx src/assets/wrappers/midterm/
JS layout.js src/app/exams/midterm/
GROUP 2
Extensions (Ctrl+Shift+X)
1141_2N_NEXT_HSU_44
.net
node_modules
public
src
app (root)
exams\ midterm
pagejsx
JS layout.js
JS pages
assets
data
wrappers
midterm
Shop_44.jsx
BookList_xxjsx
NavBar_xxjsx
Tutorials_xxjsx
react.svg
components
db
.gitignore
JS config.mjs
package.json
package-lock.json
postcss.config.mjs
README.md
OUTLINE
TIMELINE

```

```

src/app/exams/midterm/p1_44.jsx
1 import Wrapper from '@assets/wrappers/midterm/shop_44';
2
3 const P1_StaticPage_44 = () => {
4   return (
5     <Wrapper>
6       <div className="collection-page">
7         <div className="section-title">
8           <h3>P1_StaticPage_44</h3>
9           <div className="text-center text-[16px]"> Hsu
10          <h1>213410144</h1>
11        </div>
12        <div className="collection-page">
13          <h1>Mens</h1>
14          <div className="items">
15            <div className="collection-item"></div>
16            <div className="collection-item"></div>
17            <div className="collection-item"></div>
18            <div className="collection-item"></div>
19            <div className="collection-item"></div>
20            <div className="collection-item"></div>
21          </div>
22        </div>
23      </Wrapper>
24    );
25  }
26
27  export default P1_StaticPage_44;
28
29 }

JS layout.js
src/app/exams/midterm/JS/layout.js ...
1 import { Geist, Geist_Mono } from "next/font/google";
2 // import './globals.css';
3
4 const geistSans = Geist({
5   variable: "--font-geist-sans",
6   subsets: ["latin"],
7 });
8
9 const geistMono = Geist_Mono({
10   variable: "--font-geist-mono",
11   subsets: ["latin"],
12 });
13
14 export const metadata = {
15   title: "Create Next App",
16   description: "Generated by create next app",
17 };
18
19 export default function RootLayout({ children }) {
20   return (
21     <html lang="en">
22       <body>
23         <div className={`${geistSans.variable} ${geistMono.variable} antialiased'>
24           {children}
25         </div>
26       </body>
27     </html>
28   );
29 }

Ask about your code.
AI responses may be inaccurate.
Generate instructions to onboard AI onto your codebase.


```

The code editor shows the file structure and the content of the `pagejsx` and `JS layout.js` files. The `pagejsx` file contains the main component logic, including imports for `Wrapper`, `Geist_Mono`, and `GeistSans`, and an export for the `P1_StaticPage_44` component. The `JS layout.js` file contains the global layout function `RootLayout` which applies specific CSS classes and font variables to the entire page. The DevTools sidebar on the right shows the "Ask about your code" feature.

e6e98fc 213410144 Fri Nov 21 17:22:54 2025 +0800 W10-P1: implement /exams/midterm/p1\_xx for P1 in mid-1

W10-P2: Implement /exams/midterm/p2\_xx for P2 in mid-1

=> shown in Chrome



=> the relevant code for P2

The screenshot shows a Microsoft Visual Studio Code (VS Code) interface with the following details:

- File Explorer:** Shows the project structure for "1141\_2n\_next\_hsu\_44".
- Editor:** Two files are open:
  - NavbarShop\_44.jsx:** Contains JSX code for a header component, including a dropdown menu section.
  - JS layout.js:** Contains a function "P2\_StaticPage\_44" which returns a component structure with a large menu item section.
- Terminal:** Shows the command "npm run dev" being run, with the output indicating several 404 errors for missing assets.
- Status Bar:** Shows the current file is "main", has 32 tabs open, and the status "In 100 Col 1 Spaces 2 UTF-8 CRLF JavaScript JSX Go Live".

=> Navbar\_xx for root layout

The screenshot shows the VS Code interface with several tabs open:

- File**, **Edit**, **Selection**, **View**, **Go**, **Run**, **Terminal**, **Help**
- EXPLORER**: Shows the project structure with files like `next.config.mjs`, `Shop_44.jsx`, `Tour_xx.jsx`, `Navbar_xx.jsx`, `BookList_xx.jsx`, `layout.js`, `page.jsx`, and `index.js`.
- JS layout.js U**: Contains the code for the `Navbar_xx` component.
- JS Tour\_xx.jsx U**: Contains the code for the `Tour_xx` component.
- JS Navbar\_xx.jsx U**: Contains the code for the `Navbar_xx` component.
- JS BookList\_xx.jsx U**: Contains the code for the `BookList_xx` component.
- JS page.jsx U**: Contains the code for the `page` component.
- JS index.js U**: Contains the code for the `index` component.
- JS layout.js .../root U**: Contains the code for the `RootLayout` component.

The code for `Navbar_xx` and `RootLayout` is highlighted with red boxes. The `RootLayout` code includes imports for `Navbar_xx` and `Geist_Mono`, and defines a `RootLayout` function that returns a `<div>` element with a `className` of `'Navbar_xx'` and a child node of `{children}`.

```
1f68bfe 213410144      Fri Nov 21 17:23:53 2025 +0800 W10-P2: Implement
/exams/midterm/p2_xx for P2 in mid-1
```