

UNIVERSITEIT • STELLENBOSCH • UNIVERSITY jou kennisvennoot • your knowledge partner

Project Man. 412 Assignment 2

Emile Visser 21595240

Report submitted in partial fulfilment of the requirements of the module Project Management 412 for the degree Baccalaureus in Engineering at Stellenbosch University.

Contents

List of Figures					
Lis	List of Tables				
No	men	clature		v	
1.	Exec	cutive S	Summary	1	
2.	Proj	ect Sco	оре	2	
	2.1.	Introd	uction	. 2	
	2.2.	Object	tives	. 2	
	2.3.	Delive	rables	. 2	
	2.4.	Milest	ones	. 2	
	2.5.	Work	Breakdown Structure	. 2	
	2.6.	Techn	ical Requirements	. 2	
		2.6.1.	Chemical Requirements	. 2	
		2.6.2.	Civil Requirements	. 2	
		2.6.3.	Electrical and Electronic Requirements	. 2	
		2.6.4.	Mechanical Requirements	. 3	
		2.6.5.	Mechatronic Requirements	. 3	
	2.7.	Custo	mer Review and Approval Procedures	. 3	
3.	Proj	ect Ba	seline	4	
4.	Bud	get		5	
5.	Risk	Analys	sis	8	
Bil	bliogi	aphy		9	
Α.	Deta	ailed B	udget	10	
В.	3. Network Diagram			13	
C.	C. Social contract			17	

C 1 1 -	<u>::</u>
Contents	11

List of Figures

4.1.	Status and Distribution of Task Costs	6
4.2.	Status and Distribution of Resource Costs	6
A.1.	Detailed Budget	10
B.1.	Full Network Diagram	1.9

List of Tables

4.1.	Project Cost Breakdown	5
4.2.	Managerial Actions Cost Breakdown	6

Nomenclature

Acronyms and abbreviations

 $\label{eq:mcu} \mbox{MCU} \qquad \mbox{Microcontroller Unit}$

AC Alternating Current

DC Direct Current

HPF High-Pass Filter

LPF Low-Pass Filter

BPF Band-Pass Filter

BPM Beats Per Minute

FFT Fast Fourier Transform

ADC Analogue to Digital Converter

DAC Digital to Analogue Converter

Executive Summary

We will design a high pressure vessel for industrial purposes

Project Scope

2.1. Introduction

2.2. Objectives

The objective of this project is to develop a high pressure vessel for industrial purposes (DETAIL) subject to time and monetary constraints specified by the customer while minimizing risk and maximizing stakeholder value. The product must be designed according to the the technical requirements specified by the multi-disciplinary team of engineers assigned to this project and approved by the customer.

2.3. Deliverables

2.4. Milestones

2.5. Work Breakdown Structure

2.6. Technical Requirements

This section describes the technical requirements determined by the multi-disciplinary team of engineers assigned to this project, subject to approval by the customer

2.6.1. Chemical Requirements

2.6.2. Civil Requirements

2.6.3. Electrical and Electronic Requirements

The high-pressure vessel must be monitored using a suite of analogue and digital sensors. This will be the purview of the electrical and electronic engineer.

This sensor suite must be designed and built using cost-effective and accurate components that can withstand the pressure inside the pressure vessel to be developed. Redundant sensors must also be included to provide reasonably accurate measurements in the event of a component failure or if the pressure vessel moves outside of its normal operating parameters.

- 2.6.4. Mechanical Requirements
- 2.6.5. Mechatronic Requirements
- 2.7. Customer Review and Approval Procedures

Project Baseline

The baseline for this project has been calculated using Microsoft Project and can be seen in A.1 and B.1.

Analysing this network leads to several potential problem areas. The first is that this project is sensitive to the hiring time of new resources. For example, if junior product designers are not hired by the time Phase 2 starts, the entire project will be delayed. To mitigate this potential problem, two engineers are hired that can cover a variety of specialities in the event that required resources are not obtained. The hiring strategy must also take this possibility into account, such as hiring resources a period earlier than they are required.

Budget

This chapter documents the budget that has been planned for this project. Resources that have not been hired as of Phase 1 have been assigned using generic resources and their cost has been calculated using average rates for their respective specialisation.

The cost breakdown of the project can be found in the Tab. 4.1 below:

Cost Type	Cost
Direct Resource Costs	30 9428,00
Training Costs	0
Managerial Action Costs	1 600,00
Overhead (20%)	61 885,60

 $Total: \quad 372 \ 913.6$

Table 4.1: Project Cost Breakdown

An overhead cost of 20% is added to account for unforeseen events and worker inefficiencies. This cost acts as a contingency fund to prevent cost overruns. Equipment and product material costs are not included in this budget.

Comparing this total cost with the project budget of 380 000 \$ yields a margin of 7 086.4 \$. This margin can be considered as a discretionary fund to be used for adjusting the hiring or managerial action strategy.

An overview of the cost status and distribution of the costs associated with the various tasks over the full project duration can be found in Fig. 4.1 below:




Figure 4.1: Status and Distribution of Task Costs

An overview of the cost status and distribution of the costs associated with the various resources over the full project duration can be found in Fig. 4.2 below:




Figure 4.2: Status and Distribution of Resource Costs

The cost breakdown of the managerial actions planned for the project is found in Tab. 4.2 below:

Managerial Action	Action Amount	Action Unit Cost	Cost
Pizza Party	12	50,00	600
Management Recognition Award	4	250,00	1000

Total: 1 600,00

Table 4.2: Managerial Actions Cost Breakdown

The managerial actions planned to be taken consist of a pizza party for all employees at every period as well as management recognition awards at regular intervals throughout the project.

It was decided that training resources was not worth the cost and lost hours for the relatively small gains in efficiency.

A detailed budget with task assignments, baseline budget and baseline duration can be found in A.1.

Chapter 5 Risk Analysis

Bibliography

Appendix A

Detailed Budget

The detailed budget can be found on the following pages. Note that the image can be zoomed in to read details of the various tasks.


ID	Task Name	Resource Names	Baseline Cost	Baseline Estimated Duration	
1	Market Assessment		\$32 844.00	25.5 days	
2	Evaluate market	Kurt Zollinger, Yukio Ashida	\$7 728.00	6 days	
3	Develop Business opportunity	Kurt Zollinger, Yukio Ashida	\$9 016.00	7 days	
4	Customer preference study	Kurt Zollinger, Yukio Ashida	\$13 524.00	10.5 days	
5	Business evaluation (NPV, etc.)	Kurt Zollinger, Yukio Ashida	\$2 576.00	2 days	
6	Procurement		\$15 552.00	84.13 days	
7	Identify vendors	Kurt Zollinger	\$3 528.00	7 days	
8	Develop and Issue RFQ	Kurt Zollinger	\$3 024.00	6 days	
9	Issue sample (production equivalent)	Quality Engineer	\$3 000.00	5 days	
10	Assess RFQ responses and select vendors	Quality Engineer	\$6 000.00	10 days	
11	Supplier Quality		\$15 952.00	45 days	
12	Perform supplier process capability	Operations Specialist	\$5 600.00	14 days	
13	Approve sample parts	Tom Becher	\$4 352.00	8 days	
14	Qualify Supplier	Quality Engineer	\$6 000.00	10 days	
15	Design		\$22 344.00	46.5 days	
16	Design and development plan	Junior Product Designer, Junior Product Designer 2	\$2 352.00	3 days	
17	Design specs.	Junior Product Designer, Junior Product Designer 2	\$8 624.00	11 days	
18	Identify testing requirements	Junior Product Designer, Junior Product Designer 2	\$3 920.00	5 days	
19	Risk analysis	Junior Product Designer, Junior Product Designer 2	\$3 920.00	5 days	
20	Design labeling	Junior Product Designer, Junior Product Designer 2	\$1 960.00	2.5 days	
21	Approve design	Junior Product Designer, Junior Product Designer 2	\$1 568.00		
22	Engineering	-	\$45 988.00	94.63 days	
23	Initial engineering specs.	Tom Becher, Darryl Sandefur	\$2 460.00	2.5 days	
24	Design verification activities	Tom Becher, Darryl Sandefur	\$3 444.00	3.5 days	
25	Verification design review	Tom Becher, Darryl Sandefur	\$1 968.00	2 days	
26	Release pre-production specifications	Tom Becher, Darryl Sandefur	\$4 920.00	5 days	
27	Build functional model	Tom Becher, Darryl Sandefur	\$8 856.00	9 days	
28	Design validation activities	Darryl Sandefur	\$2 200.00	5 days	
29	Validation design review	Tom Becher, Darryl Sandefur	\$1 968.00	2 days	
30	Approve model design	Tom Becher, Darryl Sandefur	\$1 968.00	2 days	
31	Design transfer activities	Tom Becher, Darryl Sandefur	\$18 204.00	•	
32	Engineering Quality		\$21 464.00	•	
33	Evaluate design specifications	Quality Engineer	\$6 000.00	•	
34	Develop testing protocol for prototype	Tom Becher,Darryl Sandefur	\$4 352.00	,	
35	Test prototype	Quality Engineer	\$6 000.00	•	


ID Task	x Name	Resource Names	Baseline Cost	Baseline Estimated Duration
36 E	Evaluate results of tests and identify weaknesses	Quality Engineer	\$3 600.00	6 days
37 F	Product release meetings	Kurt Zollinger	\$1 512.00	3 days
38 Man	nufacturing		\$22 600.00	78 days
39 F	Process engineering plan	Operations Specialist	\$6 000.00	15 days
40 C	Develop production plan	Operations Specialist	\$2 400.00	6 days
41 C	Develop production control plan	Operations Specialist	\$3 400.00	8.5 days
42 A	Approve production parts	Operations Specialist	\$2 000.00	5 days
43 C	Contracting for deliveries	Operations Specialist	\$3 200.00	8 days
44 S	Submit production purchase order	Operations Specialist	\$800.00	2 days
45 F	Production pilot test	Operations Specialist	\$2 000.00	5 days
46 C	Debugging production system	Operations Specialist	\$1 600.00	4 days
47 F	Production release	Operations Specialist	\$1 200.00	3 days
48 Con	nmercialization		\$48 944.00	182.63 days
49 E	Develop preliminary marketing plan	Kurt Zollinger, Yukio Ashida	\$3 220.00	2.5 days
50 E	Develop marketing program	Kurt Zollinger, Yukio Ashida	\$9 660.00	7.5 days
51 T	Гrain sales team	Kurt Zollinger	\$11 088.00	22 days
52 A	Advertising campaign	Yukio Ashida	\$21 952.00	28 days
53 S	Show functional model at trade show	Kurt Zollinger	\$1 512.00	3 days
54 F	Product launch	Kurt Zollinger	\$1 512.00	3 days
55 Pro j	ject Management		\$91 148.00	201.13 days
56 F	Project Management Period 1	Tom Becher, Darryl Sandefur	\$12 300.00	12.5 days
57 F	Project Management Period 2	Tom Becher, Darryl Sandefur	\$6 888.00	7 days
58 F	Project Management Period 3	Tom Becher, Darryl Sandefur	\$6 888.00	7 days
59 F	Project Management Period 4	Yukio Ashida	\$10 192.00	13 days
60 F	Project Management Period 5	Yukio Ashida	\$11 760.00	15 days
61 F	Project Management Period 6	Yukio Ashida	\$7 056.00	9 days
62 F	Project Management Period 7	Yukio Ashida	\$8 624.00	11 days
63 F	Project Management Period 8	Yukio Ashida	\$2 352.00	3 days
64 F	Project Management Period 9	Yukio Ashida	\$3 136.00	4 days
65 F	Project Management Period 10	Yukio Ashida	\$3 920.00	5 days
66 F	Project Management Period 11	Yukio Ashida	\$10 192.00	13 days
67 F	Project Management Period 12	Yukio Ashida	\$7 840.00	10 days
68 Mile	estones		\$0.00	182.63 days


Appendix B

Network Diagram

The network diagram can be found on the following three pages. Note that the diagram is read left to right, the pages are contiguous and the images can be zoomed in to read details of the various tasks.







Appendix C

Social contract



UNIVERSITEIT * STELLENBOSCH * UNIVERSITY jou kennisvennoot * your knowledge partner

E-design 344 Social Contract

2020

The purpose of this document is to establish commitment between the student and the organisers of E344. Beyond the commitment made here, it is not binding.

In the months preceeding the term, the lecturer (Thinus Booysen) and the Teaching Assistant (Michael Ritchie) spent countless hours to prepare for E344 to ensure that you get your money's worth and that you are enabled to learn from the module and demonstrate and be assessed on your skills. We commit to prepare for the module, to set the tests and assessments fairly, to be reasonably available, and to provide feedback and support as best and fast we can. We will work hard to give you the best opportunity to learn from and pass analogue electronic design E344.

Signature: Date: 13 July 2020
I, Emile Visser
Signature: Date: 2020/08/17
1

Appendix D

GitHub Activity Heatmap

./Figures/Github.png	