


Computer Network Lab

Lab 3: Network Packet Analysis using Wireshark

Observations and analysis using Wireshark, a network packet analyser that captures and examines data packets transmitted over a network. It allows users to monitor network traffic and analyse previously captured packet files.


Live packet capture initiated on Wi-Fi interface:

- Live network traffic was captured using Wireshark by selecting the Wi-Fi network interface.
- Packets were captured for a duration of five minutes while normal internet activity was being performed.




Packet Selection and ARP packet analysis:

- During the packet analysis, specific packets were selected from the packet list at the right-bottom panel.
- The ARP packets which are used to map IP address to MAC address within the local network are observed.
- The IP layer shows the source and destination IP addresses of the packet, while the TCP/UDP layer shows source and destination port numbers used by applications.




Internet Protocol Version 4 (IPv4) Analysis:

- By expanding the Internet Protocol Version 4 section in the packet details pane, the source IP address and destination IP address of the selected packet were identified.




Packet List Details:

- The packet list panel displayed important packet details - time of capture, source address, destination address, protocol used, packet length information.
- A screenshot of the saved .pcap file is shown below.



Protocol Hierarchy Statistics:

- The protocol hierarchy shows the distribution of protocols present in captured traffic
- It provides an overview of network traffic composition - summary of ethernet, ip, tcp, udp



Wireshark - Protocol Hierarchy Statistics - networkCapture.pcapng


Protocol	Percent Packets	Packets	Percent Bytes
Frame	100.0	132520	100.0
Ethernet	100.0	132520	1.8
Internet Protocol Version 6	3.4	4523	0.2
User Datagram Protocol	0.2	309	0.0
Simple Service Discovery Protocol	0.0	4	0.0
Multicast Domain Name System	0.0	8	0.0
Link-local Multicast Name Resolution	0.0	4	0.0
DHCPv6	0.2	293	0.0
Internet Control Message Protocol v6	3.2	4214	0.1
Internet Protocol Version 4	94.7	125460	2.4
User Datagram Protocol	26.8	35535	0.3
Simple Service Discovery Protocol	0.1	96	0.0
QUIC IETF	18.2	24129	17.6
NetBIOS Name Service	0.0	9	0.0
Multicast Domain Name System	0.2	252	0.1
Link-local Multicast Name Resolution	0.0	4	0.0
Dynamic Host Configuration Protocol	0.2	251	0.1
Domain Name System	0.5	661	0.1
Transmission Control Protocol	67.6	89533	1.7
Transport Layer Security	9.9	13107	70.8
Hypertext Transfer Protocol	0.0	24	0.0
Online Certificate Status Protocol	0.0	5	0.0
Line-based text data	0.0	5	0.0
JavaScript Object Notation	0.0	1	0.0
Internet Group Management Protocol	0.2	244	0.0
Internet Control Message Protocol	0.1	148	0.0
Data	7.7	10266	6.8
Address Resolution Protocol	1.8	2434	0.1

No display filter.

Close Copy Protocols Help

Conversations Analysis:

- Used to examine communication between source and destination hosts.
- It displays the information such as ip address, number of packets exchanged, data transferred.



Wireshark - Conversations - networkCapture.pcapng

Conversation Settings

- ☐ Name resolution
- ☒ Absolute start time
- ☒ Display raw data
- ☒ Limit to display filter

Copy Follow Stream... Graph... I/O Graphs

Protocol: Bluetooth, IPv6, DCCP, DNP 3.0, Ethernet (checked), FC, FDDI, IEEE 802.11, IEEE 802.15.4, ILNP


Filter list for specific type

Address A	Port A	Address B	Port B	Packets	Bytes	Stream
13.73.244.6	8883	172.20.137.26	53542	9	740 bytes	
13.107.213.58	443	172.20.137.26	52677	7	453 bytes	
52.109.56.128	443	172.20.137.26	49683	6	375 bytes	
52.109.56.130	443	172.20.137.26	49685	4	228 bytes	
52.123.129.14	443	172.20.137.26	54234	4	228 bytes	
104.18.39.21	443	172.20.137.26	63793	115	10 kB	
172.20.137.26	56588	3.5.135.84	443	28	12 kB	
172.20.137.26	59401	3.33.146.110	443	24	7 kB	
172.20.137.26	61090	3.33.146.110	80	10	1 kB	
172.20.137.26	61906	3.33.220.150	443	30	10 kB	
172.20.137.26	51569	3.84.158.248	443	13	6 kB	
172.20.137.26	51702	3.84.158.248	443	13	7 kB	
172.20.137.26	52863	3.84.158.248	443	13	6 kB	
172.20.137.26	54071	3.84.158.248	443	11	2 kB	
172.20.137.26	57700	3.84.158.248	443	309	66 kB	
172.20.137.26	60200	3.84.158.248	443	13	6 kB	
172.20.137.26	60725	3.84.158.248	443	85	36 kB	
172.20.137.26	63283	3.84.158.248	443	13	7 kB	
172.20.137.26	49681	3.111.241.224	443	31	12 kB	
172.20.137.26	56148	3.111.241.224	443	27	13 kB	
172.20.137.26	56422	3.111.241.224	443	36	15 kB	
172.20.137.26	57382	3.111.241.224	443	33	14 kB	
172.20.137.26	58122	3.111.241.224	443	37	16 kB	
172.20.137.26	59090	3.111.241.224	443	32	15 kB	
172.20.137.26	58354	3.136.193.237	443	48	18 kB	
172.20.137.26	51938	3.223.60.221	443	28	10 kB	
172.20.137.26	54680	3.223.60.221	443	19	7 kB	
172.20.137.26	58476	3.223.60.221	443	30	9 kB	
172.20.137.26	60704	4.153.25.42	443	25	10 kB	

Close Help

IO Graphs analysis:

- IO graphs are used to visualize the network traffic over time.
- The graph shows the packet transmission rate and helps understand the traffic pattern during the capture period.



Packet Filtering:

- Displays the filtered applied to analyse specific protocol packets
- IP, TCP, UDP, DNS, ICMP

No.	Time	Source	Destination	Protocol	Length	Info
2	0.000000	172.20.72.11	172.20.137.26	DNS	254	Standard query response 0xd3fe A downloads.dell.com CNAME downloads.dell-cidr.akadns.net CNAME downloads-regions.dell-cidr.aka...
5	0.004940	172.20.137.26	49.44.106.18	TCP	66	59602 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
6	0.008471	49.44.106.18	172.20.137.26	TCP	60	443 → 59602 [SYN, ACK] Seq=0 Ack=1 Win=5280 Len=0 MSS=1460 SACK_PERM WS=256
7	0.008687	172.20.137.26	49.44.106.18	TCP	54	59602 → 443 [ACK] Seq=1 Ack=1 Win=5280 Len=0
8	0.010583	172.20.137.26	49.44.106.18	TCP	54	59602 → 443 [FIN, ACK] Seq=1 Ack=1 Win=5280 Len=0
9	0.023044	49.44.106.18	172.20.137.26	TCP	60	443 → 59602 [ACK] Seq=1 Ack=2 Win=29440 Len=0
11	0.076886	49.44.106.18	172.20.137.26	TCP	60	443 → 59602 [FIN, ACK] Seq=1 Ack=2 Win=29440 Len=0
12	0.077198	172.20.137.26	49.44.106.18	TCP	54	59602 → 443 [ACK] Seq=2 Ack=2 Win=65280 Len=0
25	0.592621	172.20.136.27	224.0.0.251	PMNS	135	Standard query 0x0000 PTR _googlecast._tcp.local, "QM" question PTR _...
26	0.592621	0.0.0.0	255.255.255.255	DHCP	364	DHCP Request - Transaction ID 0x5b773ef4
38	0.799333	0.0.0.0	255.255.255.255	DHCP	342	DHCP Request - Transaction ID 0x92c76243
48	0.939317	172.20.137.26	49.44.106.18	TCP	66	59603 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
58	0.939957	0.0.0.0	255.255.255.255	DHCP	342	DHCP Request - Transaction ID 0xad7939c
59	0.943866	49.44.106.18	172.20.137.26	TCP	66	443 → 59603 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460 SACK_PERM WS=256
60	0.944025	172.20.137.26	49.44.106.18	TCP	54	59603 → 443 [ACK] Seq=1 Ack=1 Win=5280 Len=0
61	0.953317	172.20.137.26	49.44.106.18	TLSv1.3	522	Client Hello (SNI=downloads.dell.com)
62	0.957233	49.44.106.18	172.20.137.26	TCP	60	443 → 59603 [ACK] Seq=1 Ack=469 Win=30464 Len=0
63	0.994232	172.20.137.26	150.171.27.11	TCP	54	59601 → 443 [FIN, ACK] Seq=1 Ack=1 Win=250 Len=0
64	0.994530	172.20.137.26	150.171.27.11	TCP	54	52980 → 443 [FIN, ACK] Seq=1 Ack=1 Win=255 Len=0
65	0.994744	172.20.137.26	172.64.155.209	TCP	54	62000 → 443 [FIN, ACK] Seq=1 Ack=1 Win=253 Len=0

Frame 6: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF... (ID41A130-DF60-4DF6-BC7F-158C3E477F30), id 0

Ethernet II, Src: Cisco_61:f5:1f (68:e5:9e:61:f5:1f), Dst: CloudNetwork_61:f9:55 (f8:89:d2:61:f9:55)

Internet Protocol Version 4, Src: 49.44.106.18, Dst: 172.20.137.26

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total length: 52

Identification: 0x0000 (0)

010. = Flags: 0x2, Don't fragment

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 60

Protocol: TCP (6)

Header Checksum: 0x6b57 [validation disabled]

[Header checksum status: Unverified]

Source Address: 49.44.106.18

Destination Address: 172.20.137.26

[Stream index: 1]

Transmission Control Protocol, Src Port: 443, Dst Port: 59602, Seq: 0, Ack: 1, Len: 0

Displayed IP packets only = 125460/132520 about 94.7%

No.	Time	Source	Destination	Protocol	Length	Info
5	0.004940	172.20.137.26	49.44.106.18	TCP	66	59602 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
6	0.008471	49.44.106.18	172.20.137.26	TCP	60	443 → 59602 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460 SACK_PERM WS=256
7	0.008687	172.20.137.26	49.44.106.18	TCP	54	59602 → 443 [ACK] Seq=1 Ack=1 Win=5280 Len=0
8	0.010583	172.20.137.26	49.44.106.18	TCP	54	59602 → 443 [FIN, ACK] Seq=1 Ack=1 Win=5280 Len=0
9	0.023044	49.44.106.18	172.20.137.26	TCP	60	443 → 59602 [ACK] Seq=1 Ack=2 Win=29440 Len=0
11	0.076886	49.44.106.18	172.20.137.26	TCP	60	443 → 59602 [FIN, ACK] Seq=1 Ack=2 Win=29440 Len=0
12	0.077198	172.20.137.26	49.44.106.18	TCP	54	59602 → 443 [ACK] Seq=2 Ack=2 Win=65280 Len=0
48	0.939317	172.20.137.26	49.44.106.18	TCP	66	59603 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
59	0.943866	49.44.106.18	172.20.137.26	TCP	66	443 → 59603 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460 SACK_PERM WS=256
60	0.944025	172.20.137.26	49.44.106.18	TCP	54	59603 → 443 [ACK] Seq=1 Ack=1 Win=5280 Len=0
61	0.953317	172.20.137.26	49.44.106.18	TLSv1.3	522	Client Hello (SNI=downloads.dell.com)
62	0.957233	49.44.106.18	172.20.137.26	TCP	60	443 → 59603 [ACK] Seq=1 Ack=469 Win=30464 Len=0
63	0.994232	172.20.137.26	150.171.27.11	TCP	54	59601 → 443 [FIN, ACK] Seq=1 Ack=1 Win=250 Len=0
64	0.994530	172.20.137.26	150.171.27.11	TCP	54	52980 → 443 [FIN, ACK] Seq=1 Ack=1 Win=255 Len=0
65	0.994744	172.20.137.26	172.64.155.209	TCP	54	62000 → 443 [FIN, ACK] Seq=1 Ack=1 Win=253 Len=0
66	0.995247	172.20.137.26	172.64.155.209	TCP	54	59545 → 443 [FIN, ACK] Seq=1 Ack=1 Win=252 Len=0
68	0.999032	172.64.155.209	172.20.137.26	TCP	60	443 → 62009 [FIN, ACK] Seq=1 Ack=2 Win=411 Len=0
69	0.999032	150.171.27.11	172.20.137.26	TCP	60	443 → 59601 [FIN, ACK] Seq=1 Ack=2 Win=172 Len=0
70	0.999130	150.171.27.11	172.20.137.26	TCP	60	443 → 52980 [FIN, ACK] Seq=1 Ack=2 Win=160 Len=0
71	0.999130	172.64.155.209	172.20.137.26	TCP	60	443 → 59545 [FIN, ACK] Seq=1 Ack=2 Win=172 Len=0

Frame 5: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF... (ID41A130-DF60-4DF6-BC7F-158C3E477F30), id 0

Ethernet II, Src: CloudNetwork_61:f9:55 (f8:89:d2:61:f9:55), Dst: Cisco_61:f5:1f (68:e5:9e:61:f5:1f)

Internet Protocol Version 4, Src: 172.20.137.26, Dst: 49.44.106.18

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total length: 52

Identification: 0x7b3d (31549)

010. = Flags: 0x2, Don't fragment

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 128

Protocol: TCP (6)

Header Checksum: 0xaf19 [validation disabled]

[Header checksum status: Unverified]

Source Address: 172.20.137.26

Destination Address: 49.44.106.18

[Stream index: 1]

Transmission Control Protocol, Src Port: 59602, Dst Port: 443, Seq: 0, Len: 0

Filtered TCP packets only = 89533/132520 about 67.6%

networkCapture.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

udp

No.	Time	Source	Destination	Protocol	Length	Info
2	0.000000	172.20.72.11	172.20.137.26	DNS	254	Standard query response 0x3fe A downloads.dell.com CNAME downloads.dell-cidr.akadns.net CNAME downloads-regions.dell-cidr.aka...
25	0.592621	172.20.137.26	224.0.0.251	MDNS	135	Standard query 0x0000 PTR _googlecast._tcp.local, "QM" question PTR _674A0243._sub._googlecast._tcp.local, "QM" question PTR _...
26	0.592621	0.0.0.0	255.255.255.255	DHCP	364	DHCP Request - Transaction ID 0x5b773efd
38	0.799333	0.0.0.0	255.255.255.255	DHCP	342	DHCP Request - Transaction ID 0x92c76243
56	0.939915	fe80::ef51:d872:669...ff02::1:2	255.255.255.255	DHCPv6	120	Information-request XID: 0xbfc1c6 CID: 000100012def473f28c5c83dddb1
58	0.939957	0.0.0.0	255.255.255.255	DHCP	342	DHCP Request - Transaction ID 0xad7939c
67	0.995363	fe80::c1a0:1a3c:2af...ff02::1:2	255.255.255.255	DHCPv6	120	Information-request XID: 0x0678bd CID: 000100012bb971637c214a208311
96	1.263758	0.0.0.0	255.255.255.255	DHCP	350	DHCP Discover - Transaction ID 0xef7e25a0
107	1.316063	0.0.0.0	255.255.255.255	DHCP	360	DHCP Request - Transaction ID 0xef7e25a0
118	1.352654	172.20.137.26	224.0.0.251	MDNS	82	Standard query 0x0000 PTR _googlecast._tcp.local, "QM" question
119	1.353030	fe80::3696:3b57:7a1...ff02::fb	224.0.0.251	MDNS	102	Standard query 0x0000 PTR _googlecast._tcp.local, "QM" question
120	1.353084	172.20.137.26	224.0.0.251	MDNS	82	Standard query 0x0000 PTR _googlecast._tcp.local, "QM" question
121	1.354328	fe80::3696:3b57:7a1...ff02::fb	224.0.0.251	MDNS	102	Standard query 0x0000 PTR _googlecast._tcp.local, "QM" question
555	1.927566	172.20.138.155	224.0.0.251	MDNS	136	Standard query 0x0000 ANY 101DUTH8n14AAA_FC9F5ED42C8A._tcp.local, "QM" question SRV 0 0 53601 Android_KX89ATQM.local
557	1.927566	fe80::ef51:d872:669...ff02::1:2	224.0.0.251	DHCPv6	120	Information-request XID: 0xbfc1c6 CID: 000100012def473f28c5c83dddb1
602	2.085508	172.20.137.26	224.0.0.251	MDNS	445	Standard query response 0x0000 PTR, cache flush Android_KXS5U0TR.local AAAA, cache flush fe80::8603:5a32:519c:2a79 PTR, cache ...
605	2.186556	172.20.138.155	224.0.0.251	MDNS	136	Standard query 0x0000 ANY 101DUTH8n14AAA_FC9F5ED42C8A._tcp.local, "QM" question SRV 0 0 53601 Android_KX89ATQM.local
619	2.265709	0.0.0.0	255.255.255.255	DHCP	346	DHCP Discover - Transaction ID 0xb464e8a9
621	2.442806	172.20.138.155	224.0.0.251	MDNS	136	Standard query 0x0000 ANY 101DUTH8n14AAA_FC9F5ED42C8A._tcp.local, "QM" question SRV 0 0 53601 Android_KX89ATQM.local
630	2.602592	fe80::a653:e02:855b...ff02::1:2	224.0.0.251	DHCPv6	120	Information-request XID: 0x138e5b CID: 000100012f700831b0dcefc3933

Frame 2: Packet, 254 bytes on wire (2032 bits), 254 bytes captured (2032 bits) on interface \Device\NPF_{1041A130-DF60-4Df6-BC7F-158C3E477F30}, id 0

Ethernet II, Src: Cisco_G1:f5:1f (68:e5:9e:61:f5:1f), Dst: CloudNetwork_G1:f9:55 (f8:89:d2:61:f9:55)

Internet Protocol Version 4, Src: 172.20.72.11, Dst: 172.20.137.26

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total length: 240

Identification: 0x1a1f (64031)

0000 = Flags: 0x0

... 0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 127

Protocol: UDP (17)

Header checksum: 0x178f [validation disabled]

[Header checksum status: Unverified]

Source Address: 172.20.72.11

Destination Address: 172.20.137.26

[Stream index: 0]

User Datagram Protocol, Src Port: 53, Dst Port: 59993

Domain Name System (response)

User Datagram Protocol Protocol

Packets: 132520 - Displayed: 35844 (27.0%)

Profile: Default

Filtered UDP packets only = 35844/132520 about 27%

networkCapture.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

dns

No.	Time	Source	Destination	Protocol	Length	Info
2	0.000000	172.20.72.11	172.20.137.26	DNS	254	Standard query response 0x3fe A downloads.dell.com CNAME downloads.dell-cidr.akadns.net CNAME downloads-regions.dell-cidr.aka...
750	3.841352	172.20.137.26	172.20.72.11	DNS	75	Standard query 0xf65d A upad.msphone.net
751	3.844455	172.20.72.11	172.20.137.26	DNS	161	Standard query response 0xf65d No such name A upad.msphone.net SOA ns1-35.azure-dns.com
800	4.593743	172.20.137.26	172.20.72.11	DNS	81	Standard query 0xbcf4 A sadownload.mcafee.com
806	4.597466	172.20.72.11	172.20.137.26	DNS	234	Standard query response 0xbcf4 A sadownload.mcafee.com CNAME sadownload-r53.awsconsumer.mcafee.com CNAME sadownload.mcafee.com...
1196	8.059354	172.20.137.26	172.20.72.11	DNS	77	Standard query 0x5084 A ipv6.msftncsi.com
1197	8.061422	172.20.137.26	172.20.72.11	DNS	76	Standard query 0xbbb7 A www.msftncsi.com
1198	8.064915	172.20.72.11	172.20.137.26	DNS	214	Standard query response 0x5084 A ipv6.msftncsi.com CNAME ipv6.msftncsi.com.edgesuite.net CNAME a978.i6gl.akamai.net SOA n0i6gl...
1199	8.066181	172.20.72.11	172.20.137.26	DNS	294	Standard query response 0xbbb7 A www.msftncsi.com CNAME www.msftncsi.com.edgesuite.net CNAME a1961.g2.akamai.net A 49.44.131.1...
1219	8.533689	172.20.137.26	172.20.72.11	DNS	70	Standard query 0xbcb4 A g.live.com
1222	8.711639	172.20.72.11	172.20.137.26	DNS	318	Standard query response 0xbcb4 A g.live.com CNAME g.msn.com CNAME g-msn-afd.trafficmanager.net CNAME adsetprod-ckdecufth8fced...
1270	9.359998	172.20.137.26	172.20.72.11	DNS	76	Standard query 0x78af A oneclient.sfx.ms
1278	9.364667	172.20.72.11	172.20.137.26	DNS	183	Standard query response 0x78af A oneclient.sfx.ms CNAME oneclient.sfx.ms.edgesuite.net CNAME a124.dsdc.akamai.net A 49.44.116...
1381	10.492984	172.20.137.26	172.20.72.11	DNS	90	Standard query 0x7e04 A self.events.data.microsoft.com
1383	10.496370	172.20.72.11	172.20.137.26	DNS	215	Standard query response 0x7e04 A self.events.data.microsoft.com CNAME self-events-data.trafficmanager.net CNAME onedscolprfrc...
1439	11.196062	172.20.137.26	172.20.72.11	DNS	80	Standard query 0x1e34 A substrate.office.com
1451	11.199633	172.20.72.11	172.20.137.26	DNS	254	Standard query response 0x1e34 A substrate.office.com CNAME outlook.office365.com CNAME ooc-g2-tm-4.office.com CNAME outlook.m...
1494	11.334725	172.20.137.26	172.20.72.11	DNS	79	Standard query 0x3aca A graph.microsoft.com
1497	11.337609	172.20.72.11	172.20.137.26	DNS	207	Standard query response 0x3aca A graph.microsoft.com CNAME ags.privatelink.msidentity.com CNAME ww.tn.prd.ags.akadns.net A 20...
1550	11.685591	172.20.137.26	172.20.72.11	DNS	85	Standard query 0x11e5 A login.microsoftonline.com

Frame 2: Packet, 254 bytes on wire (2032 bits), 254 bytes captured (2032 bits) on interface \Device\NPF_{1041A130-DF60-4Df6-BC7F-158C3E477F30}, id 0

Ethernet II, Src: Cisco_G1:f5:1f (68:e5:9e:61:f5:1f), Dst: CloudNetwork_G1:f9:55 (f8:89:d2:61:f9:55)

Internet Protocol Version 4, Src: 172.20.72.11, Dst: 172.20.137.26

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total length: 240

Identification: 0x1a1f (64031)

0000 = Flags: 0x0

... 0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 127

Protocol: UDP (17)

Header checksum: 0x178f [validation disabled]

[Header checksum status: Unverified]

Source Address: 172.20.72.11

Destination Address: 172.20.137.26

[Stream index: 0]

User Datagram Protocol, Src Port: 53, Dst Port: 59993

Domain Name System (response)

Domain Name System: Protocol

Packets: 132520 - Displayed: 661 (0.5%)

Profile: Default

Filtered DNS packets only = 661/132520 about 0.5%

No.	Time	Source	Destination	Protocol	Length	Info
127927	263.471059	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=1/256, ttl=63 (reply in 127929)
127929	263.480073	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=1/256, ttl=248 (request in 127927)
127999	264.470482	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=2/512, ttl=63 (reply in 128006)
128006	264.475511	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=2/512, ttl=248 (request in 127999)
128040	265.472324	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=3/768, ttl=63 (reply in 128041)
128041	265.476409	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=3/768, ttl=248 (request in 128040)
128203	266.474155	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=4/1024, ttl=63 (reply in 128204)
128204	266.478711	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=4/1024, ttl=248 (request in 128203)
128237	267.476191	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=5/1280, ttl=63 (reply in 128240)
128240	267.511952	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=5/1280, ttl=248 (request in 128237)
128267	268.477431	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=6/1536, ttl=63 (reply in 128269)
128269	268.487287	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=6/1536, ttl=248 (request in 128267)
128292	269.478479	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=7/1792, ttl=63 (reply in 128296)
128296	269.484066	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=7/1792, ttl=248 (request in 128292)
128325	270.480229	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=8/2048, ttl=63 (reply in 128326)
128326	270.485930	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=8/2048, ttl=248 (request in 128325)
128346	271.481712	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=9/2304, ttl=63 (reply in 128348)
128348	271.486556	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=9/2304, ttl=248 (request in 128346)
128403	272.483495	172.20.137.26	15.197.146.156	ICMP	98	Echo (ping) request id=0x03e8, seq=10/2560, ttl=63 (reply in 128404)
128404	272.487498	15.197.146.156	172.20.137.26	ICMP	98	Echo (ping) reply id=0x03e8, seq=10/2560, ttl=248 (request in 128403)

Frame 127927: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface \Device\NPF_{1041A130-DF60-4DF6-BC7F-158C3E477F30}, id 0

Ethernet II, Src: CloudNetwork_61:f9:55 (f8:89:d2:61:f9:55), Dst: Cisco_61:f5:1f (68:e5:9e:61:f5:1f)

Internet Protocol Version 4, Src: 172.20.137.26, Dst: 15.197.146.156

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

> Differentiated Services Field: 0x00 (DSCP: C50, ECN: Not-ECT)

Total Length: 84

Identification: 0xc951 (51537)

010. = Flags: 0x2, Don't fragment

.. 0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 63

Protocol: ICMP (1)

Header Checksum: 0x9ac7 [validation disabled]

[Header checksum status: Unverified]

Source Address: 172.20.137.26

Destination Address: 15.197.146.156

[Stream index: 285]

Internet Control Message Protocol

Internet Control Message Protocol: Protocol

Packets: 132520 - Displayed: 148 (0.1%)

Profile: Default

Filtered ICMP packets only = 148/132520 about 0.1%

Submitted By: Patsamatla Bhaavya Ramita, 25MCB1010

Email: patsamatla.bhaavya@vitstudent.ac.in