

# Activity 1: Design and Create a Card Class

---

## Introduction:

In this activity, you will complete a `Card` class that will be used to create card objects.

Think about card games you've played. What kinds of information do these games require a card object to "know"? What kinds of operations do these games require a card object to provide?

## Exploration:

Now think about implementing a class to represent a playing card. What instance variables should it have? What methods should it provide? Discuss your ideas for this `Card` class with classmates.

Read the partial implementation of the `Card` class available in the **Activity1 Starter Code** folder. As you read through this class, you will notice the use of the `@Override` annotation before the `toString` method. The Java `@Override` annotation can be used to indicate that a method is intended to override a method in a superclass. In this example, the `Object` class's `toString` method is being overridden in the `Card` class. If the indicated method doesn't override a method, then the Java compiler will give an error message.

Here's a situation where this facility comes in handy. Programmers new to Java often encounter problems matching headings of overridden methods to the superclass's original method heading. For example, in the `Weight` class below, the `toString` method is intended to be invoked when `toString` is called for a `Weight` object.

```
public class Weight {  
    private int pounds;  
    private int ounces;  
    ...  
    public String toString(String str) {  
        return this.pounds + " lb. " + this.ounces + " oz.";  
    }  
    ...  
}
```

Unfortunately, this doesn't work; the `toString` method given above has a different name and a different signature from the `Object` class's `toString` method. The correct version below has the correct name `toString` and no parameter:

```
public String toString() {  
    return this.pounds + " lb. " + this.ounces + " oz.";  
}
```

The `@Override` annotation would cause an error message for the first `toString` version to alert the programmer of the errors.

### Exercises:

1. Complete the implementation of the provided `Card` class. You will be required to complete:
  - a. a constructor that takes two `String` parameters that represent the card's rank and suit, and an `int` parameter that represents the point value of the card;
  - b. accessor methods for the card's rank, suit, and point value;
  - c. a method to test equality between two card objects; and
  - d. the `toString` method to create a `String` that contains the rank, suit, and point value of the card object. The string should be in the following format:

*rank of suit (point value = pointValue)*

2. Once you have completed the `Card` class, find the `CardTester.java` file in the **Activity1 Starter Code** folder. Create three `Card` objects and test each method for each `Card` object.