

## 06 — Applicable Standards & Compliance

|                      |                                                                                            |
|----------------------|--------------------------------------------------------------------------------------------|
| Structural Concrete  | ACI 318-19 — Building Code Requirements for Structural Concrete                            |
| Concrete Materials   | ASTM C150 (Portland Cement), ASTM C33 (Aggregates), ASTM C494 (Admixtures)                 |
| Reinforcing Steel    | ASTM A615/A615M — Grade 60 Deformed Bars                                                   |
| Structural Analysis  | ACI 318-19 Chapter 6 — Structural Analysis                                                 |
| Seismic Design       | UBC 1997 Seismic Zone 2B (Karachi) — Minimum seismic requirements                          |
| Wind Load Design     | ASCE 7-16 — Minimum Design Loads; Basic Wind Speed 120 km/h                                |
| Concrete Testing     | ACI 301 — Standard Specifications for Structural Concrete; ASTM C39 (Compressive Strength) |
| Waterproofing        | ACI 515.1R — Guide to the Use of Waterproofing Compounds                                   |
| Welding (Structural) | AWS D1.4 — Structural Welding Code for Reinforcing Steel                                   |
| Curtain Wall         | AAMA 501, ASTM E283 (Air Infiltration), ASTM E330 (Structural Performance)                 |
| Building Safety      | Sindh Building Control Authority (SBCA) Bylaws 2002 (as amended)                           |
| Fire Safety          | NFPA 101 — Life Safety Code; Local Fire Department Requirements                            |
| Construction Safety  | OSHA Standards 29 CFR 1926 (adapted for Pakistan context); Workers' Compensation Act 19    |