Week 2 Day 1

Intro to Docker

Virtual Machines

REVATURE

Simulates a physical machine/server

- Virtualize an entire OS
- Use hypervisors

Pros

- Near total isolation
- Virtualization
- App runs reliably regardless of host

Cons

- Considered bulky
- Resource expensive

Containers

REVATURE

Bundle together apps and their dependencies

- Share underlying OS kernel
- Lighter weight
- Provided by an engine running on the host

Pros

- Lightweight
- Layers of isolation
- Virtualized view
- Isolated environment
- Run reliably regardless of host

Cons

- Layers of isolation can cause issues

Containerization

REVATURE

The process of putting our apps in a container

- Containers should be completely isolated from the outside world
- Linux is the foundation of most containers
- Containers are
  - Built from images
  - Run on an engine
  - Stateless
  - Virtualized and isolated

Docker

REVATURE

Open-source platform for developing, shipping, and running applications with containers

- Runs on a Client-Server Architecture



Docker: Architecture

REVATURE

CLI

- Docker Command Line Interface
- Interacts with the Daemon
- Uses Rest API

Daemon

- Long running process of Docker
  - Manages objects
  - Containers
  - Images

DockerHub

- Centralized place to store images

Docker: Objects

REVATURE

Building blocks that are managed by the daemon

- Images
  - Blueprint to construct a container
  - Created with a Dockerfile
- Containers
  - Runnable isolated instances of a set of processes and their dependencies
  - Built from an image
  - Managed by the daemon

Docker: Build a Container

REVATURE

1. docker create imagename
   - Creates a container in created state
   - Configures it to be ready to run
   - Needs to run manually
2. docker run flag imagename
   - Pull an image from registry if it doesn’t exist locally
   - Creates and runs the container automatically

Docker: Container Management

REVATURE

- docker container ls
- docker ps –a
- docker container kill id
- docker container pause id
- docker container start id
- docker container rm flags id
- docker volume rm volname

REVATURE

Install Docker