

VIETNAM NATIONAL UNIVERSITY, HO CHI MINH CITY
UNIVERSITY OF SCIENCE
FACULTY OF INFORMATION TECHNOLOGY

Dương Trung Hiếu - Dương Ngọc Quang Khiêm
22125027 - 22125037

uMatter: An Application for Supporting Mental Health

GRADUATION THESIS
BACHELOR OF SCIENCE IN COMPUTER SCIENCE

Advisor: PGS.TS Nguyễn Văn Vũ

Ho Chi Minh City, 2026

Statement of Originality

I hereby declare that this is my own research, carried out under the supervision of PGS.TS Nguyễn Văn Vũ. The data and results presented in this thesis are truthful and have not been duplicated from any other work.

Acknowledgments

We would first like to express our sincere gratitude to our advisor, PGS.TS Nguyễn Văn Vũ, for his guidance, patience, and constructive criticism throughout every stage of this thesis. We are equally grateful to our reviewer for taking the time to read this work carefully and for the comments that improved it.

This thesis would not have taken the shape it did without the mental-health professionals who agreed to advise a student project. We thank **Ms. Phạm Thị Thanh Quí**, counsellor at the Psychological Counselling Office, University of Science, VNU-HCM; **Mr. Vương Nguyễn Toàn Thiện**, CEO of LUMOS, the psychology organization accompanying the Faculty of Information Technology in 2026; and **Dr. Phạm Trần Thành Nghiệp**, physician at Hoàn Mỹ Sài Gòn Hospital, a partner of the Faculty of Information Technology from 2022 to 2025.

We are also grateful to the friends who took part in the first round of user-story interviews, and who returned months later for the closed testing and feedback round to tell us honestly what did and did not work: **Nguyễn Lê Bảo Châu**, Psychology graduate of the Ho Chi Minh City University of Education; **Nguyễn Phi Hùng**, Business graduate; **Lê Gia Phát**, Business student at RMIT University Vietnam; **Trần Nhật Thanh** and **Huỳnh Hữu Hậu**, students of the Advanced Program in Computer Science at the University of Science, VNU-HCM; and **Nguyễn Phước Ngọc Hương** and **Trần Vĩ Quang**, Computer Science students at the Ho Chi Minh City University of Technology, VNU-HCM. Their time was

given freely and their criticism was given generously.

We also thank the seventeen testers who joined the closed testing track on Google Play for the fourteen days required to publish the application, and who reported the defects they ran into. Appendix F records what each group contributed and when.

Finally, we thank the Faculty of Information Technology and the University of Science, VNU-HCM, for the resources, the coursework, and the feedback that made this project possible, and our families, for their patience and support throughout the development of uMatter.

Table of Contents

Acknowledgments	ii
Table of Contents	iv
List of Tables	vii
Abstract	vii
1 Introduction	1
1.1 Background and Motivation	1
1.2 Problem Statement	4
1.3 Objectives	6
1.4 Scope	7
1.5 Contributions	8
2 Related Work	10
2.1 Self-Care and Tracking Applications	10
2.2 Professional Therapy Platforms	11
2.3 Social and Family Connection Platforms	11
2.4 General-Purpose AI for Mental Health Advice	12
2.5 Positioning of uMatter	13
2.6 Architectural Foundations	13
2.7 Security Foundations	14
2.8 AI Companion And Video Consultation	14

3	System Analysis and Design	16
3.1	Requirements Analysis	16
3.1.1	Elicitation and Iterative Validation	18
3.2	Overall Architecture	19
3.3	Service Decomposition	20
3.4	Data Architecture	20
3.5	Event-Driven Messaging	22
3.6	Authentication, Authorization, and Data Sharing	24
3.7	AI Companion	26
3.8	Professional Workflows	27
3.9	Peer and Family Connection	28
3.10	Self-Care Features	29
3.11	Deployment Topology	29
4	Implementation and Evaluation	31
4.1	The Product: End-to-End User Journeys	31
4.1.1	The daily loop: notice, record, understand	32
4.1.2	The low moment: first aid that is routed, not generic	33
4.1.3	Someone to talk to, at any hour	34
4.1.4	Crossing into professional care	35
4.1.5	Choosing who sees	36
4.1.6	What the journeys share	36
4.2	Implementation Overview	37
4.3	Deployment	38
4.3.1	Mobile Application Distribution	39
4.4	Security Hardening	39
4.5	Evaluation	41
4.5.1	Functional Completeness	41
4.5.2	Security Posture	42
4.5.3	Comparison with Existing Platforms	42
4.5.4	Most-Valued Features	42

4.5.5	Key Findings	43
5	Conclusion and Future Work	47
5.1	Conclusion	47
5.2	Limitations	48
5.3	Future Work	48
	References	49
A	API Endpoint Summary	52
B	Deployment Configuration Notes	53
C	Requirement Traceability	54
D	Baseline Platform Evaluation	56
D.1	Study Design	56
D.2	Findings	57
E	Technology Selection Rationale	59
E.1	Language Model	59
E.2	Client and Backend Platform	60
F	Development Cycle and Trial Participants	62
F.1	Weekly Review Cycle	62
F.2	User-Story and Feedback Participants	63
F.3	Closed-Testing Cohort	64

List of Tables

2.1	Feature comparison between uMatter and comparable platforms	15
3.1	Key functional requirements and the objectives they realize	17
3.2	Key non-functional requirements	18
3.3	uMatter backend services and their responsibilities	21
4.1	User journeys and the requirements they exercise	37
A.1	Representative endpoints by service	52
C.1	Implementation status of the requirements in Section 3.1 .	55
D.1	Platforms evaluated, with each evaluator’s overall usefulness rating	57
D.2	Baseline-study findings traced to the features and decisions they produced	58
E.1	Language models compared, as assessed in January 2026 .	59
E.2	Platform choices, alternatives considered, and the deciding factor	61
F.1	Trial users who took part in the user-story and feedback rounds	64

Abstract

Adolescent mental health support remains fragmented: self-care tools including mood or sleep trackers such as Daylio, Wysa and Bearable, rarely connect to licensed professional care, while therapy platforms such as BetterHelp and Talkspace typically specialize in only finding you a trusted therapist without giving the therapist enough context as to how you are doing in order to efficiently conduct meaningful sessions. And while there are platforms for people to have deep conversations with close friends and family, it is hard for parents to actually know how their children are doing and feeling. And as a trend of young people seeking mental health advice from AI, a centralized platform where the user can choose to share their daily reflective tracking data with AI would be more beneficial in case they truly want a deeply contextual advice instead of a vague one. This gap motivates a platform that unifies these fragmented features so that the user don't have to spend unnecessary time explaining themselves every time they want to use a feature from a different platform, providing the best mental health support as we can.

This thesis presents uMatter, a mental health support platform for teenagers that combines self-care features, an AI companion, peer social features as well as professional therapy features.

uMatter is implemented as a microservices system: seven Spring Boot services (authentication, tracking, AI, dashboard, therapist, social, and notification) sit behind an Nginx API gateway, communicate asynchronously through RabbitMQ, and follow a database-per-service pattern backed by

PostgreSQL, Redis, and MinIO. Access control uses stateless JWT authentication with a JWKS-published RSA key and a permission-based data-sharing model so users can selectively grant professionals access to their tracked data. The AI companion is grounded in each user’s own tracking history and served through Google’s Gemini 2.5 Flash. The system was hardened through structured security audits covering injection risks, insecure direct object references, and mass assignment, and a database-level atomic slot claim, backed by a unique constraint, was introduced to close a race condition in appointment booking. The full stack was deployed and validated on cloud infrastructure, running as 20 containers.

The resulting platform demonstrates that a unified self-care and professional therapy experience can be successfully delivered through a single, security-conscious microservices architecture. However, as an academic prototype, uMatter scopes out key real-world operational challenges. It excludes legal and compliance frameworks, dispute resolution mechanisms for handling user or therapist conflicts, and the monetization model essential for incentivizing licensed professionals. Despite these out-of-scope administrative limitations, this thesis establishes a robust technical foundation. Future work can build upon this architecture by integrating monetization systems, comprehensive legal safeguards, clinical collaboration requirements, and layered risk detection, ultimately advancing uMatter toward a fully viable ecosystem for adolescent mental health support.

Chapter 1

Introduction

1.1 Background and Motivation

Adolescent mental health in Vietnam has become a problem that needs more attention than ever. In recent years a ninth-grader in Ho Chi Minh City took his own life after a poor exam result [1], and a final-year Information Technology student at the University of Science, VNU-HCM died the same way [2]. These are not isolated: a cross-sectional study of 1,316 high-school students across six districts of Ho Chi Minh City found that 46.5% reported self-injury behaviour [3], and the global picture agrees the World Health Organization estimates that one in seven adolescents aged 10-19 experiences a mental disorder, accounting for 15% of the disease burden in this age group, with suicide the third leading cause of death among those aged 15-29 [4]. What makes such cases so difficult to accept is that the distress is rarely invisible in hindsight. It is usually present beforehand, in ordinary conversations and small changes of behaviour, and simply never seen by anyone positioned to act. The signal exists; nothing is holding it.

Yet the tools available to a teenager today address only fragments of this problem. On one side of the market, self-care applications such as Daylio and Bearable let users log their mood, sleep, and daily activities, helping them notice patterns in their own well-being [5], [6]. These tools are lightweight and approachable, but they stop at self-observation: they

do not connect a user who needs help to a licensed professional. On the other side, therapy-oriented platforms such as BetterHelp and Talkspace connect users with licensed therapists for text, audio, or video counseling [7], [8], while AI-first platforms such as Wysa offer a conversational companion alongside optional access to coaches [9]. These platforms are targeted primarily around adults, and around one side of the care journey, either self-tracking or professional therapy. The consequence is that a therapist meets a patient with no context beyond what that patient can reconstruct from memory in the room, and a parent has no way of knowing how their child is actually doing.

What we learned from users

To find where these tools fail in practice, we ran a baseline study in which a psychology student at HCMUE, a Business student at RMIT, evaluated ten existing platforms: AI chatbots, trackers, peer communities, telehealth services, and clinical software against two personas: an undergraduate diagnosed with mild-to-moderate depression, and a tenth-grader under academic pressure whose family does not believe anything is wrong. The study design, the platforms and questions covered, and the responses quoted below are reported in Appendix D. Four findings shaped this thesis. First, the week between sessions is a black box: by the appointment, what the patient meant to discuss is forgotten or too exhausting to reconstruct. Second, input fatigue was the single most cited reason for abandoning a health app. Third, tracking alone produced no progress; trackers were judged useful for noticing patterns and worthless for changing them, while an AI companion was seen as genuinely supportive but never a substitute for a human professional. Fourth, privacy is a precondition, not a feature: the strongest reaction concerned data leaking at the moment the user is most vulnerable, and willingness to share was never absolute a journal could go to a therapist but not to friends, and an automatic crisis alert

to family was rejected outright as pressure to perform a better mood than the one being felt.

What we learned from professionals

We then consulted three mental-health professionals: a counsellor from the Psychological Counselling Office at the University of Science, VNU-HCM; the CEO of the psychology organization LUMOS; and a physician at Hoàn Mỹ Sài Gòn Hospital. Their guidance shaped the product directly: replacing periodic surveys with a continuous emotion timeline captured every few hours, because daily reflection yields richer and more meaningful data than any questionnaire; routing a user who logs anger toward a breathing exercise and a user who logs sadness toward their stored positive memories; and treating physical activity, sleep, and nutrition as inseparable from mental well-being.

Two of the three were substantially opposed to AI in mental health: one holding that an AI should answer only the easiest questions and should never be given access to a user's personal tracking data at all, while the third supported it, carefully applied, as a genuine source of companionship. One was openly distrustful of peer connection, on the grounds that a well-meaning friend may offer advice that runs directly against clinical guidance, and recommended that such connections be limited to parents and preceded by explicit warnings. As a result, every audience including the AI companion, a therapist, a trusted friend or parent, must be granted access explicitly, in scope, and revocably, with nothing shared by default.

Why we built this

Finally, and most plainly: the two of us wanted to help. We are not clinicians, and this thesis does not pretend to treat anyone. But we can build software, and much of what is missing is a software problem somewhere for a young person's daily reality to be captured comfortably enough

that it actually gets captured, and a controlled path from that record to the people who can help, whether that is an AI at 3 AM, a friend, a parent, or a licensed therapist.

1.2 Problem Statement

Problem 1: Eliciting the data

How can a platform obtain an honest, continuous record of a teenager's mood, emotions, and daily wellbeing in a way that feels natural and comfortable rather than like clinical paperwork?

The ideal solution would be *implicit*: inferring emotional state from signals the user already produces, without asking them to report anything. The motivating case is: before a recent suicide by a secondary-school student in Ho Chi Minh City [1], the warning was present in ordinary conversations with friends; had it been noticed, it might have been acted upon. But capturing that class of signal means continuously listening to real-life conversations, reading messaging apps, or monitoring facial expressions around the clock. Such surveillance is technically fragile, ethically indefensible for minors, and in direct conflict with data-protection law. That decision converts Problem 1 into a design problem: self-report is only useful if it actually happens, day after day, and self-report is exactly what users abandon first. The difficulty is threefold:

- **Friction.** Every second of effort between "I feel something" and "it is recorded" costs data. Capture must be a single tap, expanded only if the user wants to elaborate.
- **Recall and initiation.** A teenager in a low mood is the least likely person to remember to open a wellbeing app. The system must come to the user rather than wait for them, without becoming a nag that gets muted or uninstalled.

This thesis addresses Problem 1 through a set of **daily reflection and tracking** features designed as one habit rather than ten tools: a one-tap **mood check-in** (*Cảm xúc lúc này*) across five levels with an optional line of context; an **emotional journal** (*Góc tâm tư*) for free-form reflection with photos, a mood calendar, and streaks; and **wellbeing logs** for sleep, nutrition and water, and breathing with step count collected automatically, the one passive signal that requires no surveillance of the user’s private life. Elicitation itself is handled by **Focus Mode**, which nudges roughly every 90 minutes during waking hours and respects a Quiet Hours window, so the record accumulates without the user having to remember to build it.

Problem 2: Acting on the data

Given that record, how can the platform tell whether a user is in distress, act appropriately when they are, and still be worth opening when they are not? Resolving this requires nuanced interpretation to distinguish acute distress from an ordinary bad day or a long-term downward trend. Furthermore, because most days are simply neutral or mildly negative, a platform built only for crises will remain closed on an average day. Finally, navigating these states safely demands strict data sensitivity, ensuring that any access to a user’s mood, sleep, and journal data is always explicit and revocable, rather than granted by default.

In crisis, a dedicated emergency-support area always one tap away. For the ordinary day, the same record powers an AI companion whose replies are grounded in how the user has actually been sleeping and feeling, guided breathing and meditation, a Treasure Box of pre-saved positive memories to reopen when recall of the good is hardest, and lightweight achievements that make the habit itself rewarding.

The two problems close a loop: better daily reflection makes every downstream response more precise, and responses that are genuinely useful on ordinary days are what keep the reflection going.

1.3 Objectives

Capturing the record (Problem 1)

- O1 Make capture experience as comfortable as possible.
- O2 Bring the system to the user without becoming a nag.
- O3 Cover physical wellbeing as the consulted professionals framed it

Acting on the record (Problem 2)

- O4 Ground the AI companion in the user's own history
- O5 Respond appropriately to the ordinary day, through guided breathing and meditation, a Treasure Box of pre-saved positive memories surfaced when recall of the good is hardest, emotion-appropriate routing (anger toward breathing, sadness toward stored memories), and lightweight achievements and streaks that make the habit itself rewarding.
- O6 Keep the crisis path one tap away
- O7 Close the black box between sessions

Consent, architecture, and validation

- O8 Share nothing by default.
- O9 Build the system as a maintainable microservices architecture
- O10 Demonstrate that the result runs, by deploying and validating the full stack on cloud infrastructure.

1.4 Scope

uMatter is built as an academic prototype: a working system, deployed and exercised end to end, whose purpose is to demonstrate that the unified experience can be delivered through a single coherent architecture. Its intended users are Vietnamese adolescents, with the audiences they may choose to admit, an AI companion, a licensed therapist, a parent, or a friend. Within that, the thesis covers the daily reflection and tracking features, the responses built on top of them, the permission model governing who may see what, the seven-service backend and its supporting infrastructure, and the deployment of the whole stack to cloud infrastructure.

Several concerns that a production deployment would have to address are deliberately excluded, and are treated in future work rather than as gaps in the implementation:

- **Legal and regulatory compliance.** Data-protection obligations, consent law for minors, and the licensure requirements governing teletherapy are outside the scope of this thesis.
- **Dispute resolution.** The platform provides no mechanism for adjudicating conflicts between a user and a therapist, or between users.
- **Monetization.** No payment, billing, or compensation model is implemented. This is not a missing feature: without it there is no incentive structure to attract licensed professionals to the platform.
- **Clinical validation.** uMatter makes no diagnostic claim and was not evaluated in a clinical trial. No assertion is made that the platform improves mental-health outcomes; the evaluation concerns the system, not its therapeutic efficacy.
- **Automated risk detection.** The platform does not attempt to infer crisis from the tracked record and does not escalate on the user's

behalf. The emergency-support path is user-initiated by design, a decision reinforced by our baseline study, in which an automatic crisis alert to family was rejected outright as pressure to perform a better mood than the one being felt.

1.5 Contributions

This thesis makes the following contributions:

- **A unified platform.** uMatter integrates daily reflective tracking, an AI companion, peer and family connection, and professional therapy into a single system, so that a user need not re-explain themselves each time they cross from one fragment of the existing market into another.
- **A consent model.** The permission-based data-sharing design, in which every audience is granted access explicitly, in scope, and revocably, with nothing shared by default.
- **Requirements grounded in primary study.** The design is driven by a baseline evaluation of ten platforms against two personas, conducted with a psychology graduate at HCMUE and some business students, and by consultation with three mental-health professionals. That contact was sustained for the length of the project as a monthly review cycle, in which each phase of development was closed by a meeting with either the professionals or the trial users before the next was started (Section 3.1.1). The findings are reported and traced to the features they produced.
- **A pioneering localized prototype.** As one of the first native applications tailored specifically for adolescent mental health in Vietnam, uMatter raises critical awareness about the well-being of Vietnamese teenagers and young adults. It provides a meaningful, us-

able prototype demonstrating that mental health can be supported in many connected ways, with the help of yourself and the people around who truly care about you, embodying the platform's core message: *you matter*.

Chapter 2

Related Work

The Abstract and Chapter 1 describe adolescent mental-health support today as fragmented across four kinds of tools. This chapter surveys each of these four fragments in turn, positions uMatter relative to them, and reviews the architectural and security literature that informs the design presented in Chapter 3.

2.1 Self-Care and Tracking Applications

Daylio and Bearable are representative of a category of lightweight, single-purpose self-care applications [5], [6]. Daylio focuses on quick, low-friction mood and activity logging, encouraging habit formation through streaks and reminders. Bearable extends this idea to a broader set of symptoms and factors (sleep, medication, exercise, weather, and more), letting users explore correlations in their own data.

Both applications are valuable for self-observation, but neither connects a user to a professional: there is no booking, matching, or clinical workflow, and the data collected has no path out of the app other than manual export. For a teenager who identifies a concerning pattern in their own tracked data, these tools offer no next step, and our own baseline study found the same limitation from the user’s side: trackers were judged useful for noticing patterns and worthless for changing them.

2.2 Professional Therapy Platforms

BetterHelp and Talkspace sit at the opposite end of the spectrum [7], [8]. Both connect users with licensed therapists through a subscription model, primarily via asynchronous messaging with optional live sessions. Their onboarding is built around a short intake questionnaire used to match a new user to a therapist, and their core workflows (scheduling, secure messaging, video sessions) are mature and well-tested at scale.

These platforms are built for a general adult audience, and they do not provide day-to-day self-care tracking as a first-class feature - a user's mood or sleep history is not something the platform helps them build up over time outside of a therapy session. A therapist on these platforms meets a patient with no context beyond what that patient can reconstruct from memory in the room, which is precisely the black-box week our baseline study identified as a recurring failure. These platforms also do not target the specific constraints of a teenage user base, such as guardian involvement or age-appropriate content and matching.

2.3 Social and Family Connection Platforms

A third fragment is not a mental-health product at all, but the general-purpose messaging and social platforms a teenager already uses to talk to friends and family. In Vietnam, this is overwhelmingly Zalo, the country's leading messaging platform [10], alongside global platforms such as Messenger. These platforms are conversational infrastructure, not wellbeing infrastructure: they carry whatever a teenager chooses to say, but they do not structure that conversation around mood or wellbeing, and they give a parent no visibility into how their child is actually doing beyond what that child volunteers to share.

Family-oriented applications such as Life360 address a related but different problem, surfacing a family member's location and presence rather

than their emotional state [11], so a parent can confirm that their child arrived home safely without learning anything about how the child felt that day. This is precisely the gap our professional consultations surfaced: a parent has no way of knowing how their child is actually doing. It is also why our own consulted professionals disagreed on how far peer and family connection should go at all, one warning that a well-meaning friend’s advice can run against clinical guidance, which is why uMatter treats a parent or friend as an audience that must be explicitly and revocably granted access, rather than a channel that is open by default.

2.4 General-Purpose AI for Mental Health Advice

A fourth fragment is not a product category but a documented behavior: adolescents and young adults increasingly turn to general-purpose AI chatbots, ChatGPT, Google Gemini, Meta AI, and similar tools, when they feel sad, angry, or nervous. A nationally representative U.S. survey found that roughly one in eight adolescents and young adults aged 12 to 21 had used a generative-AI chatbot for mental health advice, with the large majority of those users rating the advice helpful [12]. Wysa is the most mature purpose-built instance of this same pattern, wrapping a conversational AI companion around a mental-health-specific design, with an optional paid tier that adds access to human coaches [9].

What both the general-purpose chatbots and Wysa share, from uMatter’s perspective, is that neither is grounded in a continuous, structured record of the user’s own life: a general-purpose chatbot starts from nothing every conversation, and Wysa’s companion, while mental-health-aware, does not draw on a user’s own logged mood, sleep, or journal history at all. uMatter’s own companion can draw on that history, but only once the user has explicitly granted it access through the same permission model

used for a therapist (Section 3.6); absent that grant, it converses without grounding rather than reading tracking data by default. The same survey work that documents this trend also cautions that there are few standardized benchmarks for the quality of the mental-health advice these systems provide, which echoes what our own consulted professionals insisted on: an AI companion should never substitute for a human professional, and, for at least one of the three we consulted, should not be given access to a user’s personal tracking data at all.

2.5 Positioning of uMatter

Table 2.1 summarizes this comparison across all four fragments surveyed above: self-care tracking, professional therapy, social and family connection, and AI-based advice-seeking. uMatter’s distinguishing position is that it treats these as four aspects of one continuous user journey rather than four separate products a teenager must adopt and re-explain themselves, connected by a permission-based data-sharing model in which a user’s own tracked history travels only where they explicitly allow it: to a matched therapist, to a parent or friend, or to the AI companion itself, with nothing shared by default.

2.6 Architectural Foundations

The system architecture proposed in Chapter 3 builds on well-established distributed-systems practice rather than novel architectural research. The decomposition into independently deployable services, each owning its own data store, follows the microservices style described by Newman [13], chosen over a monolithic design because uMatter’s functional areas (authentication, tracking, AI, professional workflows, social features, notifications) have different scaling, security, and change-rate profiles. Inter-service communication uses a mix of synchronous REST calls, following the archi-

tectural constraints of the REST style [14], and asynchronous messaging through RabbitMQ for event-driven workflows [15]. Services are implemented with Spring Boot [16] and packaged with Docker [17] to keep the development and deployment environments consistent.

2.7 Security Foundations

Securing a distributed system requires standards-based authentication and proactive threat modeling. Modern architectures favor stateless, token-based authentication via JSON Web Tokens (JWT) [18], verified cryptographically through JSON Web Key Sets (JWKS) [19] to eliminate centralized session bottlenecks. System design is typically benchmarked against consensus frameworks like the OWASP Top 10 [20] to proactively mitigate critical vulnerabilities such as Broken Access Control and Injection flaws.

Beyond authentication, robust authorization relies on formal access control models. While Role-Based Access Control (RBAC) [21] efficiently manages coarse-grained permissions, Attribute-Based Access Control (ABAC) [22] is necessary for fine-grained, ownership-driven data sharing. To enforce these models safely, security literature emphasizes the principle of Defense in Depth [23]. Access rules are embedded declaratively at the method level.

2.8 AI Companion And Video Consultation

The in-app AI companion is powered by the Gemini API from Google, utilizing the Gemini 2.5 Flash model [24]. Unlike a general-purpose chatbot, the companion is grounded in the user’s own tracking history, so its responses can refer to a user’s recently logged mood, sleep, or journal entries rather than operating from a blank context. Video consultation between users and therapists is facilitated through Jitsi Meet [25] public meeting rooms on the internet, providing an open-source video-conferencing solution that avoids dependence on a proprietary video vendor.

Table 2.1: Feature comparison between uMatter and comparable platforms

Feature	uMatter	Better- Help / Talkspace	Wysa / General AI Chatbots	Daylio / Bearable
Mood/sleep/journal tracking	Yes	No	Partial	Yes
AI companion grounded in own data	Yes	No	No (general)	No
Licensed therapist matching & booking	Yes	Yes	Limited	No
Video consultation	Yes	Yes	No	No
Clinical notes for professionals	Yes	Yes	No	No
Peer social features	Yes	No	No	No
Parent/guardian visibility (with consent)	Yes	No	No	No
Teen-oriented design	Yes	No	Partial	Partial
Granular, permission-based data sharing	Yes	N/A	N/A	N/A

Chapter 3

System Analysis and Design

This chapter outlines uMatter’s requirements, microservices architecture, and shared technical foundations. It then details the core features (the AI companion, therapist workflows, social connections, and self-care) and concludes with the deployment topology evaluated in Chapter 4.

3.1 Requirements Analysis

uMatter has three direct actors: the primary user, who can be the teenager seeking support for mental health or a close friend or family member, and who tracks their wellbeing on the mobile application and owns every piece of data they produce; the therapist, working from the web dashboard; and the administrator. Importantly, a teen may admit others to their tracked record: therapists, parents and close friends (other user accounts), and the AI companion, all subject to the same grant model (Section 3.6).

Table 3.1 lists the key functional requirements distilled from these actors’ needs, and Table 3.2 lists the key non-functional requirements that constrain how they are implemented; both are traced back to the design objectives introduced in Chapter 1.

Table 3.1: Key functional requirements and the objectives they realize

ID	Requirement	Obj.
FR1	One-tap five-level mood check-in with optional context; journal with photos, mood calendar, and streaks.	O1, O5
FR2	Logs for sleep, nutrition and water, and breathing; step count is collected automatically and is the only passive signal.	O1, O3
FR3	Focus Mode prompts a check-in roughly every 90 minutes during waking hours, silent during user-configured Quiet Hours.	O2
FR4	The AI companion grounds its replies in the user’s own tracking data if and only if the user has granted it access.	O4, O8
FR5	Guided breathing and meditation, and a Treasure Box of saved positive memories, routed to by logged emotion; an emergency area reachable in one tap from anywhere.	O5, O6
FR6	Therapist discovery, appointment booking, video consultation, and clinical notes; tracked data visible to a therapist only under an explicit, scoped, revocable grant.	O7, O8
FR7	Friend and parent connections with real-time chat; a connection by itself exposes no tracked data.	O8
FR8	Domain events produce push, email, and in-app notifications to the affected parties.	O2, O7

Table 3.2: Key non-functional requirements

ID	Requirement	Obj.
NFR1	Privacy by default. No tracked data is visible to any audience without an active grant, enforced server-side so a compromised client cannot bypass it.	O8
NFR2	Stateless security. RSA-signed JWTs validated locally by every service against a published JWKS key.	O9
NFR3	Integrity under concurrency. Concurrent bookings of the same slot must not both succeed; retried requests are not applied twice.	O7
NFR4	Independent evolvability on modest infrastructure. Each service develops, deploys, and migrates independently, and the full platform runs on a single cloud virtual machine.	O9, O10

3.1.1 Elicitation and Iterative Validation

These requirements were not fixed once at the start of the project and then built. They began as user stories drawn from the baseline study of December 2025 (Appendix D) and from a first round of interviews with seven trial users, and they were revised throughout implementation against three groups: our advisor, the three mental-health professionals introduced in Chapter 1, and those same trial users, who returned months later to use the working application and say what did and did not work.

Development ran in short phases, each covering one coherent slice of the platform. Whenever the functions proposed for a phase were finished, that week’s meeting was used to review them: either with the professionals, who judged whether a feature was clinically sound and appropriate for adolescents, or with the trial users, who were interviewed again against the build in front of them. Weekly supervision meetings with the advisor cov-

ered the same ground from the engineering side. Most of the requirements above therefore carry a revision history rather than a single origin. The periodic well-being surveys planned early on were dropped once trial users judged them redundant next to the daily journal and the 3-hourly check-ins of FR1 and FR3; the Treasure Box in FR5 exists because a counsellor proposed reconnecting users with their reasons for living and the CEO of LUMOS turned that idea into a concrete feature; and the strictness of the grant model in NFR1 follows from professionals who were opposed to giving an AI any access to a user’s record at all. Appendix F records the participants and the review cycle in full.

3.2 Overall Architecture




Figure 3.1: The overall microservices architecture of uMatter.

uMatter follows a microservices architecture, shown in Figure 3.1: independently deployable Spring Boot services sit behind an edge reverse proxy (Caddy) that terminates HTTPS at the system boundary and is the only entry point reachable by the two client applications: a React Native mobile app for teenagers/patients and a React web dashboard for therapists.

Caddy serves the static web dashboard at the same origin and forwards STOMP/WebSocket chat straight to the Social service ; all REST traffic is passed to an internal Nginx API gateway, which routes each request to the owning backend service and applies central CORS.

This decomposition is not free, and for a two-person academic project the choice deserves justification. We accept the operational overhead of seven deployables, a message broker, and per-service databases in exchange for two things. First, independent lifecycles: the services live in separate repositories and evolve without coordinated upgrades. Second, each service is scoped to a single functional area, can be developed, deployed, and scaled independently, and owns its own data.

This decomposition follows the pattern described by Newman [13]. Synchronous request/response interactions between services and clients use REST-style HTTP APIs [14]; workflows that are naturally asynchronous, such as sending a notification after an event happens elsewhere in the system, are handled through RabbitMQ instead [15].

3.3 Service Decomposition

The backend is organized into seven services, summarized in Table 3.3.

3.4 Data Architecture

uMatter follows a database-per-service pattern: each stateful backend service owns a private PostgreSQL database, and no service reaches directly into another service’s schema. Cross-service data needs are satisfied either through a synchronous API call to the owning service or through an asynchronous event, never through shared tables. This keeps each service free to evolve its own schema without coordinating a migration across the whole system, at the cost of needing an explicit strategy (API calls or events) for any data that spans services.

Table 3.3: uMatter backend services and their responsibilities

Service	Responsibility
Auth	User registration/login, JWT issuance and refresh, JWKS key publication, role management
Tracking	Mood, sleep, and journal entry storage; the source of truth for a user’s self-reported wellbeing data
AI	Manages conversations with the AI companion, grounding responses in the user’s own tracking data
Dashboard	Aggregates tracking data into summaries and visual trends for the user
Therapist	Therapist discovery/matching, appointment booking, video consultation session management, clinical notes
Social	Peer relationships (friends) and real-time chat over STOMP/WebSocket
Notification	Consumes domain events and delivers push (FCM), email, and in-app inbox notifications

Two supporting stores complement PostgreSQL:

- **Redis** is used for caching and for idempotency keys, so that a retried request (for example, a client retry after a network timeout) is not applied twice.
- **MinIO**, an S3-compatible object store, holds binary media such as profile photos and any files attached to journal entries or clinical notes, keeping large binary payloads out of the relational databases.

3.5 Event-Driven Messaging

RabbitMQ [15] connects services that should not depend on each other synchronously, and it plays two roles in uMatter: event-driven replication of data that one service owns but another needs, and fan-out of domain notifications to the parties an event affects.

To prevent synchronous bottlenecks when one service frequently requires data owned by another, the system uses an event-driven replication strategy via RabbitMQ topic exchanges. As illustrated in Figure 3.2, the architecture maintains four primary replication streams: the Therapist API replicates auth-owned therapist profiles; the Tracking Service maintains a local replica of data access grants (serving as the consent gate for patient data); the Auth service replicates patient-therapist assignments; and the Social service listens for active assignments to automatically provision direct chat channels between patients and their therapists.

To keep the replicas correct across these asynchronous boundaries, every consumer applies the same resilience discipline. Messages are acknowledged manually, and any that repeatedly fail are routed to a dead-letter exchange and queue (DLX/DLQ) for inspection and replay rather than blocking the consumer. Duplicate deliveries are absorbed by watermark idempotency on event time (an event no newer than the last one applied is skipped), and a nightly reconciliation against the owning service repairs any drift a prolonged outage may leave, ensuring eventual consistency.

Beyond replication, domain events also drive user-facing notifications. As shown in Figure 3.3, the Therapist service publishes `appointment.booked` when a patient books a session; the Notification service consumes it and fans the confirmation out to the affected user as an in-app inbox entry, an email, and a push notification.




Figure 3.2: The four event-driven replication streams maintained via RabbitMQ.




Figure 3.3: An event-flow diagram of domain event publication and consumption.

3.6 Authentication, Authorization, and Data Sharing




Figure 3.4: A sequence diagram of a permission-checked data access.

Authentication is stateless: the Auth service issues JSON Web Tokens signed with an RSA private key, following RFC 7519 [18], and publishes the corresponding public key through a JWKS endpoint. Every other service validates incoming tokens locally against this published key, so no service needs to call back to Auth (or share a session store) simply to authenticate a request. Roles embedded in the token (teen/patient, therapist, admin) drive coarse-grained authorization at the gateway and service level.

Fine-grained authorization is handled by a permission-based data sharing model, which is central to uMatter’s design goal of not exposing sensitive tracked data by default. Figure 3.4 traces a grant through its whole lifecycle: consent, a permission-checked read, and revocation. A user’s mood, sleep, food, journal, step, and breathing records are private to that user unless the user explicitly grants another party access. A grant names a *set of tracking categories* it covers, so a user may share, for example, their sleep and nutrition but withhold their journal, carries a thirty-day expiry, and is revocable at any time.

Enforcement lives at the Tracking service boundary: every read of a category is gated on an active, unexpired grant whose scope set includes that category, checked against a locally replicated copy of the grants (Section 3.5) rather than left to the client application, so that a compromised or misbehaving client cannot bypass it. The same mechanism serves every audience uniformly: a therapist, a parent, a friend, and the AI companion are all grantees enforced by identical code.

Service-to-service calls follow a two-tier trust model. User-facing APIs (`/api/**`) always require a valid JWT, validated locally by the receiving service. Internal APIs (`/internal/**`), such as the Tracking endpoint the AI service calls to assemble conversation context, do not carry the user’s token; the caller passes the subject’s profile identifier explicitly. These endpoints are protected by network topology instead: they are reachable only on the private container network, and the gateway refuses any external request whose path begins with `/internal/`. Asynchronous messaging is likewise authenticated at the broker with per-deployment RabbitMQ credentials. The trade-off is that any process on the internal network is trusted; mutual TLS is noted as future hardening, but on a single host not shared with third-party workloads, perimeter trust is proportionate.

3.7 AI Companion




Figure 3.5: A sequence diagram of AI grounding.

The AI companion is implemented in the AI service, and Figure 3.5 traces how a reply is grounded. It retrieves the user’s recent tracking summary from the Tracking service and includes it as context when calling Google’s Gemini 2.5 Flash model [24]. Grounding the model in the user’s own data lets the companion respond to something concrete (“you logged trouble sleeping three nights this week”) rather than only offering generic supportive text. Crucially, this retrieval is gated by the same data-access grant model as every other audience (Section 3.6). Consent is off by default: a user who has not opted in still receives a companion, just one without personal grounding.

Two safeguards run on every message before and around this grounding, and both are deliberately narrow. First, user messages pass a lightweight keyword guardrail: a message matching a small list of Vietnamese self-harm or violence phrases short-circuits the model entirely and returns a fixed response directing the user to emergency hotlines, rather than being sent to Gemini. Second, personally identifying details (emails, phone numbers,

and self-introduced names) are scrubbed from the message, history, and context before they leave the platform, and chat contents are encrypted at rest. What the AI service deliberately does not do is any form of clinical risk assessment or automated escalation to a third party (no scoring, no alerting a therapist or family member), since such feature would require the clinical collaboration as discussed in Chapter 5. The keyword guardrail is a within-conversation safety redirect, not a diagnostic claim.

3.8 Professional Workflows

The Therapist service is the only feature area with a second client. Therapists work from a React web dashboard, served at the same origin as the API, covering appointments, availability, a patient tracking data and profile, clinical notes, the video session, and their side of the chat in Section 3.9.

A short intake form drives matching, which ranks therapists by the overlap between the user’s reasons and the challenges each therapist treats, relaxing the style filter and then the exclusion of past therapists rather than returning nothing. Confirming a match writes an **ACTIVE** assignment and emits the event that provisions the patient–therapist chat channel (Section 3.5). Availability is published as weekly templates, which a scheduled job expands idempotently into thirty days of bookable slots.

Booking then follows an explicit state machine. A request stays **REQUESTED** until the therapist accepts it and expires two hours before the start time: a sweep every minute auto-rejects stragglers. Confirmed appointments freeze an hour before the start, and cancellation releases the slot for re-booking. Opening the room moves the appointment to **IN_PROGRESS**. Two requests for one slot must not both succeed; Chapter 4 describes the resolution.

Afterwards the therapist files a SOAP-structured note with risk flags, editable as a draft and immutable once finalized. Because the review and the note arrive in either order, completion is two-sided: whichever lands

first marks the appointment `PATIENT_COMPLETE` or `PROFESSIONAL_COMPLETE` and the second `OVERALL_COMPLETE`, with 24 hours to file a note once a review has arrived. Tracked data still needs a grant (Section 3.6).

Consultations run on Jitsi Meet [25]. The mobile app embeds the room in a `WebView` whose injected scripts pin the interface. Both clients name the room after the appointment’s UUID, unguessable and impossible to enumerate, but a capability URL rather than admission control: anyone holding the link can join. A self-hosted Jitsi with JWT-gated entry is left to Chapter 5.

3.9 Peer and Family Connection

The Social service manages friend relationships and real-time chat over STOMP/WebSocket. A parent participates through the same mechanism as anyone else: a parent account (distinguished only by an account type recorded at registration) connects to their child as a friend, and the connection itself exposes no tracked data whatsoever.

Visibility is governed exclusively by the grant model of Section 3.6. From a friend’s profile screen, a teen may extend that same scoped grant to the friend, whether a parent or a peer; the friend then sees only the granted categories of mood and wellbeing data, and nothing after revocation or expiry. There is deliberately no privileged parental path and no automatic alerting: our baseline study found that an automatic crisis alert to family was rejected outright as pressure to perform a better mood than the one being felt, and the professionals we consulted advised that family connection be explicit and user-controlled. A parent therefore knows exactly what their child has chosen to show them, which is the intended outcome.

3.10 Self-Care Features

Focus Mode. Check-in prompts are scheduled entirely on the device: enabling Focus Mode pre-schedules a batch of local notifications at 90-minute intervals, and the queue is topped up whenever the application is opened. The Quiet Hours window (22:00–07:00 by default, user-configurable) is applied at scheduling time and stored only on the device.

Streaks and the mood calendar. Streaks are computed server-side by the Tracking service as entries arrive, per tracking category, and the mood calendar is a read view over the same store. Cross-category trend summaries shown on the home screen are assembled by the Dashboard service, which reads Tracking through an internal aggregation API rather than owning any data of its own.

Treasure Box. Stored positive memories are Tracking-service records whose photo attachments live in MinIO, and they are surfaced along the emotion-routing path of Section 3.1 (FR5): a user logging sadness is offered their saved memories, a user logging anger a breathing exercise.

Emergency path is a dedicated screen reachable from anywhere in the application in one tap. It is intentionally static client-side content: support and hotline resources that render without any network call, so the screen stays available even if the backend is unreachable.

3.11 Deployment Topology

All services are packaged as Docker containers [17] and orchestrated with Docker Compose, grouped into stacks by repository, as shown in Figure 3.6. The full system (Spring Boot services, PostgreSQL instances, RabbitMQ, Redis, MinIO, and supporting tools such as pgAdmin) runs




Figure 3.6: A deployment diagram of the uMatter production topology.

on a single cloud virtual machine, fronted by a reverse proxy that terminates HTTPS. The concrete deployment used for evaluation, including the migration between cloud providers, is described in Chapter 4.

Chapter 4

Implementation and Evaluation

This chapter describes the product that the design in Chapter 3 became, how it was implemented, the cloud deployment used to run and evaluate it, the distribution of the mobile client, the security-hardening process applied to the platform, and an evaluation of the resulting system. It opens from the user’s side, walking the journeys the delivered application actually supports, before turning to the engineering that makes them work.

4.1 The Product: End-to-End User Journeys

Chapters 1 to 3 argue a problem and specify a design. This section shows what was built, from the position of the person it was built for. The five journeys below are not a feature inventory; they are the paths our trial users actually take, in the order a teenager meets them: the ordinary day first, the hard moment second, and professional care only when the first two are not enough. Each is presented as the sequence of screens a user passes through, and each is annotated with the requirements from Section 3.1 that it exercises, so that the visual walkthrough and the specification can be read against each other.

Two properties are worth stating before the journeys, because they are

what makes the sequences below a single product rather than five separate tools. First, every journey reads from or writes to the same record: the daily entries a user makes in the first journey are what the AI companion, the therapist, and a trusted friend later respond to. Second, no journey crosses a data boundary without the user’s explicit act. The consent step is not an afterthought bolted onto the professional journey; it is a screen the user visits deliberately, and the last journey is devoted to it.

4.1.1 The daily loop: notice, record, understand




Figure 4.1: The daily loop: a Focus Mode prompt, the mood check-in, the emotional journal, and the trends the entries accumulate into.

The habit at the centre of the product is a check-in that costs one tap. Figure 4.1 follows it. The application comes to the user rather than waiting to be opened: with Focus Mode enabled, a prompt arrives roughly every ninety minutes through the waking day and falls silent during Quiet Hours, so the recall problem identified in Section 3.1 is solved without the application becoming a nag (FR3). Acting on the prompt lands the user directly on the check-in, where a mood is chosen and, optionally, a line of context added.

The journal deepens the same act rather than replacing it. A user picks the emotion that fits, names what the day was about, and writes as much or as little as they want, with photographs attached if they help. What the user gets back for this is the fourth screen: a mood calendar that colours each day, per-category streaks, and weekly trends across sleep, steps, nutrition, and breathing (FR1, FR2). This is the return on the habit and the reason it survives past the first week, since the entries stop being data submitted somewhere and become a picture of the user’s own month that only they can assemble.

4.1.2 The low moment: first aid that is routed, not generic




Figure 4.2: Logging a negative emotion routes to a matched response: guided breathing for anger, the Treasure Box for sadness, and the emergency area always one tap away.

The design decision that most distinguishes the product is what happens immediately after a negative mood is logged. The application does not return the user to a dashboard. It routes them, and it routes by which emotion was recorded, following the guidance of the professionals

consulted in Section 3.1.1: anger is met with a guided breathing exercise, sadness with the user’s own Treasure Box (FR5).

The Treasure Box, shown in the third panel of Figure 4.2, is the feature trial users valued most (Section 4.5.4). Its premise is that a low mood makes good memories hard to reach, so the memories are saved in advance, on a good day, and reopened on the bad one: photographs, kind messages, small wins, and reasons to keep going, put somewhere the user can find them at the moment recall fails. Running alongside both paths, the emergency area is reachable in one tap from anywhere in the application and renders entirely from client-side content, so it stays available even when the backend is not (FR5).

4.1.3 Someone to talk to, at any hour




Figure 4.3: Bạn Tâm Giao: an always-available companion whose replies draw on the user’s own week when, and only when, access has been granted.

Trial users reported reaching for the companion late at night, when contacting a friend or a therapist was not an option. That availability is

the feature. What separates it from a general-purpose chatbot is that it can be given the user's own recent history, so a reply can respond to a week that actually happened rather than to nothing at all (FR4). The grounding is opt-in and off by default: a user who never grants access still gets a companion, just one without personal context, and the difference between the two is visible in the replies themselves.

The contrast is visible directly in Figure 4.3: asked the same question twice, the companion first states plainly that it has no sleep data and invites the user to share it, and then, once the grant is switched on in the banner at the top of the conversation, characterizes the week from the user's actual logs. The grounding is nevertheless qualitative rather than numeric, for the reasons set out in Section 4.5.5.

The safety behaviour is deliberately narrow. A message matching a small list of self-harm or violence phrases bypasses the model entirely and returns the crisis hotlines directly. This is a within-conversation redirect and not a clinical assessment; the system performs no risk scoring and raises no automated alert to any third party, for the reasons set out in Chapter 5.

4.1.4 Crossing into professional care

When self-help is not enough, the crossing into professional care happens inside the same application. A short intake form asks what the user is going through, how they prefer to be met, and whether prior therapy has been tried, and ranks therapists by the overlap with what each one treats (FR6). Booking is a slot on the therapist's published calendar; confirmation arrives as a push notification and an email so the appointment does not slip past (FR8). The session runs as video inside the application, and afterwards the user reads the therapist's structured note and leaves a review.

The therapist works the other side of the same appointment from the

web dashboard described in Section 3.8. This is the point at which the black box between sessions closes: a therapist who has been granted access opens the consultation already knowing how the patient’s month went, instead of spending the first part of the session reconstructing it from memory.

4.1.5 Choosing who sees

The final journey is the one that makes the other four safe to use, and trial users identified it as the precondition for writing honestly at all (Section 4.5.5). Nothing a user records is visible to anyone by default. To share, the user grants a scoped set of tracking categories to a named audience and can revoke it in one action (FR1, FR6, FR7, NFR1). The grant is surfaced wherever the audience appears rather than buried in a settings menu: the banner at the top of the AI conversation in Figure 4.3 is the companion’s own grant control, carrying the same meaning and the same server-side enforcement as the grant a user extends to a therapist or a friend.

The point is that this screen is the only way in, for every audience. A therapist, a parent, a friend, and the AI companion are grantees of exactly the same mechanism, enforced server-side. There is deliberately no privileged parental path and no automatic alerting: our baseline study found that automatic crisis alerts to family were rejected as pressure to perform a better mood than the one being felt. A parent therefore sees precisely what their child chose to show them, which is the intended outcome rather than a limitation.

4.1.6 What the journeys share

Table 4.1 maps each journey to the requirements it exercises. Read together, the journeys are one loop rather than five features: the daily record made in the first is what the second routes on, what the third grounds its replies in, what the fourth gives a therapist to work from,

and what the fifth governs access to. This is the unification argued for in Chapter 1, expressed as the path a user walks rather than as a component diagram, and it is the reason a single platform was worth building instead of assembling the same capabilities from four separate products.

Table 4.1: User journeys and the requirements they exercise

Journey	What the user does	Req.
Daily loop	Responds to a Focus Mode prompt, logs a mood, writes a journal entry, reads back the week.	FR1–FR3
Low moment	Logs a negative emotion and is routed to breathing, the Treasure Box, or the emergency area.	FR5
Companion	Talks to the AI at any hour, optionally grounded in their own record.	FR4
Professional	Completes intake, books a slot, attends by video, reads the note, leaves a review.	FR6, FR8
Consent	Grants scoped access to a therapist, parent, friend, or the companion, and revokes it.	FR7, NFR1

4.2 Implementation Overview

The backend services are implemented in Java 17. The Auth, Tracking, AI, and Dashboard services are built on Spring Boot 4.0 and organized as a Maven multi-module project so that shared code (for example, JWT validation logic) is written once and reused. The Therapist service is a separate Gradle project on Spring Boot 4.0, while the Social and Notification services are Gradle projects on the slightly earlier Spring Boot 3.3, reflecting when they were added to the system. Persistence throughout uses Spring Data JPA over PostgreSQL. The Social service’s real-time chat is implemented with STOMP over WebSocket, and the Notification service

integrates Firebase Cloud Messaging for push delivery in addition to email and an in-app inbox.

On the client side, the mobile application for teenagers is built with React Native 0.83 and React 19 in TypeScript, and the therapist-facing web dashboard is built with React 18, TypeScript, Vite, and Tailwind CSS. Appendix E records why these platforms, the database, and the language model behind the AI companion were preferred to the alternatives considered.

4.3 Deployment

uMatter was originally deployed on Oracle Cloud Infrastructure (OCI). During the course of this thesis, the deployment was migrated in full to Microsoft Azure, under an Azure for Students subscription. The migration involved:

- Resolving Azure region-policy restrictions that initially blocked the target subscription from provisioning a virtual machine in the desired region.
- Configuring Network Security Group (NSG) rules to open the ports required by the API gateway and by directly-exposed services (for example, RabbitMQ’s management port during setup, and ports 80 and 443 for the reverse proxy).
- Working around Azure Cloud Shell setup issues encountered while preparing the target VM.
- Reproducing the auto-shutdown behavior available on the previous provider using Azure’s built-in scheduled auto-shutdown, to control cost under the student subscription, with the containers configured to restart automatically on boot so they come back up automatically when the VM is next started.

The resulting deployment runs on a single, right-sized Azure VM hosting 20 containers: multiple Spring Boot JVM services, several PostgreSQL instances (one per owning service), RabbitMQ, Redis, MinIO, and pgAdmin. HTTPS routing is provided by Caddy as a reverse proxy, with DuckDNS supplying a stable hostname for the VM’s dynamic address, and the VM’s public IP configured as static so the hostname does not need to be re-pointed after the nightly auto-shutdown cycle. This mirrors the general topology described in Chapter 3, with Caddy taking the reverse-proxy/HTTPS-termination role and Nginx continuing to serve as the internal API gateway between the proxy and the backend services.

4.3.1 Mobile Application Distribution

The mobile client for teenagers/patients was packaged and published to the Google Play Store, rather than distributed as a manually installed APK. Publishing through Google Play means end users install and update the app the same way as any other Android application, without needing to trust or manually side-load a build shared outside the store.

This distribution choice also shaped a concrete backend requirement: the published app communicates with the API gateway exclusively over HTTPS on port 443, because modern Android builds block plaintext HTTP traffic by default. Terminating TLS correctly at the reverse proxy, using a Let’s Encrypt certificate obtained over port 80, was therefore not an optional hardening step but a hard prerequisite for the Play Store build to reach the backend at all. This is why ports 80 and 443 were treated as non-negotiable when the NSG rules were configured.

4.4 Security Hardening

Because uMatter handles sensitive personal data and coordinates real appointments, the implemented services were subjected to structured se-

curity audits organized around the OWASP Top 10 risk categories [20], covering three areas in particular:

- **Business logic correctness:** verifying that workflows such as matching, booking, and permission granting behave correctly under normal and adversarial input, not only in the happy path.
- **Access control:** specifically JPQL injection patterns in hand-written queries, insecure direct object references (for example, a user supplying another user’s record identifier to an endpoint that does not re-check ownership), and mass assignment (a client supplying extra fields in a request body that get bound to fields the client should not be able to set, such as a role or a permission flag).
- **Data integrity:** ensuring that concurrent requests cannot leave the system in an inconsistent state.

The most significant data-integrity issue identified was a race condition in appointment booking: two concurrent requests to book the same therapist for the same time slot could both pass an application-level availability check before either write was committed, resulting in a double booking. This was closed not by adding an application-level lock, which would not be safe against multiple service instances, but by making the slot claim a single atomic database operation: booking a slot is a conditional update that sets the slot’s booked flag to true only where it is still false, so exactly one of two concurrent requests updates a row and the other is rejected. A unique constraint on the appointment’s slot reference backs this up as a second line of defense. Because the guarantee lives in the database itself, it holds regardless of how many instances of the Therapist service are running concurrently.

The most significant access-control finding was in the AI service’s own path to a user’s tracking data, rather than in a caller manipulating another user’s identifier. The Tracking service’s internal context endpoint,

used by the AI service to retrieve grounding data, was reachable by any authenticated internal caller. It performed no check that the caller had actually been granted access to that data, relying instead on network-level trust between services. This is precisely the class of implicit trust that the permission-based data-sharing model in Section 3.6 is designed to remove. The fix followed the same pattern used elsewhere in the codebase: the AI companion was added as a reserved grantee in the existing access-grant table, and the context endpoint now checks for an active grant before returning anything, exactly as it already did for a therapist. No new authorization mechanism was introduced; an existing one was extended to a caller that had previously been exempted from it.

4.5 Evaluation

The system was evaluated along several dimensions: functional completeness against the design goals in Chapter 1, security posture after hardening, feature positioning relative to the competitive landscape reviewed in Chapter 2, and qualitative feedback from trial users and mental-health professionals, including the features they valued most and the wider findings that emerged from the design, trial, and consultation process.

4.5.1 Functional Completeness

All seven backend services described in Chapter 3 are implemented and deployed, and both client applications (mobile for teens, web for therapists) are functional against them. Table C.1 in Appendix C traces each requirement from Section 3.1 to its implementation status.

Every requirement is met except FR8: all three notification channels (push, email, and the in-app inbox) work and fire end-to-end for appointment booking, but the other domain events intended to raise notifications are not currently wired to producers, so coverage across events is partial.

4.5.2 Security Posture

The structured audits identified and closed concrete issues in each of the three areas examined (business logic, access control, and data integrity), including the appointment-booking race condition described above. This does not constitute a formal, independent penetration test, and should be read as an internal hardening pass rather than a certification of the system’s security; further external review would be a reasonable next step before any production use involving real users.

4.5.3 Comparison with Existing Platforms

Revisiting the comparison in Table 2.1, the implemented system delivers on the feature combination that motivated this thesis: self-care tracking, an AI companion grounded in the user’s own data, and peer social features, alongside licensed-therapist matching, booking, video consultation, and clinical notes, connected by a permission-based sharing model that none of the compared single-purpose platforms offer in combination. The clearest gap relative to mature commercial platforms such as BetterHelp and Talkspace [7], [8] is operational maturity: those platforms have been hardened and scaled in production for years, whereas uMatter, as a thesis project, has been validated on a single-VM deployment and an internal security-audit process rather than at production scale.

4.5.4 Most-Valued Features

The Treasure Box (Hộp Trân Quý)

The Treasure Box is a personal store of positive “core memories” (photos, kind messages, small wins, life goals, and motivating reflections) that a user saves ahead of time and reopens whenever they need comforting. On a low day, when negative bias makes good memories hard to recall, this pre-

saved anchor gives users self-compassion they can reach for exactly when they need it. The feature grew directly out of expert collaboration: Miss Pham Thi Thanh Qui first suggested reconnecting users with their reasons for living when feeling low, and mister Vuong Nguyen Toan Thien, CEO of LUMOS, concretized that idea into the Treasure Box, grounding it in research on positive memory and mood. Within the app it is one destination in uMatter’s “psychology first-aid” response to a low mood, alongside guided breathing and the SOS crisis contacts.

Daily Reflective Tracking

Daily reflective tracking is the everyday self-check-in habit at the heart of the app: mood check-ins, the emotional journal, logs for sleep, nutrition, and water, automatic step counting, and guided breathing, each surfaced as a friendly “today” card with weekly trends. Doctor Pham Tran Thanh Nghiep assessed these features as “already very good” and helpful to users’ mental wellbeing, and Miss Qui, holding that physical and mental health are inseparable, endorsed the physical-health tracking (steps, sleep, nutrition, breathing) as a legitimate mental-health signal. Gentle Focus-Mode reminders roughly every ninety minutes, daily achievement “trophies” for a completed chain of self-care tasks, and streaks keep it a low-friction habit rather than a chore. The same daily data also grounds the AI companion, the therapist’s view (under permission), and the trusted-friend view, so the feature most valued on its own is also what makes the rest of the platform work.

4.5.5 Key Findings

Findings from the Design and Development Process

- **A weekly review cycle kept the feature set close to what users actually asked for.** Development was never carried out in

isolation from the people it was for: each phase closed with a meeting held either with the mental-health professionals or with the trial users, and with weekly supervision from the advisor, so a proposed function was argued for, built, and then judged by someone outside the team within the same phase (Section 3.1.1, Appendix F). The cost is visible as features removed rather than added, which is the point: the surveys below were dropped, and the Treasure Box was added, because the review said so rather than because the team preferred it.

- **Unifying self-care and therapy is feasible behind one permission model.** A single microservices platform can serve both halves of the care journey without merging the data, as long as sharing is explicit, granular, and revocable.
- **Network-level trust between services is not enough.** The most instructive security finding was that an internal caller (the AI service) could reach a user’s tracking data with no explicit grant, meaning that implicit inter-service trust is exactly the class of assumption the permission model must remove, even for internal callers.
- **Grounding the AI in the user’s own data**, with a safe fallback, is what makes it useful without over-reaching. Toggling the grant changes the companion’s replies materially: without it the AI states plainly that it has no tracking data, while with it the same question draws a reply reflecting the user’s actual sleep, mood, and nutrition patterns. The grounding is nevertheless *qualitative*. The companion characterizes the week (“your sleep has not been deep or long enough”) but never quotes a figure, even when explicitly asked for one. Two deliberate choices produce this: the system prompt forbids reciting the context mechanically, to keep the tone conversational rather than clinical, and the context passed to the model is itself an aggregate summary (an average, a count of poor nights, a set of

mood tags) carrying no per-day values or dates. The companion is therefore demonstrably personalized but not *verifiable*: a user cannot check a reply against the numbers they logged.

Findings from User Feedback

The findings below come from the seven trial users listed in Appendix F: they were interviewed for user stories before implementation began and re-interviewed against the working build as each development phase closed, in semi-structured sessions held roughly monthly, alternating with the expert consultations. A separate cohort of seventeen testers exercised the published Android build over the fourteen-day Google Play closed-testing period; that cohort reported defects rather than design opinions, and its output is release-phase testing rather than user research. The trial group is small and drawn from the team's own circle, so what follows is qualitative and carries no statistical weight.

- **Daily journaling beats periodic surveys.** Trial users found the weekly/monthly surveys redundant next to the daily journal and 3-hourly mood check-ins; the surveys were dropped.
- **The most-loved features were the Treasure Box and daily tracking** (Section 4.5.4).
- **The consent gate is what made honest journaling possible.** Users reported writing honestly in the emotional journal only once they understood that a therapist or a trusted friend sees nothing without an explicit grant that they can revoke at any time.
- **The AI companion was valued for availability, yet the efficiency of the interaction needs improvement.** Users reached for the companion late at night, when contacting a friend or a therapist was not an option. However, the companion's replies is too vague

and inefficient and barely reflective of user’s actual data even when grounded, making it far inferior to a stronger Gemini or ChatGPT model without a any previous context.

Findings from Expert Consultations

- **Miss Qui** endorsed the option-based emotional journal, the gentle 3-hourly mood check-ins (for complete, meaningful data and for helping users pay attention to themselves), the 4-7-8 breathing exercise as a response to anger, the reward/trophy loop for completing a chain of self-care tasks, the revocable trusted-person sharing, and physical-health tracking such as steps.
- **Mister Thien** praised the Treasure Box concept, the emotion timeline for complete mental-health data, the “psychology first-aid” bundle for negative moods (breathing, SOS contact, Treasure Box), and the SOS hotline page.
- **Doctor Nghiep** gave the strongest endorsement of the daily reflective tracking features (“already very good”).

Chapter 5

Conclusion and Future Work

5.1 Conclusion

This thesis set out to design, implement, and evaluate uMatter, a mental-health support platform for teenagers that unifies self-care tracking with professional therapy access, addressing a gap identified between existing self-care applications (Daylio, Bearable) and existing therapy platforms (BetterHelp, Talkspace, Wysa), none of which combine both halves of the care journey behind a single, permission-based data-sharing model.

The resulting system is a seven-service microservices architecture behind an API gateway, with a database-per-service data layer, stateless JWT authentication. A structured security-hardening process identified and resolved concrete issues across business logic, access control, and data integrity, database-level race condition. The full stack was deployed to cloud infrastructure, and evaluated along several dimensions.

This work shows that a single, security-conscious microservices platform can plausibly serve both sides of adolescent mental health support, rather than requiring a teenager to use many disconnected products.

5.2 Limitations

First, this is a software engineering thesis, not a clinical study: no claims are made about the platform’s clinical efficacy, and features that would require clinical judgment were explicitly excluded. Second, the security hardening performed was an internal, structured audit rather than an independent third-party penetration test. Third, the deployment evaluated in Chapter 4 runs on a single virtual machine and has not been load-tested at a scale representative of real-world production traffic.

5.3 Future Work

1. **Clinical collaboration.** Any safety-oriented feature that acts on self-reported mental-health data, most notably automated risk detection for at-risk users, requires input from licensed mental-health professionals before it can be responsibly designed, and is intentionally left out of this thesis pending that collaboration.
2. **Safety-oriented features more broadly.** Beyond risk detection, this includes guardian-visibility controls appropriate for a teenage user base, and clinical review of the AI companion’s behavior in sensitive conversations.
3. **Operational maturity.** Independent security review beyond the internal audits performed here, load and scalability testing of the current single-VM deployment, and a multi-instance or managed-database deployment topology to remove the single VM as a point of failure.

These directions would move uMatter from a functioning thesis prototype toward a platform that could be responsibly evaluated with real teenage users under appropriate clinical oversight.

References

English

- [1] Báo Thanh Niên. “Học sinh lớp 9 tại tp.hcm nhảy lầu tự tử vì điểm kém (ninth-grader in hcmc jumps to death due to poor grades),” Accessed: Jul. 17, 2026. [Online]. Available: <https://thanhnien.vn/hoc-sinh-lop-9-tai-tphcm-nhay-lau-tu-tu-vi-diem-kem-185695396.htm>
- [2] Báo Dân Trí. “Nam sinh viên tử vong dưới chân tòa nhà trường đại học (male university student dies at the foot of university building),” Accessed: Jul. 17, 2026. [Online]. Available: <https://dantri.com.vn/thoi-su/nam-sinh-vien-tu-vong-duoi-chan-toa-nha-truong-dai-hoc-20240227201657100.htm>
- [3] T. Pham, N. Nguyen, et al., “The prevalence, correlates and functions of non-suicidal self-injury in vietnamese adolescents,” *International Journal of Environmental Research and Public Health*, vol. 18, no. 22, p. 11993, 2021. DOI: 10.3390/ijerph182211993 [Online]. Available: <https://pmc.ncbi.nlm.nih.gov/articles/PMC8636691/>
- [4] World Health Organization. “Mental health of adolescents,” Accessed: Jul. 17, 2026. [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health>
- [5] Daylio. “Daylio - micro diary and mood tracker,” Accessed: Jul. 13, 2026. [Online]. Available: <https://daylio.net>

- [6] Bearable. “Bearable - symptom and mood tracker,” Accessed: Jul. 13, 2026. [Online]. Available: <https://bearable.app>
- [7] BetterHelp. “BetterHelp - online therapy & counseling,” Accessed: Jul. 13, 2026. [Online]. Available: <https://www.betterhelp.com>
- [8] Talkspace. “Talkspace - online therapy & psychiatry,” Accessed: Jul. 13, 2026. [Online]. Available: <https://www.talkspace.com>
- [9] Wysa. “Wysa - ai-powered mental health support,” Accessed: Jul. 13, 2026. [Online]. Available: <https://www.wysa.com>
- [10] Zalo. “Zalo - talk to your love,” Accessed: Jul. 20, 2026. [Online]. Available: <https://vng.com.vn/news/product/vng-zalo.html>
- [11] Life360. “Life360 - when they’re okay, you’re okay,” Accessed: Jul. 20, 2026. [Online]. Available: <https://intl.life360.com/>
- [12] R. K. McBain et al., “Use of generative ai for mental health advice among us adolescents and young adults,” *JAMA Network Open*, vol. 8, no. 11, e2542281, 2025. DOI: 10.1001/jamanetworkopen.2025.42281
- [13] S. Newman, *Building Microservices: Designing Fine-Grained Systems*, 2nd. O’Reilly Media, 2021.
- [14] R. T. Fielding, “Architectural styles and the design of network-based software architectures,” Ph.D. dissertation, University of California, Irvine, 2000.
- [15] Broadcom Inc. “RabbitMQ - reliable messaging with erlang,” Accessed: Jul. 13, 2026. [Online]. Available: <https://www.rabbitmq.com>
- [16] VMware Tanzu. “Spring boot reference documentation,” Accessed: Jul. 13, 2026. [Online]. Available: <https://docs.spring.io/spring-boot/index.html>

- [17] Docker Inc. “Docker - accelerated, containerized application development,” Accessed: Jul. 13, 2026. [Online]. Available: <https://www.docker.com>
- [18] M. B. Jones, J. Bradley, and N. Sakimura, *JSON web token (JWT)*, IETF RFC 7519, 2015. Accessed: Jul. 13, 2026. [Online]. Available: <https://www.rfc-editor.org/rfc/rfc7519>
- [19] M. Jones, “JSON Web Key (JWK),” Internet Engineering Task Force (IETF), RFC 7517, May 2015. [Online]. Available: <https://www.rfc-editor.org/rfc/rfc7517.txt>
- [20] OWASP Foundation, *OWASP top 10:2021 - the ten most critical web application security risks*, OWASP Foundation, 2021. Accessed: Jul. 13, 2026. [Online]. Available: <https://owasp.org/Top10/>
- [21] R. S. Sandhu, E. J. Coyne, H. L. Feinstein, and C. E. Youman, “Role-based access control models,” *IEEE Computer*, vol. 29, no. 2, pp. 38–47, 1996. DOI: 10.1109/2.485845
- [22] V. C. Hu et al., “Guide to Attribute Based Access Control (ABAC) Definition and Considerations,” National Institute of Standards and Technology, NIST Special Publication 800-162, 2014. DOI: 10.6028/NIST.SP.800-162
- [23] J. H. Saltzer and M. D. Schroeder, “The protection of information in computer systems,” *Proceedings of the IEEE*, vol. 63, no. 9, pp. 1278–1308, 1975. DOI: 10.1109/PROC.1975.9939
- [24] Google DeepMind, *Gemini: A family of highly capable multimodal models*, Technical report, 2024. Accessed: Jul. 13, 2026. [Online]. Available: <https://arxiv.org/abs/2312.11805>
- [25] Jitsi. “Jitsi Meet - secure, simple, and scalable video conferencing,” Accessed: Jul. 13, 2026. [Online]. Available: <https://jitsi.org>

Appendix A

API Endpoint Summary

This appendix lists a representative subset of the REST endpoints exposed by each uMatter service. It is intended as a quick-reference companion to the full API reference maintained in the project documentation, not a complete specification.

Table A.1: Representative endpoints by service

Service	Example endpoint	Purpose
Auth	POST /api/auth/login	Authenticate a user and issue a JWT access/refresh token pair
Tracking	POST /api/tracking/mood	Record a mood/sleep/journal entry for the authenticated user
AI	POST /api/ai/chat	Send a message to the AI companion, grounded in the user's tracking context
Dashboard	GET /api/dashboard/summary	Aggregate tracking data into a user-facing summary view
Therapist	POST /api/therapist/appointments	Book an appointment with a matched therapist
Social	GET /api/social/feed	Retrieve a user's peer social feed
Notification	GET /api/notifications	Retrieve a user's in-app notification inbox

Appendix B

Deployment Configuration Notes

This appendix summarizes the cloud deployment topology referenced in Chapter 4: a single Ubuntu virtual machine running the full container stack (application services, PostgreSQL instances, RabbitMQ, Redis, MinIO, and pgAdmin) behind a reverse proxy that terminates HTTPS, with DNS provided by a dynamic DNS service. Secrets and environment files are kept outside version control and are managed directly on the deployment host and in the team's private configuration store.

Appendix C

Requirement Traceability

This appendix traces each functional and non-functional requirement from Section 3.1 to its implementation status. The result is summarized in the Functional Completeness evaluation of Chapter 4.

Table C.1: Implementation status of the requirements in Section 3.1

ID	Requirement (summary)	Status
FR1	Mood check-in, journal, mood calendar, and streaks	Met
FR2	Sleep, nutrition, water, and breathing logs; automatic step count	Met
FR3	Focus Mode check-in prompts, silent during Quiet Hours	Met
FR4	AI companion grounded in tracking data only under an active grant	Met
FR5	Guided breathing and meditation, Treasure Box, one-tap emergency area	Met
FR6	Therapist discovery, booking, video consultation, and clinical notes	Met
FR7	Friend and parent connections with real-time chat	Met
FR8	Push, email, and in-app notifications from domain events	Partial
NFR1	Privacy by default, grants enforced server-side	Met
NFR2	Stateless JWT validation against a published JWKS key	Met
NFR3	Integrity under concurrent booking	Met
NFR4	Independent services on a single cloud VM	Met

Appendix D

Baseline Platform Evaluation

This appendix documents the baseline study summarized in Chapter 1, carried out in December 2025 before implementation began. Quotations are reproduced from the study workbook with spelling normalized.

D.1 Study Design

Two senior students outside the development team evaluated the ten platforms in Table D.1, answering the same ten questions about each: Bảo Châu (21, Psychology, Ho Chi Minh City University of Education) and Gia Phát (21, Business, RMIT University Vietnam), chosen so that the assessment came from someone with domain knowledge and someone without. Both answered in role, against two personas drawn from the target population: *Minh*, 20, a university student diagnosed with mild-to-moderate depression who rejects anything resembling clinical paperwork (*Case 1* below), and *An*, 16, a tenth-grader under academic pressure whose family does not believe anything is wrong (*Case 2*). The questions covered the “black box” between sessions, data disconnect, journaling privacy, trust in AI, social-media risk, crisis alerts, homework adherence, input fatigue, willingness to pay, and a feature wishlist.

A dash indicates that no overall rating was recorded. Blueprint and Greenspace are clinician-facing products, judged for what a therapist re-

Table D.1: Platforms evaluated, with each evaluator’s overall usefulness rating

Platform	Category	Ev. 1	Ev. 2
Wysa / Woebot	AI chatbot	6 / 10	5 / 10
Bearable	Symptom tracker	7 / 10	7 / 10
Reddit / Facebook	Social community	2 / 10	6.5 / 10
Blueprint	Clinical assessment	—	—
BetterHelp	Telehealth platform	4 / 10	—
Daylio	Micro-journaling	5 / 10	6 / 10
Greenspace	Measurement-based care	—	—
Talkspace	Asynchronous messaging	7.5 / 10	—
SimplePractice	Practice management	7 / 10	—
7 Cups	Peer support	—	—

ceives rather than for what a teenager experiences.

D.2 Findings

The week between sessions is a black box. For Minh, what the patient meant to raise is gone by the appointment (“maybe forgot the thoughts happened”); for An, the thoughts instead “prolong throughout weeks and months”. Sharing a record was judged to help “because the patient is too exhausted to re-express their emotions and thoughts”.

Input fatigue ends app use. Both evaluators named effort first: “too much typing, too much general advice”; “too many steps to do, complex, time consuming”. Two other reasons appeared that less friction does not solve — leaked “sensitive information to third parties when I’m vulnerable”, and “toxic strangers” on peer platforms.

Tracking alone produces no progress. The trackers scored highest in Table D.1 and still changed nothing (“only helps to track, but no progress was made”), while the chatbots were “enough to improve the current condition, but not enough to completely resolve the problem” and “cannot replace a real human therapist”.

Consent is never absolute. The evaluator who shared a journal with a therapist refused close friends and group sessions: “only me and my therapist can read it, no one else; even the app’s admin cannot read it.” Automatic crisis alerts to family drew the strongest reaction in the study, rejected outright by both evaluators for both personas (“I would feel pressured to keep my mood up”; “absolutely not”), while alerting a clinician remained tolerable.

Table D.2 records what each finding produced, using the requirement identifiers of Section 3.1. Its last row follows from a split answer: the evaluators disagreed on willingness to pay, and the team resolved the split by audience, recording that the application targets “non-payers such as high school students and undergraduates”.

Table D.2: Baseline-study findings traced to the features and decisions they produced

Finding	Consequence for the design
The week between sessions is a black box	A continuous record rather than a per-session one: mood check-in and journal (FR1), with Focus Mode bringing the prompt to the user (FR3)
Input fatigue ends app use	Capture reduced to a single tap, expanded only on request (FR1); step count collected automatically (FR2)
Tracking alone produces no progress	Responses built on the record, not charts alone: the grounded companion (FR4), breathing and the Treasure Box (FR5), the path to a therapist (FR6)
Consent is audience-specific	Grants that are explicit, scoped, and revocable, with nothing shared by default (NFR1; FR4, FR6, FR7)
Automatic crisis alerts were rejected	A user-initiated emergency path, with no automated risk inference (Section 1.4)
Willingness to pay is split, and the users are students	Monetization excluded from scope (Section 1.4)

Appendix E

Technology Selection Rationale

Chapter 4 reports what the system is built from. This appendix records why those components were preferred to the alternatives considered in January 2026, and where the delivered system departed from that comparison.

E.1 Language Model

The AI companion (*Bạn Tâm Giao*) needed to sustain an empathetic conversation in Vietnamese, carry context from the user’s own record, and run at a cost a student project could absorb.

Table E.1: Language models compared, as assessed in January 2026

Criterion	Gemini Flash	GPT-4o mini	Claude 3 Haiku
Context window	1,000,000 tokens	128,000 tokens	200,000 tokens
Multimodal input	Native	Billed separately	Text-first
Vietnamese vernacular	Strongest of the three	Correct, less natural	Natural
Cost at prototype scale	Free tier sufficient	Low, prepaid credits	Payment friction in Vietnam
Latency	Low	Low	Medium

Gemini Flash was selected on three grounds: a context window large enough that no token budget had to be designed around while the grounding mechanism was still taking shape; the strongest handling of Vietnamese

slang and emotionally weighted pronoun forms, treated as a correctness requirement because misreading that register means misreading the user’s mood; and a free tier adequate for development and trial use.

Two expectations did not survive implementation. The context window is not fully exercised, since the model receives an aggregate summary of recent tracking data rather than a raw history (Chapter 4), and multimodal input went unused, since meal photographs are stored with the user’s logs but never sent to the model. The implemented service calls `gemini-2.5-flash` [24], the current model of the same family and tier by the time the AI service was built.

A hosted API was preferred to the two self-managed alternatives. Models small enough to run on a mid-range Android phone carry context windows one to two orders of magnitude smaller and would make the companion’s behaviour depend on the user’s handset, while self-hosting an open-weights model requires datacentre-class accelerators kept continuously available. The privacy cost of that choice is mitigated inside the platform instead: nothing reaches the provider unless the user holds an active grant, identifying details are scrubbed before the request leaves, and chat contents are encrypted at rest (Section 3.6).

E.2 Client and Backend Platform

Table E.2: Platform choices, alternatives considered, and the deciding factor

Component	Selected	Also considered	Deciding factor
Mobile client	React Native	Flutter	The team was already fluent in React, with no new language to absorb before the first feature
Backend services	Spring Boot [16]	FastAPI, Node.js	Static typing in a codebase holding clinical notes, and Spring Security as the enforcement point for the grant checks of Section 3.6
Database	PostgreSQL	MySQL, MongoDB	The transactional guarantee behind the atomic slot claim of Chapter 4, plus JSONB for the varied shapes of the tracking logs
Video sessions	Jitsi Meet [25]	Proprietary SDKs	Open source, with no commercial video vendor's quota or pricing in the therapy workflow

Appendix F

Development Cycle and Trial Participants

This appendix records who took part in the design and testing of uMatter outside the two-person development team, and the weekly cycle through which their input reached the product. The baseline platform evaluation that opened the study is reported separately in Appendix D; the Acknowledgments thank the same people by name.

F.1 Weekly Review Cycle

Development ran in short phases, each delivering one coherent slice of the platform (for example, the tracking and journaling features, the grant model and the AI companion, or therapist booking and consultation). The requirements in Section 3.1 were not settled once at the start and then implemented; they were revised phase by phase against three groups.

- **The advisor.** Weekly supervision meetings with PGS.TS Nguyễn Văn Vũ covered scope, architecture, and what was realistic to deliver, and were where a proposed feature was first argued for or dropped.
- **Mental-health professionals.** The three professionals introduced in Chapter 1 reviewed both the features proposed for an upcoming

phase and the features just completed, judging whether each was clinically sound and appropriate for adolescents.

- **Trial users.** The seven participants listed in Table F.1 gave the first round of user-story interviews before implementation began, and were interviewed again against the working build as the phases were completed.

In any given week the team met either the professionals or the trial users, depending on which set of proposed functions had been finished: a phase was treated as closed only once its features had been shown to one of the two groups, and the comments that came back were carried into the following phase. The purpose of the cadence was to keep the delivered feature set close to what the intended users and their clinicians actually asked for, rather than to what the team assumed on their behalf. Several of the outcomes are visible in the system: the periodic well-being surveys planned early on were dropped in favor of the daily journal and 3-hourly mood check-ins after trial users called them redundant, and the Treasure Box (Section 4.5.4) exists because a counsellor proposed reconnecting users with their reasons for living and the CEO of LUMOS turned that idea into a concrete feature.

F.2 User-Story and Feedback Participants

Table F.1 lists the trial users. All seven gave the first round of user-story interviews and all seven returned for the closed testing and feedback round, so their comments span the whole project rather than a single snapshot of it. Two of them, Bảo Châu and Gia Phát, had also served as the two evaluators of the baseline platform study in Appendix D.

The group is small and self-selected from the team’s own circle, and it is weighted toward university students rather than the secondary-school

Table F.1: Trial users who took part in the user-story and feedback rounds

Participant	Status	Rounds
Nguyễn Lê Bảo Châu	Psychology graduate, Ho Chi Minh City University of Education	User stories; feedback; baseline study
Nguyễn Phi Hùng	Business graduate	User stories; feedback
Lê Gia Phát	Business student, RMIT University Vietnam	User stories; feedback; baseline study
Trần Nhật Thanh	Student, Advanced Program in Computer Science, University of Science, VNU-HCM	User stories; feedback
Huỳnh Hữu Hậu	Student, Advanced Program in Computer Science, University of Science, VNU-HCM	User stories; feedback
Nguyễn Phước Ngọc Hương	Computer Science student, Ho Chi Minh City University of Technology, VNU-HCM	User stories; feedback
Trần Vĩ Quang	Computer Science student, Ho Chi Minh City University of Technology, VNU-HCM	User stories; feedback

half of the target population. It supports the qualitative findings reported in Section 4.5.5 and nothing stronger; no statistical claim is made from it.

F.3 Closed-Testing Cohort

Publishing the Android client through Google Play required a closed test run with a minimum number of opted-in testers over a continuous fourteen-day period before the application could be promoted to production. Seventeen testers took part in that track, recruited externally for the fourteen-day window.

The role of this cohort was different from that of the trial users above. Its members installed the published build and reported the defects they ran into; they were not interviewed about the design and did not contribute to the feature set. Their reports are the source of the fixes made during the release phase, and are counted as testing effort rather than as user

research.