

```
mysql> create table MY_EMPLOYEE(ID int(4) NOT NULL,Last_name varchar(25),First_name varchar(25),Userid varchar(25),Salary Decimal(9,2));
Query OK, 0 rows affected, 1 warning (0.06 sec)
```

```
mysql> desc MY_EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO		NULL	
Last_name	varchar(25)	YES		NULL	
First_name	varchar(25)	YES		NULL	
Userid	varchar(25)	YES		NULL	
Salary	decimal(9,2)	YES		NULL	

```
5 rows in set (0.00 sec)
```

```
mysql> insert into MY_EMPLOYEE values(1,'Patel','Ralph','rpatel',895),(2,'Dancs','Betty','bdancs',860);
Query OK, 2 rows affected (0.04 sec)
Records: 2 Duplicates: 0 Warnings: 0
```

```
mysql> select * from MY_EMPLOYEE;
```

ID	Last_name	First_name	Userid	Salary
1	Patel	Ralph	rpatel	895.00
2	Dancs	Betty	bdancs	860.00

```
2 rows in set (0.00 sec)
```

```
mysql> select * from MY_EMPLOYEE;
```

ID	Last_name	First_name	Userid	Salary
1	Patel	Ralph	rpatel	895.00
2	Dancs	Betty	bdancs	860.00

```
2 rows in set (0.00 sec)
```

```
mysql> insert into MY_EMPLOYEE values(3,'Biri','Ben','bbiri',1100),(4,'Newman','Chad','Cnewman',750);
Query OK, 2 rows affected (0.03 sec)
Records: 2 Duplicates: 0 Warnings: 0
```

```
mysql> select * from MY_EMPLOYEE;
```

ID	Last_name	First_name	Userid	Salary
1	Patel	Ralph	rpatel	895.00
2	Dancs	Betty	bdancs	860.00
3	Biri	Ben	bbiri	1100.00
4	Newman	Chad	Cnewman	750.00

```
4 rows in set (0.00 sec)
```

```
mysql> commit;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> select * from MY_EMPLOYEE;
```

ID	Last_name	First_name	Userid	Salary
1	Patel	Ralph	rpatel	895.00
2	Dancs	Betty	bdancs	860.00
3	Biri	Ben	bbiri	1100.00
4	Newman	Chad	Cnewman	750.00

```
4 rows in set (0.00 sec)
```

```
mysql> update MY_EMPLOYEE set Last_name='Drexler' where ID=3;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> desc MY_EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO		NULL	
Last_name	varchar(25)	YES		NULL	
First_name	varchar(25)	YES		NULL	
Userid	varchar(25)	YES		NULL	
Salary	decimal(9,2)	YES		NULL	

```
5 rows in set (0.00 sec)
```

```
mysql> update MY_EMPLOYEE set salary=1000 where salary<900;
Query OK, 3 rows affected (0.03 sec)
Rows matched: 3  Changed: 3  Warnings: 0
```

```
mysql> desc MY_EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO		NULL	
Last_name	varchar(25)	YES		NULL	
First_name	varchar(25)	YES		NULL	
Userid	varchar(25)	YES		NULL	
Salary	decimal(9,2)	YES		NULL	

```
5 rows in set (0.00 sec)
```

```
mysql> delete from MY_EMPLOYEE where Last_name='dancs';
Query OK, 1 row affected (0.03 sec)
```

```
mysql> desc MY_EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO		NULL	
Last_name	varchar(25)	YES		NULL	
First_name	varchar(25)	YES		NULL	
Userid	varchar(25)	YES		NULL	
Salary	decimal(9,2)	YES		NULL	

5 rows in set (0.00 sec)

```
mysql> delete from MY_EMPLOYEE where ID=4;
Query OK, 1 row affected (0.03 sec)
```

```
mysql> desc MY_EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO		NULL	
Last_name	varchar(25)	YES		NULL	
First_name	varchar(25)	YES		NULL	
Userid	varchar(25)	YES		NULL	
Salary	decimal(9,2)	YES		NULL	

5 rows in set (0.00 sec)

```
mysql> update MY_EMPLOYEE set salary=1000 where salary<900;
Query OK, 3 rows affected (0.03 sec)
Rows matched: 3  Changed: 3  Warnings: 0
```

```
mysql> desc MY_EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
ID	int	NO		NULL	
Last_name	varchar(25)	YES		NULL	
First_name	varchar(25)	YES		NULL	
Userid	varchar(25)	YES		NULL	
Salary	decimal(9,2)	YES		NULL	

5 rows in set (0.00 sec)