

Pass (i)	i < n-1	minIndex	j	j < n	arr[j] < arr[minIndex]	New minIndex	Comparisons	Swaps	Array State
1	TRUE	0	1	TRUE	5 < 17 = TRUE	1	1	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	1	2	TRUE	23 < 5 = FALSE	1	2	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	1	3	TRUE	8 < 5 = FALSE	1	3	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	1	4	TRUE	14 < 5 = FALSE	1	4	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	1	5	TRUE	3 < 5 = TRUE	5	5	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	5	6	TRUE	11 < 3 = FALSE	5	6	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	5	7	TRUE	20 < 3 = FALSE	5	7	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	5	8	TRUE	6 < 3 = FALSE	5	8	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]

Pass (i)	i < n-1	minIndex	j	j < n	arr[j] < arr[minIndex]	New minIndex	Comparisons	Swaps	Array State
1	TRUE	5	9	TRUE	9 < 3 = FALSE	5	9	0	[17, 5, 23, 8, 14, 3, 11, 20, 6, 9]
1	TRUE	5	-	FALSE	-	-	9	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9] (Pass 1 Complete)
2	TRUE	1	2	TRUE	23 < 5 = FALSE	1	10	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	3	TRUE	8 < 5 = FALSE	1	11	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	4	TRUE	14 < 5 = FALSE	1	12	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	5	TRUE	17 < 5 = FALSE	1	13	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	6	TRUE	11 < 5 = FALSE	1	14	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	7	TRUE	20 < 5 = FALSE	1	15	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]

Pass (i)	i < n-1	minIndex	j	j < n	arr[j] < arr[minIndex]	New minIndex	Comparisons	Swaps	Array State
2	TRUE	1	8	TRUE	6 < 5 = FALSE	1	16	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	9	TRUE	9 < 5 = FALSE	1	17	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
2	TRUE	1	-	FALSE	-	-	17	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9] (Pass 2 Complete)
3	TRUE	2	3	TRUE	8 < 23 = TRUE	3	18	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
3	TRUE	3	4	TRUE	14 < 8 = FALSE	3	19	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
3	TRUE	3	5	TRUE	17 < 8 = FALSE	3	20	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
3	TRUE	3	6	TRUE	11 < 8 = FALSE	3	21	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
3	TRUE	3	7	TRUE	20 < 8 = FALSE	3	22	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]

Pass (i)	i < n-1	minIndex	j	j < n	arr[j] < arr[minIndex]	New minIndex	Comparisons	Swaps	Array State
3	TRUE	3	8	TRUE	6 < 8 = TRUE	8	23	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
3	TRUE	8	9	TRUE	9 < 6 = FALSE	8	24	1	[3, 5, 23, 8, 14, 17, 11, 20, 6, 9]
3	TRUE	8	-	FALSE	-	-	24	2	[3, 5, 6, 8, 14, 17, 11, 20, 23, 9] (Pass 3