```
┌──(root㉿cs)-[~]
└─# echo "Metasploit exploit attempt detected: Samba usermap_script from 192.168.1.102" > capstone_attack.log

┌──(root㉿cs)-[~]
└─# echo "Wazuh Alert: Possible Samba Exploit (T1210) detected from 192.168.1.102" >> capstone_attack.log

┌──(root㉿cs)-[~]
└─# cat capstone_attack.log
Metasploit exploit attempt detected: Samba usermap_script from 192.168.1.102
Wazuh Alert: Possible Samba Exploit (T1210) detected from 192.168.1.102
```

```
┌──(root㉿cs)-[~]
└─# cat saldera_phishing.log
>> Emulation_Table.txt
>> Emulation_Report.txt
Spearphishing email detected from attacker@malicious.com with attachment invoice.exe
Wazuh Alert: Suspicious email attachment detected - invoice.exe (T1566)
| Timestamp              | TTP    | Detection Status | Notes                                |
|------------------------|--------|------------------|--------------------------------------|
| 2025-06-15 03:30:08    | T1566  | Detected         | Phishing email blocked               |
Adversary emulation was conducted using a simulated spearphishing attack mapped to MITRE ATT&CK technique T1566. A phishing email containing a malicious attachment was generated, and Wazuh successfully detected the suspicious activity. The alert indicated the presence of a potentially harmful file, demonstrating effective detection capabilities. However, the simulation highlights the need for enhanced email filtering and user awareness to prevent initial access. While detection mechanisms were effective, proactive prevention measures should be improved. This exercise confirms that SOC monitoring tools can identify phishing attempts but require continuous tuning to reduce false positives and improve response efficiency.
```

```
┌──(root㉿cs)-[~]
└─# sha256sum network_log.txt
3174b4d7c333b461f599051f8ca918719e5869ef7691fb7f59c570c3882ea2b6  network_log.txt
```

```
┌──(root㉿cs)-[~]
└─# ls /mnt/hgfs/
'Cyart Task'   shared
```

```
┌──(root㉿cs)-[~]
└─# echo "AlertID:005 | Suspicious File Download | Source IP:192.168.1.102 | File: malware.exe" > wazuh_alert.log

┌──(root㉿cs)-[~]
└─# cat wazuh_alert.log
AlertID:005 | Suspicious File Download | Source IP:192.168.1.102 | File: malware.exe

┌──(root㉿cs)-[~]
└─# echo "malicious file content" > malware.exe
sha256sum malware.exe
88a0bc720e17467874e5c2c11e2f894da6a547094b8a7410297c6e8ddec5ad2f  malware.exe
```



```
┌──(root㉿cs)-[~]
└─# sudo iptables -L | grep 185.220.101.1

┌──(root㉿cs)-[~]
└─# sudo iptables -L -n
Chain INPUT (policy ACCEPT)
target     prot opt source               destination
DROP       all  --  185.220.101.1        0.0.0.0/0

Chain FORWARD (policy DROP)
target     prot opt source               destination
DOCKER-USER  all  --  0.0.0.0/0            0.0.0.0/0
DOCKER-FORWARD  all  --  0.0.0.0/0            0.0.0.0/0

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination

Chain DOCKER (1 references)
target     prot opt source               destination
DROP       all  --  0.0.0.0/0            0.0.0.0/0

Chain DOCKER-BRIDGE (1 references)
target     prot opt source               destination
DOCKER     all  --  0.0.0.0/0            0.0.0.0/0

Chain DOCKER-CT (1 references)
target     prot opt source               destination
ACCEPT     all  --  0.0.0.0/0            0.0.0.0/0            ctstate RELATED,ESTABLISHED

Chain DOCKER-FORWARD (1 references)
target     prot opt source               destination
DOCKER-CT  all  --  0.0.0.0/0            0.0.0.0/0
DOCKER-INTERNAL  all  --  0.0.0.0/0            0.0.0.0/0
DOCKER-BRIDGE  all  --  0.0.0.0/0            0.0.0.0/0
ACCEPT     all  --  0.0.0.0/0            0.0.0.0/0

Chain DOCKER-INTERNAL (1 references)
target     prot opt source               destination

Chain DOCKER-USER (1 references)
target     prot opt source               destination

┌──(root㉿cs)-[~]
└─# sudo iptables -L -n | grep 185.220.101.1
DROP       all  --  185.220.101.1        0.0.0.0/0
```

```
Session   Actions   Edit   View   Help

  GNU nano 8.7.1
Title: Phishing Alert Detected
IP: 185.220.101.1
Threat Type: Tor Exit Node / Suspicious Activity
Source: AlienVault OTX
Status: Blocked
Action Taken: IP blocked using firewall
Severity: High
```


Notebook Id
Name
Description
Creation Time
Modified Time
Creator
Collaborators
Process Investigation
Process analysis for threat hunting
admin


Open Threat Exchange
Dashboard
Browse
Scan Endpoints
Create Pulse
Submit Sample
API Integration
8.8.8.8
Pulses
0
Passive DNS
0
URLs
10
Files
0
Analysis Overview
Loading Analysis
Location
United States of America
ASN
AS15169 google llc
Related Pulses
None
Related Tags
None
External Resources
Whois, VirusTotal
Analysis
Related Pulses
Comments (2)
Associated Urls

```
┌──(root㉿cs)-[~]
└─# velociraptor query "SELECT * FROM pslist()"
[
 {
  "Pid": 1,
  "Name": "systemd",
  "Ppid": 0,
  "CommandLine": "/usr/lib/systemd/systemd --system --deserialize=87 splash",
  "CreateTime": "2026-04-23T23:36:42+05:30",
  "Times": {
   "cpu": "cpu",
   "user": 8.08,
   "system": 14.14,
   "idle": 0,
   "nice": 0,
   "iowait": 0,
   "irq": 0,
   "softirq": 0,
   "steal": 0,
   "guest": 0,
   "guestNice": 0
  },
  "Exe": "/usr/lib/systemd/systemd",
  "Cwd": "/",
  "Username": "root",
  "MemoryInfo": {
   "rss": 7831552,
   "vms": 25448448,
   "hwm": 0,
   "data": 0,
   "stack": 0,
   "locked": 0,
   "swap": 0
  }
 },
 {
  "Pid": 2,
  "Name": "kthreadd",
  "Ppid": 0,
  "CommandLine": "",
  "CreateTime": "2026-04-23T23:36:42+05:30",
  "Times": {
   "cpu": "cpu",
   "user": 0,
   "system": 0.05,
   "idle": 0,
```

Session Actions Edit View Help

```
  "Cwd": "/usr/share/wazuh-dashboard",
  "Username": "wazuh-dashboard",
  "MemoryInfo": {
   "rss": 166920192,
   "vms": 11753627648,
   "hwm": 0,
   "data": 0,
   "stack": 0,
   "locked": 0,
   "swap": 0
  }
 },
 {
  "Pid": 38455,
  "Name": "velociraptor",
  "Ppid": 3445,
  "CommandLine": "velociraptor query SELECT * FROM pslist()",
  "CreateTime": "2026-04-24T01:29:47+05:30",
  "Times": {
   "cpu": "cpu",
   "user": 0.3,
   "system": 0.14,
   "idle": 0,
   "nice": 0,
   "iowait": 0,
   "irq": 0,
   "softirq": 0,
   "steal": 0,
   "guest": 0,
   "guestNice": 0
  },
  "Exe": "/usr/local/bin/velociraptor",
  "Cwd": "/root",
  "Username": "root",
  "MemoryInfo": {
   "rss": 101863424,
   "vms": 6177640448,
   "hwm": 0,
   "data": 0,
   "stack": 0,
   "locked": 0,
   "swap": 0
  }
 }
]
```

NotebookId
Name
Description
Creation Time
Modified Time
Creator
Collaborators
Process Investigation
Process analysis for threat hunting
admin
Welcome to Velociraptor notebooks!


NotebookId
Name
Description
Creation Time
Modified Time
Creator
Collaborators
Process Investigation
Process analysis for threat hunting
admin
Loading


NotebookId
Name
Description
Creation Time
Modified Time
Creator
Collaborators
Process Investigation
Process analysis for threat hunting
admin
Loading

Markdown
VQL
Suggestions
Add Timeline
Add Cell From This Cell
Add Cell From Hunt
Add Cell From Flow
Welcome to Velociraptor notebooks!




```
[DEBUG] 2026-04-23T19:35:13Z Query Stats: {"RowsScanned":0,"PluginsCalled":0,"FunctionsCalled":0,"ProtocolSearch":0,"ScopeCopy":0}
[INFO] 2026-04-23T19:35:13Z Starting watch for System.VFS.DownloadFile for Org <root> (root) (VFSService)
[DEBUG] 2026-04-23T19:35:13Z Query Stats: {"RowsScanned":0,"PluginsCalled":0,"FunctionsCalled":0,"ProtocolSearch":0,"ScopeCopy":0}
[INFO] 2026-04-23T19:35:13Z Starting watch for System.VFS.ListDirectory for Org <root> (root) (VFSService)
[DEBUG] 2026-04-23T19:35:13Z Query Stats: {"RowsScanned":0,"PluginsCalled":0,"FunctionsCalled":0,"ProtocolSearch":0,"ScopeCopy":0}
[INFO] 2026-04-23T19:35:13Z Starting watch for System.VFS.ListDirectory/Stats for Org <root> (root) (VFSService)
[INFO] 2026-04-23T19:35:13Z Starting notification service for Org <root> (root)!
[INFO] 2026-04-23T19:35:13Z Starting nanny
[INFO] 2026-04-23T19:35:13Z Starting Server Monitoring Event table for Org <root> (root)
[INFO] 2026-04-23T19:35:13Z Finished monitoring query $cc6d5e07d7fc1cdc41f30b0af51ceff523bf171b76794694896146dcf8b38
[INFO] 2026-04-23T19:35:13Z Receiver C.4ded9b50798e6e90: received 826 bytes in 4.799513938s
[INFO] 2026-04-23T19:35:13Z Collection $cc6d5e07d7fc1cdc41f30b0af51ceff523bf171b76794694896146dcf8b38 is done after 1630.798728062s
[DEBUG] 2026-04-23T19:35:13Z Query Stats: {"RowsScanned":38,"PluginsCalled":14,"FunctionsCalled":19,"ProtocolSearch":150,"ScopeCopy":62}
[INFO] 2026-04-23T19:35:13Z Finished monitoring query $cc6d5e07d7fc1cdc41f30b0af51ceff523bf171b76794694896146dcf8b38

┌──root㉿kali: ~
└─$ cat server.config.yaml | grep -i password

┌──root㉿kali: ~
└─$ SELECT Name, Pid, CommandLine FROM processes()
function>
```

```
┌──root㉿kali: ~
└─$ velociraptor config generate > server.config.yaml

┌──root㉿kali: ~
└─$ velociraptor gui --config server.config.yaml
[INFO] 2026-04-23T19:33:37Z
[INFO] 2026-04-23T19:33:37Z
[INFO] 2026-04-23T19:33:37Z
[INFO] 2026-04-23T19:33:37Z
[INFO] 2026-04-23T19:33:37Z
[INFO] 2026-04-23T19:33:37Z
[INFO] 2026-04-23T19:33:37Z Logging Server                    https://www.velocidex.com
[INFO] 2026-04-23T19:33:37Z This is velociraptor 0.76.3 built on 2026-04-15T15:21:28Z (1c6f36f88)
[INFO] 2026-04-23T19:33:37Z Loading config from File server.config.yaml
[INFO] 2026-04-23T19:33:37Z Setting temp directory to /tmp
[INFO] 2026-04-23T19:33:37Z Starting Org Manager service.
[INFO] 2026-04-23T19:33:37Z Starting services for Org <root> (root)
[INFO] 2026-04-23T19:33:37Z Frontend: Server will be master.
[INFO] 2026-04-23T19:33:37Z Filestore implementation FileBaseDataStore.
[INFO] 2026-04-23T19:33:37Z Starting Journal service for Org <root> (root).
[INFO] 2026-04-23T19:33:37Z Starting user manager service for org root
[INFO] 2026-04-23T19:33:37Z UserManagerService: Watching for events from Server.Internal.UserManager
[INFO] 2026-04-23T19:33:37Z Starting Backup Services for Org <root> (root) every 24h0m0s
[INFO] 2026-04-23T19:33:37Z FrontendService: Watching for events from Server.Internal.FrontendMetrics
[INFO] 2026-04-23T19:33:37Z Starting Server Scheduler Service
[INFO] 2026-04-23T19:33:37Z Starting the notification service for Org <root> (root).
[INFO] 2026-04-23T19:33:37Z NotificationService: Watching for events from Server.Internal.Ping
[INFO] 2026-04-23T19:33:37Z NotificationService: Watching for events from Server.Internal.Pong
[INFO] 2026-04-23T19:33:37Z NotificationService: Watching for events from Server.Internal.Notifications
[INFO] 2026-04-23T19:33:37Z ClientInfo Manager: Rebuilding snapshot for org Org <root> (root) from legacy records - this might take a while.
[DEBUG] 2026-04-23T19:33:37Z ClientInfo Manager: Rebuilt 0 clients from legacy data.
[INFO] 2026-04-23T19:33:37Z Starting Client Info service for Org <root> (root).
[INFO] 2026-04-23T19:33:37Z ClientInfoManager: Watching for events from Server.Internal.ClientTasks
[INFO] 2026-04-23T19:33:37Z ClientInfoManager: Watching for events from System.Flow.Completion
[INFO] 2026-04-23T19:33:37Z ClientInfoManager: Watching for events from Server.Internal.ClientScheduled
[INFO] 2026-04-23T19:33:37Z ClientInfoManager: Watching for events from Server.Internal.ClientPing
[INFO] 2026-04-23T19:33:38Z InventoryService: Watching for events from Server.Internal.Inventory
```

```
┌──(root㉿c1)-[~]
└─# chmod +x velociraptor

┌──(root㉿c1)-[~]
└─# sudo mv velociraptor /usr/local/bin/

┌──(root㉿c1)-[~]
└─# velociraptor --version
velociraptor: error: unknown long flag '--version', try --help

┌──(root㉿c1)-[~]
└─# velociraptor --help
usage: velociraptor [<flags>] <command> [<args> ...]

An advanced incident response and monitoring agent.

Flags:
  -h, --[no-]help                Show context-sensitive help (also try --help-long and --help-man).
      --remap=REMAP              A remapping configuration file for dead disk analysis.
      --[no-]nobanner            Suppress the Velociraptor banner
      --[no-]debug               Enables debug and profile server.
      --debug_port=6060          Port for the debug server.
  -c, --config=CONFIG            The configuration file.
      --embedded_config=EMBEDDED_CONFIG
                                 Extract the embedded configuration from this file.
  -a, --api_config=API_CONFIG    The API configuration file.
      --runas=RUNAS              Run as this username's ACLs
      --definitions=DEFINITIONS  A directory containing artifact definitions
      --[no-]nocolor             Disable color output
  -v, --[no-]verbose             Enabled verbose logging.
      --profile=PROFILE          Write profiling information to this file.
      --profile_duration=PROFILE_DURATION
                                 Generate a profile file for each period in seconds.
      --trace=TRACE              Write trace information to this file.
      --[no-]trace_vql           Enable VQL tracing.
      --logfile=LOGFILE          Write to this file as well
      --tempdir=TEMPDIR          Write all temp files to this directory
      --[no-]prompt              Present a prompt before exit
      --max_wait=10              Maximum time to queue results.
      --timezone=TIMEZONE        Default encoding timezone (e.g. Australia/Brisbane). If not set we use UTC
  -r, --run=RUN                  Run an artifact as a CLI tool.

Commands:
  help [<command> ...]
  artifacts
    list [<flags>] [<regex>]
    show <name>
    collect [<flags>] <artifact_name> ...
```

```
      "report_date": "2021-03-16T14:46:19.003000"
    }
  ],
  "validation": [
    {
      "source": "false_positive",
      "message": "Known False Positive",
      "name": "Known False Positive"
    },
    {
      "source": "whitelist",
      "message": "contained in whitelisted prefix",
      "name": "Whitelisted IP"
    }
  ],
  "asn": "AS15169 google llc",
  "city_data": true,
  "city": null,
  "region": null,
  "continent_code": "NA",
  "country_code3": "USA",
  "country_code2": "US",
  "subdivision": null,
  "latitude": 37.751,
  "postal_code": null,
  "longitude": -97.822,
  "accuracy_radius": 1000,
  "country_code": "US",
  "country_name": "United States of America",
  "dma_code": 0,
  "charset": 0,
  "area_code": 0,
  "flag_url": "/assets/images/flags/us.png",
  "flag_title": "United States of America",
  "sections": [
    "general",
    "geo",
    "reputation",
    "url_list",
    "passive_dns",
    "malware",
    "nids_list",
    "http_scans"
  ]
}
```

```
┌──(root㉿cs)-[~]
└─# curl -s "https://otx.alienvault.com/api/v1/indicators/IPv4/8.8.8.8/general" | jq
```


```
{
  "whois": "http://whois.domaintools.com/8.8.8.8",
  "reputation": 0,
  "indicator": "8.8.8.8",
  "type": "IPv4",
  "type_title": "IPv4",
  "base_indicator": {
    "id": 11911,
    "indicator": "8.8.8.8",
    "type": "IPv4",
    "title": "",
    "description": "",
    "content": "",
    "access_type": "public",
    "access_reason": ""
  },
  "pulse_info": {
    "count": 0,
    "pulses": [],
    "references": [],
    "related": {
      "alienvault": {
        "adversary": [],
        "malware_families": [],
        "industries": []
      },
      "other": {
        "adversary": [],
        "malware_families": [],
        "industries": []
      }
    }
  },
  "false_positive": [
    {
      "assessment": "accepted",
      "assessment_date": "2021-05-19T15:36:44.966000",
      "report_date": "2021-03-16T14:46:19.003000"
    }
  ],
  "validation": [
    {
      "source": "false_positive",
      "message": "Known False Positive",
      "name": "Known False Positive"
    },
```