Date:2023-06-23

2022-2026-CSE-B

Aim:

S.No: 22

Write a program to create a binary search tree of integers and perform the following operations using linked list.

- 1. Insert a node
- 2. In-order traversal
- 3. Pre-order traversal
- 4. Post-order traversal

Source Code:

BinarySearchTree.c

```
#include<stdio.h>
#include<stdlib.h>
#include "InsertAndTraversals.c"
void main() {
   int x, op;
   BSTNODE root = NULL;
   while(1) {
      printf("1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal
5.Exit\n");
      printf("Enter your option : ");
      scanf("%d", &op);
      switch(op) {
         case 1: printf("Enter an element to be inserted : ");
               scanf("%d", &x);
               root = insertNodeInBST(root,x);
               break;
         case 2:
               if(root == NULL) {
                  printf("Binary Search Tree is empty.\n");
               }
               else {
                  printf("Elements of the BST (in-order traversal): ");
                  inorderInBST(root);
                  printf("\n");
               break;
         case 3:
               if(root == NULL) {
                  printf("Binary Search Tree is empty.\n");
               else {
                  printf("Elements of the BST (pre-order traversal): ");
                  preorderInBST(root);
                  printf("\n");
                  }
               break;
         case 4:
               if(root == NULL) {
                  printf("Binary Search Tree is empty.\n");
```

```
}
               else {
                  printf("Elements of the BST (post-order traversal): ");
                  postorderInBST(root);
                  printf("\n");
               break;
         case 5:
               exit(0);
      }
   }
}
```

InsertAndTraversals.c

```
struct node {
   int data;
   struct node *left, *right;
};
typedef struct node *BSTNODE;
BSTNODE newNodeInBST(int item)
   BSTNODE temp = (BSTNODE)malloc(sizeof(struct node));
   temp->data = item;
   temp->left = temp->right = NULL;
   return temp;
}
void inorderInBST(BSTNODE root)
   if(root!=NULL)
      inorderInBST(root->left);
      printf("%d ",root->data);
      inorderInBST(root->right);
   }
}
void preorderInBST(BSTNODE root)
   if(root!=NULL)
      printf("%d ",root->data);
      preorderInBST(root->left);
      preorderInBST(root->right);
   }
}
void postorderInBST(BSTNODE root)
   if(root!=NULL)
      postorderInBST(root->left);
```

```
postorderInBST(root->right);
      printf("%d ",root->data);
   }
}
BSTNODE insertNodeInBST(BSTNODE node, int ele)
   if(node==NULL)
      printf("Successfully inserted.\n");
      return newNodeInBST(ele);
   else if (ele<node->data)
      node->left=insertNodeInBST(node->left,ele);
   else if(ele>node->data)
      node->right=insertNodeInBST(node->right,ele);
   }
   else
      printf("Element already exists in BST\n");
   return node;
}
```

Execution Results - All test cases have succeeded!

Test Case - 1

```
User Output
1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1
Enter your option : 1
Enter an element to be inserted :
Successfully inserted. 1
1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1
Enter your option : 1
Enter an element to be inserted :
Successfully inserted. 1
1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1
Enter your option : 1
Enter an element to be inserted : 62
Successfully inserted. 2
1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 2
Enter your option : 2
Elements of the BST (in-order traversal): 28 54 62 3
1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 3
Enter your option : 3
Elements of the BST (pre-order traversal): 54 28 62 4
1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 4
Enter your option : 4
Elements of the BST (post-order traversal): 28 62 54 5
```

Test Case - 2 User Output 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : 100 Successfully inserted. 1 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : Successfully inserted. 1 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : 200 Successfully inserted. 1 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : 10 Successfully inserted. 1 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : 30 Successfully inserted. 1 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : 150 Successfully inserted. 1 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 1 Enter your option : 1 Enter an element to be inserted : 300 Successfully inserted. 2 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 2 Enter your option : 2 Elements of the BST (in-order traversal): 10 20 30 100 150 200 300 3 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 3 Enter your option : 3 Elements of the BST (pre-order traversal): 100 20 10 30 200 150 300 4 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 4 Enter your option : 4 Elements of the BST (post-order traversal): 10 30 20 150 300 200 100 5 1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 5 Enter your option : 5

1.Insert 2.Inorder Traversal 3.Preorder Traversal 4.Postorder Traversal 5.Exit 5

Enter your option : 5