Aim:

At the time of execution, the program should print the message on the console as:

Write a program to concatenate two given strings without using string library functions.

```
string1:
```

For example, if the user gives the **input** as:

string library functions

```
string1 : ILove
```

Next, the program should print the message on the console as:

```
string2:
```

For example, if the user gives the input as:

```
string2 : Coding
```

then the program should **print** the result as:

```
concatenated string = ILoveCoding
```

**Note:** Do use the **printf()** function with a **newline** character  $(\n$ ) at the end.

## **Source Code:**

## Program605.c

```
#include<stdio.h>
int main()
   char s1[100],s2[100],s3[200],i,j;
   printf("string1 : ");
   scanf("%s",s1);
   printf("string2 : ");
   scanf("%s",s2);
   for(i=0;s1[i]!='\0';++i)
      s3[i] = s1[i];
   }
   j=i;
   for(i=0;s2[i]!='\0';++i)
      s3[j] = s2[i];
      j++;
   }
   s3[j] = '\0';
   printf("concatenated string = %s\n",s3);
   return 0;
}
```

2022-2026-CSE-B

| Test Case - 1                     |
|-----------------------------------|
| User Output                       |
| string1 : ILove                   |
| string2 : Coding                  |
| concatenated string = ILoveCoding |

| Test Case - 2                 |
|-------------------------------|
| User Output                   |
| string1 : 1234                |
| string2 : 567                 |
| concatenated string = 1234567 |