

**Aim:**

Write a program to find the **factorial** of a given number using recursion process.

At the time of execution, the program should print the message on the console as:

Enter an integer :

For example, if the user gives the **input** as:

Enter an integer : 6

then the program should **print** the result as:

Factorial of 6 is : 720

**Note:** Write the recursive function **factorial()** in **Program901a.c**.

**Source Code:****Program901.c**

```
#include <stdio.h>
#include "Program901a.c"
void main() {
    long int n;
    printf("Enter an integer : ");
    scanf("%ld", &n);
    printf("Factorial of %ld is : %ld\n", n ,factorial(n));
}
```

**Program901a.c**

```
long int factorial(long int n);
long int factorial(long int n)
{
    if(n==0)
        return 1;
    else
        return(n*factorial(n-1));
}
```

**Execution Results** - All test cases have succeeded!

**Test Case - 1**

User Output

Enter an integer : 5

Factorial of 5 is : 120

**Test Case - 2**

User Output
Enter an integer : 7
Factorial of 7 is : 5040

Test Case - 3
User Output
Enter an integer : 4
Factorial of 4 is : 24

Test Case - 4
User Output
Enter an integer : 8
Factorial of 8 is : 40320

Test Case - 5
User Output
Enter an integer : 0
Factorial of 0 is : 1

Test Case - 6
User Output
Enter an integer : 9
Factorial of 9 is : 362880