


Viade_es5c

- Bernardo Begega Calleja UO264273
- Aitor Llanos Irazola UO264476
- Marcos Matilla González UO258935
- Borja Rodriguez Lorenzo UO258643
- Inés Andrés Santos UO258865
- Iñaki Salgado Uralde UO237133



Frontend



Design Decisions










Scalability

Usability

Fluency

Accesibility








Easy to enlarge

Modular design










Simple colours



Thought for everyone



Usability



Easy To Understand



Notifications of actions



Standards designs



Visual



Minimalist









Fast loading

Quick response

Lazy load



Backend









Utils – generator solid react



Solid-file-client



Tripledoc

Specification



Turtle



viadeSpec

Specification - Pod

```
viade/
    routes/
      978456231.ttl
      745978458.ttl
    resources/
      974697456.jpg
      456845645.png
      845564558.mp4
    inbox/
      165468763.ttl
      368743654.ttl
    shared/
      uoXXXXX.solid.community.jsonld
```

```
<URI of notification> a as:<Notification type>;
    schema:license cense of notification>;
    terms:title "title of notification";
    as:summary "URI de la notificación";
    as:actor <WebID of the user who wants to share the resource>;
    as:target <WebID of the user with whom you want to share the route>;
    as:object <URI of resource>;
    solid:read "notification read or not"^^xsd:boolean;
    as:published "sending date"^^xsd:dateTime.
```

Specification – Route – Notification

Specification – Shared

```
"@context": {
   "@version": 1.1,
   "routes": {
       "@container": "@list",
       "@id": "viade:routes"
    "viade": "http://arquisoft.qithub.io/viadeSpec/"
"routes": [
       "@id": "http://inrupt.XXXXX/viade/routes/6546524784.ttl"
        "@id": "http://inrupt.XXXXX/viade/routes/6546524443.ttl"
```





Create/configure structure



Upload route



List routes




Send notification



Accept notification



List friend's routes that have been shared



Create-configure structure



Is settings.ttl created?



Is inbox created and linked in the settings.ttl?




Are there paths created with the permissions?





Is the inbox open for everyone to write but not read?

Upload route





List routes






Accept notification









Architecture choices and miscellanea




Architectural design



Domain-driven design



Decisions made




- Google Maps ✓
 Turtle ✓
- Tests



• Json-LD 🗸





Testing

Unit Test (TDD)

Behaviour Test (BDD)

Test Suites: 58 passed, 58 total

Tests: 133 passed, 133 total

Snapshots: 0 total

Time: 41.555s

Ran all test suites.




Login

List Routes


List Friends


Add File


Add Routes











Libraries

POD Management

- solid-file-client
- tripledoc
- LDFlex
- rdf-namespaces
- uuid

Front-end

react-bootstap

Test


- enzyme
- puppeteer

Internationalization

• i18next

Map

Google Map API




Interoperability


GeoJSON











External communication



Problem reading files from the pod



Vincent

Yes, hovering over name at https://aitorllanos99.solid.community/public/viade/routes/otro 2, I so actually a foaf: name but a schema: name, so it would have to be route.getString('http://schema.org/name').



Borjarguez

Hi @Vincent ! First of all thank you so much for your help, it is very important for us. We have t have just said but it doesn't work either... Here it is a new screenshot of what the code returns u

	RUTISA:	par
	> {getDocument: f, getTriples: f, getString: f, getLocaleString: f, getInteger: f,}	par
	RUTISA _NAME:	par
	null	par

You probably think that we don't know nothing about this topic, but we are new and anyone has how this "world" works. Again, thank you so much for spending your time helping us!!

viadeSpec

Viade Data Model Specification















■ XSLT № MIT № 1 ★ 5 ① 19 🐧 0 Updated 2 days ago

Create new inbox

■ Build a Solid App



uo258865



Hello! I'm a student of the University Of Oviedo, and we are creating an app using Solid.

The main idea is to share routes, so we decide to create a folder in root with the name viade, where we have one folder for the routes (viade/routes) and now i want to create a new inbox in viade, so the notifications of the app will be here, pulled apart from the other notifications in the inbox in root.

One idea i had, is that @inrupt/solid-react-components has a hook, useNotification, that has a lot of methods thats helps to do this. One, is the method "createInbox", that has three params: inboxPath, appPath, settingFileName, but dont know how to use it because i think i put the params wrong or something like that...

I hope someone could help me



























Pending error and features





Workflow

Demo



Muchas Gracias