

Which collection class allows you to grow or shrink its size and closed?	java.util.HashSet	java.util.LinkedHashSet	java.util.List	java.util.ArrayList		
You need to store elements in a collection that guarantees that no null elements are stored.	java.util.Map	java.util.Set	java.util.List	java.util.Collection		
<pre> public class While {     public void loop()     {         int x= 0;         while ( 1 ) /* Line 6 */         {             System.out.print("x plus one is " + (x + 1)); /* Line 8 */         }     } } </pre> <p>Which statement is true?</p>	There is a syntax error on line 1.	There are syntax errors on lines 1 and 6.	There are syntax errors on lines 1 and 6.	There is a syntax error on line 6.		
<pre> What will be the output of the program? public class Foo {     public static void main(String[] args)     {         try         {             return;         }         finally         {             System.out.println( "Finally" );         }     } } </pre>	Finally	Compilation fails.	The code runs with no output.	An exception is thrown at runtime.		
What is the size of int variable?	8 bit	16 bit	32 bit	64 bit		
Which statement is False?	Array is a static data structure.	In case of method overriding return type must be same.	Generics provide compile time type safety.	String is immutable.		
To run a java application we need?	JRE ✓	JDK ✗	IDE	None of the above		
If a method used in a super class is critical and you have been asked to override it in a subclass, which type of access specifier you will prefer?	public	private	package	protected		
In Java constructor chaining always start from Object class.	TRUE	FALSE				
What is the return type of the hashCode() method in the Object class?	Object	int	long	void		
Which of the following statements are true?	Constructors cannot have a visibility modifier.	Constructors can be marked public and private.	Constructors can only have a package access.	Constructors are not inherited. ✓		
Which of the following methods are members of the ArrayList class?	add	insert	append	addItem		
An interface with no fields or methods is known as a ____.	Runnable Interface	Marker Interface	Abstract Interface	CharSequence Interface		
Which of the Following is Sorted Collection?	ArrayList	TreeSet	HashTable	HashMap		
Which of the below does not implement Map interface?	HashMap	HashTable	TreeMap	Vector		
What happens if we put a key object in a HashMap which exists already?	The new object replaces the older object.	The new object is discarded.	The old object is removed from the map.	It throws an exception as the key already exists in the map.		
Is hashmap an ordered collection.	TRUE	FALSE				
A single try block must be followed by which of these?	finally	catch	finally & catch	none of the mentioned		
which of the following class was added in java 8 to check null values?	Nullable	Optional	NullCheck	isNull		
the following method is used to get the instance of LocalDate class.	LocalDate.of()	LocalDate.now()	new LocalDate()	calDate.getObject()		
which of the following List class is Thread Safe?	ArrayList	Vector	HashTable	HashSet		
comparable interface contains one method that is	compareTo(Object o)	compare(Object o)	compareTo(Object o1, Object o2)	are(Object o, Object o2)		

to sort the collection that implements comparable interface we use this method	<code>collections.sort(collection c)</code>	<code>collection.sort(collection c)</code>	<code>collect.sort(collection c)</code>	<code>ctors.sort(collection c)</code>		
labmda expression can only be used with the following interface	Comparator	Marker	<code>Functional</code>	comparable		
Functional interface is one that has	<code>One abstract method</code>	one final method	one default method	one static method		

|