

| Question | questionType | option1 | option2 | option3 | option4 | | |
|---|---------------------------|-------------------------------|----------------------------|----------------------------|---|--|--|
| A bean can be requested by:- | MULTIPLE_CHOICE_QUESTIONS | getBean method | reference from another b | Both A and B | By getMethod() | | |
| Which attribute is used to set the scope of the bean? | MULTIPLE_CHOICE_QUESTIONS | setScope | scope | getScope | refScope | | |
| Which one is the default scope of the beans? | MULTIPLE_CHOICE_QUESTIONS | singleton | prototype | session | request | | |
| Which interface is used to perform destruction of beans? | MULTIPLE_CHOICE_QUESTIONS | Initializing Bean | Bean Factory | Disposable Bean | Destruction Bean | | |
| The process of injecting dependency Injection either by setter o | MULTIPLE_CHOICE_QUESTIONS | Autowiring | Data Binding | Bean destruction | Template creation | | |
| A programming technique in which object coupling is bound at r | MULTIPLE_CHOICE_QUESTIONS | Inversion of Control | Controlling of Object | Bean Life cycle | Restrospection | | |
| Which attribute is used to specify class name of the bean? | MULTIPLE_CHOICE_QUESTIONS | id | scope | class | constructor-args | | |
| Spring Framework was developed by | MULTIPLE_CHOICE_QUESTIONS | Dennis Ritchie | James Gosling | Gavin Ken | Rod Johnson | | |
| Which of the following is not the type of Autowiring? | MULTIPLE_CHOICE_QUESTIONS | ByName | ByType | ByConstructor | ByBinding | | |
| Main Advantage of using Spring Framework is | MULTIPLE_CHOICE_QUESTIONS | Loose Coupling | High Integrity | Less coding | Modularity | | |
| The implemenation of ApplicationContext where full path of the | MULTIPLE_CHOICE_QUESTIONS | ClassPathXmlApplicationCon | FileSystemXmlApplication | WebXmlApplicationConte | Bean Factory Object | | |
| Annotation added as an input parameter to the handler method. | MULTIPLE_CHOICE_QUESTIONS | @PathVariable | @Path | @PathLocale | @PathAttribute | | |
| The objective of the Spring Rest is | MULTIPLE_CHOICE_QUESTIONS | for accessing data from third | for publishing an applicat | to develop Web Applicat | Only A and B are correct | | |
| Spring supports a series of mechanisms to generate a REST servic | MULTIPLE_CHOICE_QUESTIONS | TRUE | FALSE | | | | |
| SOAP is XML based, platform independent and language indepen | MULTIPLE_CHOICE_QUESTIONS | TRUE | FALSE | | | | |
| Accessing a third-party REST service inside a Spring application. | MULTIPLE_CHOICE_QUESTIONS | RestTemplate Class | ViewResolver | InternalViewResolver | View | | |
| REST service end point comprises an address that | MULTIPLE_CHOICE_QUESTIONS | starts with http:// and ends | starts with http:// and en | no certain URL is specifie | depends upon the platform used | | |
| REST stands for REpresentational State Transfer. | MULTIPLE_CHOICE_QUESTIONS | REpresentational State Trans | Representative in WEB co | Repeated State of Objec | Real view of Object State | | |
| ResponseEntity represents the whole HTTP response: status code | MULTIPLE_CHOICE_QUESTIONS | TRUE | FALSE | | | | |
| Data from Rest API can be fetched using | MULTIPLE_CHOICE_QUESTIONS | headers | Response Body | status | request | | |
| A web service contract is described using :- | MULTIPLE_CHOICE_QUESTIONS | Web Services Description Lan | Web Services Description | Both A and B | None of the above | | |
| In Memory or Embedded Database is | MULTIPLE_CHOICE_QUESTIONS | Hibernate | Ibatis | MySQL | H2 | | |
| What's true about the following @Entity association between Ho | MULTIPLE_CHOICE_QUESTIONS | OneToMany unidirectional as | OneToMany bidirectional | The association owner is | The association owner is the Window class | | |
| The return type of findAll() method in JPA repository is | MULTIPLE_CHOICE_QUESTIONS | List | Array | Single Object | String | | |
| The exception thrown JPARepository when getOne() is executed | MULTIPLE_CHOICE_QUESTIONS | IdNotFoundException | NullPointerException | EntityNotFoundException | ElementNotFoundException | | |
| The Java Persistence API is the standard way of persisting Java c | MULTIPLE_CHOICE_QUESTIONS | TRUE | FALSE | | | | |
| Observe the following code given below and Identify the type of | MULTIPLE_CHOICE_QUESTIONS | JPARepository | CrudRepository | HibernateMapping | DataRepository | | |
| MongoDB is a NoSQL database which stores the data in form of | MULTIPLE_CHOICE_QUESTIONS | rows and columns | Key-value pairs | Graphical structure | Wide-column stores | | |
| NoSQL Database used in Facebook is | MULTIPLE_CHOICE_QUESTIONS | MongoDB | Redis | Cassandra | Ibatis | | |
| Which of the following statement is true about MongoDB? | MULTIPLE_CHOICE_QUESTIONS | MongoDB is classified as a No | MongoDB favours XML for | MongoDB is column orien | MongoDB is SQL Database | | |