

```

// Electricity Bill Generator.cpp : Defines the entry point for the console application. // #include
"stdafx.h" #include #include struct customer { char name[50]; int id; int units; char address[50];
char date[15]; } c; struct bill { int id; int total_bill; int fined_months; float tax_amount; float
g_total_bill; } b; void calculate_total_bill() { int price_of_each_unit = 70; printf("Enter the units
consumed: "); scanf_s("%d", &c.units); b.total_bill = price_of_each_unit * c.units; } void
get_customer_data() { printf("Enter Customer ID: "); scanf_s("%d", &c.id); printf("Enter Customer
name: "); scanf_s("%s", c.name, 50); printf("Enter Customer's Address: "); scanf_s("%s",
c.address, 50); printf("Enter today's date: "); scanf_s("%s", c.date, 25); } void
check_previous_bills() { char response; printf("Have you paid the previous bills? (Y/N): ");
scanf_s(" %c", &response, sizeof(response)); if (response == 'N' || response == 'n') { int
unpaid_months; int total_unpaid_amount = 0; printf("Enter the number of months you have not
paid: "); scanf_s("%d", &unpaid_months); for (int i = 1; i <= unpaid_months; ++i) { int
unpaid_amount; printf("Enter the unpaid amount for month %d: ", i); scanf_s("%d",
&unpaid_amount); total_unpaid_amount += unpaid_amount; } if (unpaid_months > 3) {
printf("Warning: Your meter will be cut within a week if the bill is not paid.\n"); } int fine =
unpaid_months * 1000; b.total_bill += total_unpaid_amount + fine; b.fined_months =
unpaid_months; } } void add_tax() { float tax_rate = 0.05; b.tax_amount = b.total_bill * tax_rate;
b.g_total_bill = b.tax_amount + b.total_bill; } void display_bill() { FILE* bill; fopen_s(&bill, "bill.txt",
"a"); fprintf(bill, "\n\n====="); fprintf(bill, "\n\t
ELECTRICITY BILL");
fprintf(bill, "\n\n====="); fprintf(bill, "Customer
Name: %s\n", c.name); fprintf(bill, "Customer ID: %d\n", c.id); fprintf(bill, "Customer Address:
%s\n", c.address); fprintf(bill, "Issue Date: %s\n", c.date); fprintf(bill, "Units Consumed: %d\n",
c.units); fprintf(bill, "Total Bill: %d\n", b.total_bill); fprintf(bill, "Tax Amount: %2f\n", b.tax_amount);
fprintf(bill, "Grand Total Bill: %2f\n", b.g_total_bill); if (b.fined_months > 0) { fprintf(bill, "Also
Fined for %d month(s) of previous unpaid bills.\n", b.fined_months); } fprintf(bill, "BILL
GENERATED!\n"); fprintf(bill, "=====");
fclose(bill); } int main() { get_customer_data(); calculate_total_bill(); check_previous_bills();
add_tax(); display_bill(); printf("\n\n=====");
printf("\n\t ELECTRICITY BILL");
printf("\n\n====="); printf("Customer Name:
\t\t %s\n", c.name); printf("Customer ID: \t\t %d\n", c.id); printf("Customer Address:\t %s\n",
c.address); printf("Units Consumed:\t\t %d\n", c.units); printf("Issue Date:\t\t %s\n", c.date);
printf("Tax Amount:\t\t %2f\n", b.tax_amount); printf("Total Bill: \t\t %d\n", b.total_bill); printf("Grand
Total Bill:\t %2f\n", b.g_total_bill); printf("\nBILL GENERATED!\n");
printf("====="); return 0; }

```