

FATIMA JINNAH WOMEN UNIVERSITY

PROJECT ON AIRLINE RESERVATION SYSTEM

Group Members:

Aimen Hussain(002)

Aqsa Bashir(013)

Humaira Nazish(041)

Sumaira Yasmeen(086)

SOURCE CODE:

Customer:

```
package com.hr.bean;
import java.sql.Date;
public class customer {
    private String FIRST_NAME ;
    private String LASTNAME;
    private String ADDRESS;
    private String PHONE_NO;
    private String EMAIL ;
    private String PASSWORD;
    public String getFIRST_NAME() {
        return FIRST_NAME;
    }
}
```

```
public void setFIRST_NAME(String fIRST_NAME) {  
    FIRST_NAME = fIRST_NAME;  
}  
public String getLASTNAME() {  
    return LASTNAME;  
}  
public void setLASTNAME(String lASTNAME) {  
    LASTNAME = lASTNAME;  
}  
public String getAddress() {  
    return ADDRESS;  
}  
public void setAddress(String aADDRESS) {  
    ADDRESS = aADDRESS;  
}  
public String getPHONE_NO() {  
    return PHONE_NO;  
}  
public void setPHONE_NO(String pHONE_NO) {  
    PHONE_NO = pHONE_NO;  
}  
public String getEmail() {
```

```

        return EMAIL;
    }

    public void setEmail(String eMAIL) {
        EMAIL = eMAIL;
    }

    public String getPassword() {
        return PASSWORD;
    }

    public void setPassword(String pASSWORD) {
        PASSWORD = pASSWORD;
    }
}

```

Employee:

```

package com.hr.bean;

public class employee {
    private String USERNAME ;
    private String EMAIL ;
    private String PASSWORD;
    public String getUsername() {
        return USERNAME;
    }

    public void setUsername(String uSERNAME) {

```

```
        USERNAME = uUSERNAME;
    }
    public String getEmail() {
        return EMAIL;
    }
    public void setEmail(String email) {
        EMAIL = email;
    }
    public String getPassword() {
        return PASSWORD;
    }
    public void setPassword(String password) {
        PASSWORD = password;
    }
}
```

Flight:

```
package com.hr.bean;
```

```
public class flight {
    private String PRICE ;
    private String ARRIVAL_TIME ;
    private String DEPARTURE_TIME ;
    private String NAME ;
}
```

```
private String FLIGHT_NO ;
private String DESTINATION_CITY ;
private String ARRIVAL_CITY;
public String getPRICE() {
    return PRICE;
}
public void setPRICE(String pPRICE) {
    PRICE = pPRICE;
}
public String getARRIVAL_TIME() {
    return ARRIVAL_TIME;
}
public void setARRIVAL_TIME(String aARRIVAL_TIME) {
    ARRIVAL_TIME = aARRIVAL_TIME;
}
public String getDEPARTURE_TIME() {
    return DEPARTURE_TIME;
}
public void setDEPARTURE_TIME(String dEPARTUR...
```

Ticket:

```
package com.hr.bean;
```

```
public class ticket {  
    private String TICKET_ID;  
    private String STATUS;  
    public String getTICKET_ID() {  
        return TICKET_ID;  
    }  
    public void setTICKET_ID(String tTICKET_ID) {  
        TICKET_ID = tTICKET_ID;  
    }  
    public String getSTATUS() {  
        return STATUS;  
    }  
    public void setSTATUS(String sSTATUS) {  
        STATUS = sSTATUS;  
    }  
}
```

Main.Java:

```
package com.hr.test;  
  
import java.awt.EventQueue;  
import javax.swing.JFrame;  
import javax.swing.JLabel;
```

```
import java.awt.BorderLayout;
```

```
import java.awt.Font;
```

```
import javax.swing.ImageIcon;
```

```
import javax.swing.JButton;
```

```
import java.awt.event.ActionListener;
```

```
import java.awt.event.ActionEvent;
```

```
import javax.swing.JTextField;
```

```
import java.awt.Color;
```

```
public class main {
```

```
    JFrame frmAirlineReservationSystem;
```

```
    /**
```

```
     * Launch the application.
```

```
     */
```

```
    public static void main(String[] args) {
```

```
        EventQueue.invokeLater(new Runnable() {
```

```
            public void run() {
```

```
                try {
```

```
        main window = new main();

        window.frmAirlineReservationSystem.setVisible(true);
    } catch (Exception e) {
        e.printStackTrace();
    }
}
};
}
```

Registration:

```
package com.hr.test;

import java.awt.EventQueue;

import javax.swing.JFrame;
import javax.swing.JPanel;
import javax.swing.border.EmptyBorder;
import javax.swing.JLabel;
import javax.swing.JTextArea;
import java.awt.Font;
import javax.swing.SwingConstants;
```



```
import javax.swing.JButton;
import java.awt.event.ActionListener;
import java.awt.event.ActionEvent;
import javax.swing.JOptionPane;

import com.hr.dao.customer_dao;

public class registration extends JFrame {

    private static final long serialVersionUID = 1L;
    private JPanel contentPane;
    private JTextArea textArea_first_name;
    private JTextArea textArea_lastname;
    private JTextArea textArea_email;
    private JTextArea textArea_pass;

    /**
     * Launch the application.
     */
    public static void main(String[] args) {
```

```

EventQueue.invokeLater(new Runnable() {
    public void run() {
        try {
            registration frame = new registration();
            frame.setVisible(true);
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
});
}

```

```

/**
 * Create the frame.
 */
public registration() {
    setTitle("AIRLINE RESERVATION SYSTEM");

setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    setBounds(100, 100, 762, 426);
}

```

```
contentPane = new JPanel();  
contentPane.setBorder(new EmptyBorder(5, 5, 5,  
5));
```

```
setContentPane(contentPane);  
contentPane.setLayout(null);
```

```
textArea_first_name = new JTextArea();  
textArea_first_name.setBounds(172, 79, 176, 32);  
contentPane.add(textArea_first_name);
```

```
textArea_lastname = new JTextArea();  
textArea_lastname.setBounds(172, 134, 176, 32);  
contentPane.add(textArea_lastname);
```

```
textArea_email = new JTextArea();  
textArea_email.setBounds(172, 189, 176, 32);  
contentPane.add(textArea_email);
```

```
textArea_pass = new JTextArea();
```

```
textArea_pass.setBounds(172, 244, 176, 32);  
contentPane.add(textArea_pass);
```

```
 JButton btnNewButton = new JButton("NEXT");  
 btnNewButton.addActionListener(new  
 ActionListener() {  
     public void actionPerformed(ActionEvent e) {  
         // Validate input  
         if (isValidInput()) {  
             // Proceed to the next frame  
             airline frame = new airline();  
             frame.setVisible(true);  
  
             // Insert user into database  
             try {  
                 customer_dao.insert_user(  
                     textArea_first_name.getText().trim(),  
                     textArea_lastname.getText().trim(),  
                     textArea_email.getText().trim(),  
                     textArea_pass.getText().trim()
```

```

        );
    } catch (Exception ex) {
        ex.printStackTrace();
        // Handle exception appropriately, e.g.,
show error message

JOptionPane.showMessageDialog(contentPane,
"Failed to register user. Please try again.");
    }
} else {
    // Show error message if any field is empty

JOptionPane.showMessageDialog(contentPane,
"Please fill in all fields.");
    }
}

});

btnNewButton.setFont(new Font("Tahoma",
Font.BOLD, 17));

btnNewButton.setBounds(601, 320, 89, 35);
contentPane.add(btnNewButton);

```

```
JLabel lblNewLabel = new JLabel(" First Name");

lblNewLabel.setHorizontalAlignment(SwingConstants
.CENTER);

    lblNewLabel.setFont(new Font("Tahoma",
Font.BOLD, 14));

    lblNewLabel.setBounds(42, 67, 120, 44);
    contentPane.add(lblNewLabel);

    JLabel lblNewLabel_1 = new JLabel(" Last name");
lblNewLabel_1.setHorizontalAlignment(SwingConsta
nts.CENTER);

    lblNewLabel_1.setFont(new Font("Tahoma",
Font.BOLD, 14));

    lblNewLabel_1.setBounds(42, 122, 120, 44);
    contentPane.add(lblNewLabel_1);


    JLabel lblNewLabel_2 = new JLabel(" Email id");

    lblNewLabel_2.setFont(new Font("Tahoma",
Font.BOLD, 14));
```

```
lblNewLabel_2.setHorizontalAlignment(SwingConstants.CENTER);
```

```
    lblNewLabel_2.setBounds(42, 177, 120, 44);
```

```
    contentPane.add(lblNewLabel_2);
```

```
    JLabel lblNewLabel_3 = new JLabel("Password");
```

```
    lblNewLabel_3.setFont(new Font("Tahoma", Font.BOLD, 14));
```

```
lblNewLabel_3.setHorizontalAlignment(SwingConstants.CENTER);
```

```
    lblNewLabel_3.setBounds(42, 235, 120, 38);
```

```
    contentPane.add(lblNewLabel_3);
```

```
    JButton btnBack = new JButton("BACK");
```

```
    btnBack.addActionListener(new ActionListener() {
```

```
        public void actionPerformed(ActionEvent e) {
```

```
            main window = new main();
```

```
        window.frmAirlineReservationSystem.setVisible(true);  
    }  
});  
    btnBack.setFont(new Font("Tahoma", Font.BOLD,  
17));  
    btnBack.setBounds(42, 341, 89, 35);  
    contentPane.add(btnBack);
```

```
    JLabel lblNewLabel_4 = new JLabel("CUSTOMER");  
    lblNewLabel_4.setFont(new Font("Tahoma",  
Font.BOLD, 23));  
    lblNewLabel_4.setBounds(186, 0, 194, 54);  
    contentPane.add(lblNewLabel_4);
```

```
    JLabel lblNewLabel_3_1 = new JLabel("Phone  
No");
```

```
    lblNewLabel_3_1.setHorizontalAlignment(SwingConstants.CENTER);
```



```
lblNewLabel_3_1.setFont(new Font("Tahoma",  
Font.BOLD, 14));
```

```
lblNewLabel_3_1.setBounds(52, 287, 120, 38);  
contentPane.add(lblNewLabel_3_1);
```

```
JTextArea textArea_pass_1 = new JTextArea();  
textArea_pass_1.setBounds(172, 287, 176, 32);  
contentPane.add(textArea_pass_1);  
}
```

```
// Method to validate input fields
```

```
private boolean isValidInput() {  
    String firstName =  
textArea_first_name.getText().trim();  
    String lastName =  
textArea_lastname.getText().trim();  
    String email = textArea_email.getText().trim();  
    String password = textArea_pass.getText().trim();  
  
    // Check if any field is empty
```

```
        if (firstName.isEmpty() || lastName.isEmpty() ||
email.isEmpty() || password.isEmpty()) {
            return false;
        }

        return true;
    }
}
```