



Submitted to:-

Engr. Muhammad Shoaib

Submitted by:-

Irraj Samreen Reg

no:-

2023-BSE-027

Section:-

5 A

Cloud Computing

LAB 02

Task 1: Create Private GitHub Repository

Repository name *

▼ / Lab2

✓ Lab2 is available.

are short and memorable. How about [urban-sniffle?](#)

commit to this repository

Private ▼

Off ☐

longer descriptions. [About READMEs](#)

Task 2: Connect Repository via SSH

```
HP@DESKTOP-UGL3JHC MINGW64 ~
$ ssh-keygen -t ed25519 -C "23-21511-008env.fjwu.edu.pk"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/HP/.ssh/id_ed25519):
Enter passphrase for "/c/Users/HP/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/HP/.ssh/id_ed25519
Your public key has been saved in /c/Users/HP/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:M1lJDRXXSAPG1hSLgGVmKmAxB/fHGBmIC9N6R7mLoY 23-21511-008env.fjwu.edu.pk
The key's randomart image is:
+--[ED25519 256]--+
|    .oo.o+==**+   |
| o..*oo ++ooo.    |
| . .+=+.B. .      |
|  o.OB .          |
|   *S. .          |
|  o+ o .          |
| . . . o          |
|  E o .           |
| . .              |
+----[SHA256]-----+
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~
$ cat /c/Users/HP/.ssh/id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIB1q1aTsXgy1RFyY4oy21HFY7az08AxJyMaSpsistEFx 23-21511-008@env.fjwu.edu.pk
```

Add new SSH Key

Title

my laptop

Key type

Authentication Key

Key

ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIB1qlaTsXgYIRfyY4oy21HFY7azQ8AxdyMaSpsiStEtX 23-21511-008@env.fjwu.edu.pk

Add SSH key

SSH keys

New SSH key

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.

Authentication keys



my laptop

SHA256:YntH5Vn5axOc1N1ic7Vt1BQDvN1MFqLKuwoKhu1X8mw

SSH

Added on Oct 8, 2025

Never used — Read/write

Delete

Task 3: Configure Git Username and Email

```
HP@DESKTOP-UGL3JHC MINGW64 ~  
$ git config --global user.name "Hafsa-Khalid021"  
  
HP@DESKTOP-UGL3JHC MINGW64 ~  
$ git config --global user.email "23-21511-008@env.fjwu.edu.pk"
```

```

HP@DESKTOP-UGL3JHC MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Hafsa-Khalid021
user.email=23-21511-008@env.fjwu.edu.pk
user.github=23-22411-027@se.fjwu.edu.pk

```

Task 4: Explore the .git Folder

Copy this ssh url.



Open git bash on desktop.

```

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop
$ git clone git@github.com:Hafsa-Khalid021/Lab2.git
Cloning into 'Lab2'...
The authenticity of host 'github.com (20.207.73.82)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvV6TUjJhbPzIsF/zLDA0zPMSvHdkr4UvCOQU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
Warning: You appear to have cloned an empty repository.

```

```

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop
$ cd Lab2

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (main)
$ ls -a
./ ../ .git/

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (main)
$ ls -a .git
./ ../ HEAD config description hooks/ info/ objects/ refs/

```

Task 5: Local Repository Management

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (main)
$ rm -rf .git
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/Lab2/.git/
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ echo "#Lab2 Git Practice" > README.md
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git add README.md
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git commit -m "Initial commit"
[master (root-commit) ad97289] Initial commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git remote add origin git@github.com:Hafsa-Khalid021/Lab2.git
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 245 bytes | 81.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Hafsa-Khalid021/Lab2.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

Task 6: File Status & Staging

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ echo "This is my first note" > notes.txt
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    notes.txt

nothing added to commit but untracked files present (use "git add" to track)
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git add notes.txt
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git add notes.txt
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git commit -m "Add third line to notes.txt"
[master 3109e30] Add third line to notes.txt
1 file changed, 1 insertion(+)
create mode 100644 notes.txt
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 323 bytes | 161.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Hafsa-Khalid021/Lab2.git
ad97289..3109e30 master -> master
```

Task 7: Branch Creation Using GitHub GUI

Create a branch

×

New branch name

bugfix/user-auth-error

📋

Source

 master ▼

Cancel

Create new branch

Branches

[New branch](#)

Overview Yours Active Stale All

Default

Branch	Updated	Check status	Behind / Ahead	Pull request
master	17 minutes ago		Default	

Your branches

Branch	Updated	Check status	Behind / Ahead	Pull request
bugfix/user-auth-error	now		0:0	

Active branches

Branch	Updated	Check status	Behind / Ahead	Pull request
bugfix/user-auth-error	now		0:0	

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git branch -r
origin/master
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git fetch --all
From github.com:Hafsa-Khalid021/Lab2
* [new branch]      bugfix/user-auth-error -> origin/bugfix/user-auth-error
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git checkout bugfix/user-auth-error
branch 'bugfix/user-auth-error' set up to track 'origin/bugfix/user-auth-error'.
Switched to a new branch 'bugfix/user-auth-error'
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (bugfix/user-auth-error)
$ git branch -r
origin/HEAD -> origin/master
origin/bugfix/user-auth-error
origin/master
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (bugfix/user-auth-error)
$ git branch
* bugfix/user-auth-error
master
```

Task 8: Branch Creation and Push Using Git Bash

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (bugfix/user-auth-error)
$ git checkout -b feature/db-connection
Switched to a new branch 'feature/db-connection'
```



```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ git push origin feature/db-connection
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/db-connection' on GitHub by visiting
remote:   https://github.com/Hafsa-Khalid021/Lab2/pull/new/feature/db-connection
remote:
remote: To github.com:Hafsa-Khalid021/Lab2.git
* [new branch]      feature/db-connection -> feature/db-connection
```

Branches New branch

Overview Yours Active State All

Search branches...

Default

Branch	Updated	Check status	Behind	Ahead	Pull request
master	31 minutes ago			Default	

Your branches

Branch	Updated	Check status	Behind	Ahead	Pull request
feature/db-connection	1 minute ago		0	0	
bugfix/user-auth-error	14 minutes ago		0	0	

Active branches

Branch	Updated	Check status	Behind	Ahead	Pull request
feature/db-connection	1 minute ago		0	0	
bugfix/user-auth-error	14 minutes ago		0	0	

Task 9: Branching & Merging

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ git checkout -b feature-1
Switched to a new branch 'feature-1'
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature-1)
$ git branch
bugfix/user-auth-error
* feature-1
feature/db-connection
master
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature-1)
$ echo "def new_function():" > main.py
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature-1)
$ git add main.py
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature-1)
$ git commit -m "Add new function to main.py"
[feature-1 be8ad9a] Add new function to main.py
1 file changed, 1 insertion(+)
create mode 100644 main.py
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature-1)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git merge feature-1
Updating 3109e30..be8ad9a
Fast-forward
 main.py | 1 +
1 file changed, 1 insertion(+)
create mode 100644 main.py
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 353 bytes | 176.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Hafsa-Khalid021/Lab2.git
3109e30..be8ad9a master -> master
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git push origin feature-1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-1' on GitHub by visiting:
remote:   https://github.com/Hafsa-Khalid021/Lab2/pull/new/feature-1
remote:
To github.com:Hafsa-Khalid021/Lab2.git
 * [new branch]   feature-1 -> feature-1
```

Task 10: Pull Request and Branch Review (GitHub GUI)

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

 base: master  compare: feature/db-connection  **Able to merge**. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#) [Create pull request](#)

 1 commit  1 file changed As 1 contributor

 Commits on Oct 11, 2025

Added test line to enable pull request

 Hafee-Khalid021 committed 2 days ago

 fc6bf39 

 Showing 1 changed file with 1 addition and 1 deletion.  Split  Unified

 README.md 

 <>  

```
@@ -1,1 +1,2 @@
1 - #LMS Git Practice
2 + This is a test update for pull request
```

Added test line to enable pull request #1

[Open](#) Hafee-Khalid021 wants to merge 1 commit into master from feature/db-connection 

 Conversation 0  Commits 1  Checks 0  Files changed 1

 Hafee-Khalid021 commented now 

No description provided.



  Added test line to enable pull request fc6bf39



 **No conflicts with base branch**

Merging can be performed automatically.

[Merge pull request](#) 

You can also merge this with the command line. [View command line instructions](#).



Commit message

Merge pull request #1 from Hafsa-Khalid021/feature/db-connection

Extended description

Added test line to enable pull request

This commit will be authored by 23-21511-008@env.fju.edu.pk.

Confirm merge

Cancel



Pull request successfully merged and closed

You're all set — the `feature/db-connection` branch can be safely deleted.

Delete branch

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git checkout feature/db-connection
Switched to branch 'feature/db-connection'

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ echo "This is a test update for pull request" > README.md

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time git touches it

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ git add README.md

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ git commit -m "Added test line to enable pull request"
[feature/db-connection fc6bf39] Added test line to enable pull request
1 file changed, 1 insertion(+), 1 deletion(-)

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/db-connection)
$ git push origin feature/db-connection
```

Task 11: Detailed Branch Strategy (Develop/Staging)


```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop|MERGING)
$ git checkout -b develop
fatal: a branch named 'develop' already exists

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop|MERGING)
$ git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/Hafsa-Khalid021/Lab2/pull/new/develop
remote:
To github.com:Hafsa-Khalid021/Lab2.git
 * [new branch]      develop -> develop

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop|MERGING)
$
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop)
$ git checkout -b feature/login-page
```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop)
$ git checkout feature/login-page
error: The following untracked working tree files would be overwritten by checkout:
    login.py
Please move or remove them before you switch branches.
Aborting

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop)
$ mv login.py login_backup.py

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop)
$ git checkout feature/login-page
Switched to branch 'feature/login-page'

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/login-page)
$ echo "print('Login feature added')" > login.py

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/login-page)
$ git add login.py
warning: in the working copy of 'login.py', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (feature/login-page)
$ git commit -m "Add login feature"
On branch feature/login-page
Merge branch 'feature/login-page' into develop
```

```
Merge made by the 'ort' strategy.
 login.py | 1 +
 main.py  | 1 +
 2 files changed, 2 insertions(+)
 create mode 100644 login.py
 create mode 100644 main.py
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 392 bytes | 392.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Hafsa-Khalid021/Lab2.git
 fc6bf39..9469ea3  develop -> develop
```

```

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (develop)
$ git checkout staging
Switched to branch 'staging'

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (staging)
$ git merge develop
Updating be8ad9a..9469ea3
Fast-forward
 README.md | 2 +-
 login.py  | 1 +
 2 files changed, 2 insertions(+), 1 deletion(-)
 create mode 100644 login.py

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (staging)
$ git push origin staging
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'staging' on GitHub by visiting:
remote:   https://github.com/Hafsa-Khalid021/Lab2/pull/new/staging
remote:
To github.com:Hafsa-Khalid021/Lab2.git
 * [new branch]      staging -> staging

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (staging)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git merge staging
Updating be8ad9a..9469ea3
Fast-forward
 README.md | 2 +-
 login.py  | 1 +
 2 files changed, 2 insertions(+), 1 deletion(-)
 create mode 100644 login.py

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 391 bytes | 78.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Hafsa-Khalid021/Lab2.git
 80db360..14ad477  master -> master

```

Bonus Task: Simulated Team Collaboration


```

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git checkout -b collab
Switched to a new branch 'collab'

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git push origin collab
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'collab' on GitHub by visiting:
remote:   https://github.com/Hafsa-Khalid021/Lab2/pull/new/collab
remote:
To github.com:Hafsa-Khalid021/Lab2.git
 * [new branch]    collab -> collab

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git pull origin collab
From github.com:Hafsa-Khalid021/Lab2
 * branch          collab      -> FETCH_HEAD
Already up to date.

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ nano notes.txt

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git commit -m "Add names and fun facts to notes.txt"
On branch collab
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   notes.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        login_backup.py

no changes added to commit (use "git add" and/or "git commit -a")

```

```

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git add notes.txt login_backup.py
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'login_backup.py', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
    add

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git add .

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git commit -m "Add names and fun facts to notes.txt"
[collab 49af863] Add names and fun facts to notes.txt
 2 files changed, 2 insertions(+)
 create mode 100644 login_backup.py

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git push origin collab
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 321 bytes | 107.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:Hafsa-Khalid021/Lab2.git
 14ad477..49af863  collab -> collab

```

```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git pull origin master
From github.com:Hafsa-Khalid021/Lab2
 * branch      master      -> FETCH_HEAD
Already up to date.


HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git merge collab
Updating 14ad477..49af863
Fast-forward
 login_backup.py | 1 +
 notes.txt       | 1 +
 2 files changed, 2 insertions(+)
 create mode 100644 login_backup.py


HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git push origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Hafsa-Khalid021/Lab2.git
 14ad477..49af863  master -> master

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (master)
$ git checkout collab
Switched to branch 'collab'

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab)
$ git pull origin collab
From github.com:Hafsa-Khalid021/Lab2
 * branch      collab      -> FETCH_HEAD
Already up to date.
```

Task 12: Code Review Workflow







Task 13: Branch Cleanup Best Practices

Delete the branch from here.




Branch deleted.






Exam Evaluation Questions

1. Advanced Branching & Merge Verification




2. Multi-Stage Workflow Simulation





3. Collaboration & Conflict Resolution



```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab1|MERGING)
$ notepad notes.txt
```



```
HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab1|MERGING)
$ git add notes.txt

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab1|MERGING)
$ git commit -m "Resolved merge conflict and kept both updates"
[collab1 f537f30] Resolved merge conflict and kept both updates

HP@DESKTOP-UGL3JHC MINGW64 ~/Desktop/Lab2 (collab1)
$ cat notes.txt

Hafsa: I added my update here for collaboration.
Teammate: Ialso edited this file in my branch.
```