



**FATIMA JINNAH WOMEN UNIVERSITY
RAWALPINDI**

Department of Software Engineering

SUBJECT: CLOUD COMPUTING

ASSIGNMENT

Name:	Saira Ejaz
Reg No:	2023-BSE-057
Section:	5-B
Submitted To:	Prof. Waqas Saleem
Date:	16-10-2025

Assignment:

Git, Gitea, GitHub, LFS, and GitHub Pages

Instructions

- Complete all tasks as described below.
- Submit your work on Google Classroom as well as on your GitHub repository named `cc_<studentname>_<rollnumber>`.
- Ensure all repositories are public unless specified otherwise.
- Submit required links/screenshots in your final submission.

Task List


- Task 1: Run Gitea in Codespace and Create an Initial Repo
- Task 2: Mirror README.md from Gitea to GitHub
- Task 3: Use Git LFS for Large Files
- Task 4: Create a Portfolio/CV with GitHub Pages
- Submission Checklist

➤ Task no 1

Set up Gitea:

- Run a Gitea server inside your Codespace.

1. Create a new codespace



Create a new codespace

Repository
To be cloned into your codespace

23-22411-057-sudo/Assignment ▾

 Codespace usage for this repository is paid for by 23-22411-057-sudo.

Branch
This branch will be checked out on creation

 main ▾

Region
Your codespace will run in the selected region

Southeast Asia ▾

Machine type
Resources for your codespace

2-core ▾

Create codespace


2. Open terminal inside Codespace

PROBLEMS OUTPUT TERMINAL PORTS

 To explore VS Code to its fullest, search using the Command Palette (Cmd/Ctrl + Shift + P or F1).

 Edit away, run your app as usual, and we'll automatically make it available for you to access.


- ✖ jj @23-22411-057-sudo →/workspaces/Assignment (main) \$ jj docker --version
bash: jj: command not found
- @23-22411-057-sudo →/workspaces/Assignment (main) \$ docker --version
Docker version 28.3.1-1, build 38b7060a218775811da953650d8df7d492653f8f
- @23-22411-057-sudo →/workspaces/Assignment (main) \$ docker --version
docker --version



Codespace under this repository:

<https://github.com/23-22411-057-sudo/Assignment>

3. Gitea Installation



4. Open port inside the codespace and run the url through which gitea will open

← →

Assignment [Codespaces: silver eureka]

🔖

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL **PORTS 1**

Port	Forwarded Addr...	Running Process	Visibility	Origin
● 3000	https://silver-eure...	/usr/bin/docker-proxy -proto tcp -host-i...	👁 Public	User Forwarded
Add Port				

Initial Configuration

If you run Gitea inside Docker, please read the [documentation](#) before changing any settings.

Database Settings

Gitea requires MySQL, PostgreSQL, MSSQL, SQLite3 or TiDB (MySQL protocol).

Database Type *

SQLite3

Path *

/data/gitea/gitea.db

File path for the SQLite3 database.
Enter an absolute path if you run Gitea as a service.

General Settings

Site Title *

Gitea: Git with a cup of tea

You can enter your company name here.

Repository Root Path *

/data/git/repositories

Remote Git repositories will be saved to this directory.

Git LFS Root Path

/data/git/lfs

Files tracked by Git LFS will be stored in this directory. Leave empty to disable.

Run As Username *

git

The operating system username that Gitea runs as. Note that this user must have access to the repository root path.

SSH Server Port

22

Port number your SSH server listens on. Leave empty to disable.

Gitea HTTP Listen Port *

3000

Port number the Giteas web server will listen on.

Gitea Base URL *

https://silver-eureka-5g7q4x4xw777cj5p-3000.app.github.dev/

Base address for HTTP(S) clone URLs and email notifications.

Log Path *

/data/gitea/log

Log files will be written to this directory.

☐ Enable Update Checker

Checks for new version releases periodically by connecting to gitea.io.

Optional Settings

► Email Settings

► Server and Third-Party Service Settings

► Administrator Account Settings

These configuration options will be written into: /data/gitea/conf/app.ini

Install Gitea

IssuesPull RequestsMilestonesExplore

Saira12

Account was successfully created. Welcome!

RepositoryOrganization

No Activity

You are currently not following any repositories or users, so there is no content to display. You can explore repositories or users of interest from the links below.

Explore repositories - Explore users

Repositories

There are no repositories yet.

5. Initialize the repository

New Repository

A repository contains all project files, including revision history. Already hosting one elsewhere? [Migrate repository.](#)

Owner *



Saira12



Some organizations may not show up in the dropdown due to a maximum repository count limit.

Repository Name *

test-repo

Good repository names use short, memorable and unique keywords. A repository named ".profile" or ".profile-private" could be used to add a README.md for the user/organization profile.

Visibility

☐ Make repository private

Only the owner or the organization members if they have rights, will be able to see it.

Description

test repository



Template

Select a template.

Issue Labels

Select an issue label set.

.gitignore

Select .gitignore templates.

Choose which files not to track from a list of templates for common languages. Typical artifacts generated by each

.gitignore

Select .gitignore templates.

Choose which files not to track from a list of templates for common languages. Typical artifacts generated by each language's build tools are included on .gitignore by default.

License

Select a license file.

A license governs what others can and can't do with your code. Not sure which one is right for your project? See [Choose a license](#).

README

Default

This is the place where you can write a complete description for your project.

☐ Initialize Repository (Adds .gitignore, License and README)

Default Branch

main

The default branch is the base branch for pull requests and code commits.

Object Format

sha1

Object format of the repository. Cannot be changed later. SHA1 is most compatible.

Template

☐ Make repository a template

Create Repository

IssuesPull RequestsMilestonesExplore

Saira12 / test-repo

<> CodeIssuesPackagesProjectsWiki

Unwatch1Star0Settings

Quick Guide

Clone this repository Need help cloning? Visit [Help](#).

New FileUpload FileHTTPSSSHhttps://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git

Creating a new repository on the command line

```
touch README.md
git init
git checkout -b main
git add README.md
git commit -m "first commit"
git remote add origin https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git
git push -u origin main
```

Pushing an existing repository from the command line

```
git remote add origin https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git
git push -u origin main
```

- Use HTTPS for communication (SSH is not supported in Codespace).


```

@23-22411-057-sudo →/workspaces/Assignment (main) $ git init
Reinitialized existing Git repository in /workspaces/Assignment/.git/
@23-22411-057-sudo →/workspaces/Assignment (main) $ git add .
@23-22411-057-sudo →/workspaces/Assignment (main) $ git commit -m "initial commit"
[main 46eb5e0] initial commit
1 file changed, 17 insertions(+)
create mode 100644 docker-compose.yml
@23-22411-057-sudo →/workspaces/Assignment (main) $ echo $CODESPACE_NAME
silver-eureka-5g7g4x4xw777cj5p
@23-22411-057-sudo →/workspaces/Assignment (main) $ https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/
Saira12/test-repo.git
bash: https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git: No such file or director
y
@23-22411-057-sudo →/workspaces/Assignment (main) $ git remote add gitea https://silver-eureka-5g7g4x4xw777cj5p
-3000.app.github.dev/Saira12/test-repo.git
@23-22411-057-sudo →/workspaces/Assignment (main) $ git push -u gitea main
fatal: unable to update url base from redirection:
  asked for: https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git/info/refs?service=
git-receive-pack
  redirect: https://silver-eureka-5g7g4x4xw777cj5p.github.dev/pf-signin?id=jolly-ocean-hprsz39&cluster=inc1&nam
e=silver-eureka-5g7g4x4xw777cj5p&port=3000&pb=https%3A%2F%2Fsilver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev%2
Fauth%2Fpostback%2Ftunnel%3Frd%3D%252FSaira12%252Ftest-repo.git%252Finfo%252Frefs%253Fservice%253Dgit-receive-pa
ck%26tunnel%3D1&cid=b8edebbc-c6a8-44db-b614-497690186520
@23-22411-057-sudo →/workspaces/Assignment (main) $ git push -u gitea main

```

Saira12

Git: https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev (Press 'Enter' to confirm or
'Escape' to cancel)

.....

Git: https://Saira12@silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev (Press 'Enter' to confirm
or 'Escape' to cancel)

```

@23-22411-057-sudo →/workspaces/Assignment (main) $ git push -u gitea main
Locking support detected on remote "gitea". Consider enabling it with:
  $ git config lfs.https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git/info/lfs.loc
ksverify true
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 2 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 1.28 KiB | 1.28 MiB/s, done.
Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
remote: . Processing 1 references
remote: Processed 1 references in total
To https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/test-repo.git
 * [new branch]      main -> main
branch 'main' set up to track 'gitea/main'.
@23-22411-057-sudo →/workspaces/Assignment (main) $

```

Create a Repository:

- Create a new repository on your Gitea server.

New Repository

A repository contains all project files, including revision history. Already hosting one elsewhere? [Migrate repository](#).

Owner *  Saira12

Some organizations may not show up in the dropdown due to a maximum repository count limit.

Repository Name * lab

Good repository names use short, memorable and unique keywords. A repository named ".profile" or ".profile-private" could be used to add a README.md for the user/organization profile.

Visibility ☐ Make repository private
Only the owner or the organization members if they have rights, will be able to see it.

Description Enter short description (optional)

Template Select a template.


Issue Labels Select an issue label set.

.gitignore Select .gitignore templates.

Choose which files not to track from a list of templates for common languages. Typical artifacts generated by each

- Add a README.md file listing each student's name and roll number.

```
@23-22411-057-sudo →~ $ git clone https://localhost:3000/Saira12/lab.git
Cloning into 'lab'...
fatal: unable to access 'https://localhost:3000/Saira12/lab.git/': OpenSSL/3.0.13: error:0A00010B:SSL routines::wrong version number
@23-22411-057-sudo →~ $ git clone http://localhost:3000/Saira12/lab.git
Cloning into 'lab'...
warning: You appear to have cloned an empty repository.
@23-22411-057-sudo →~ $ cd lab
@23-22411-057-sudo →~/lab (main) $ echo "Name: Saira Ejaz
Roll Number: 2023-BSE-057" > README.md
@23-22411-057-sudo →~/lab (main) $ cat README.md
Name: Saira Ejaz
Roll Number: 2023-BSE-057
@23-22411-057-sudo →~/lab (main) $ git add README.md
@23-22411-057-sudo →~/lab (main) $ git commit -m "Add README with name and roll number"
[main (root-commit) 06a14f4] Add README with name and roll number
1 file changed, 2 insertions(+)
create mode 100644 README.md
@23-22411-057-sudo →~/lab (main) $ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: . Processing 1 references
remote: Processed 1 references in total
To http://localhost:3000/Saira12/lab.git
* [new branch]      main -> main
@23-22411-057-sudo →~/lab (main) $
```



<https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev/Saira12/lab>

Add Remote Repo:

- Use the following command to add your Gitea repository as a remote:
- `git remote add gitea <your_gitea_repo_https_url>`
- Push your initial commit containing the README.md to Gitea.

```
/home/codespace/lab
@23-22411-057-sudo →~/lab (main) $ git remote -v
origin http://localhost:3000/Saira12/lab.git (fetch)
origin http://localhost:3000/Saira12/lab.git (push)
@23-22411-057-sudo →~/lab (main) $ git remote rename origin gitea
Renaming remote references: 100% (1/1), done.
@23-22411-057-sudo →~/lab (main) $ git remote -v
gitea http://localhost:3000/Saira12/lab.git (fetch)
gitea http://localhost:3000/Saira12/lab.git (push)
@23-22411-057-sudo →~/lab (main) $ git push gitea main
Everything up-to-date
@23-22411-057-sudo →~/lab (main) $
```

```
origin http://localhost:3000/Saira12/lab.git (push)
@23-22411-057-sudo →~/lab (main) $ git remote rename origin gitea
Renaming remote references: 100% (1/1), done.
@23-22411-057-sudo →~/lab (main) $ git remote -v
gitea http://localhost:3000/Saira12/lab.git (fetch)
gitea http://localhost:3000/Saira12/lab.git (push)
@23-22411-057-sudo →~/lab (main) $ git push gitea main
Everything up-to-date
@23-22411-057-sudo →~/lab (main) $ git remote add gitea http://localhost:3000/Saira12/lab.git
error: remote gitea already exists.
@23-22411-057-sudo →~/lab (main) $ git remote -v
gitea http://localhost:3000/Saira12/lab.git (fetch)
gitea http://localhost:3000/Saira12/lab.git (push)
@23-22411-057-sudo →~/lab (main) $ git push gitea main
```

➤ Task no 2

Mirror README.md from Gitea to GitHub

1. Continue Working with Your Existing Repository:

- Use the same repository that you created and pushed to your Gitea server in Task 1.

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents (main)
$ git clone https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git
Cloning into 'lab'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Syed@DESKTOP-S50GK51 MINGW64 ~/documents (main)
$ |
```

2. Create GitHub Repository:

- Create a new GitHub repository named assignment-1.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1

General

Owner *

23-22411-057-sudo

/

Repository name *

assignment-1

assignment-1 is available.

Great repository names are short and memorable. How about **supreme-waffle**?

Description

This is sample repository for the assignment 1

46 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)


No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository



3. Add GitHub as a Second Remote:

- Add your GitHub repository as a remote to your local repository:
- `git remote add github <your_github_repo_https_url>`

```
Syed@DESKTOP-S5OGK51 MINGW64 ~/documents (main)
$ cd lab

Syed@DESKTOP-S5OGK51 MINGW64 ~/documents/lab (main)
$ git remote add https://github.com/23-22411-057-sudo/assignment-1
usage: git remote add [<options>] <name> <url>

    -f, --[no-]fetch          fetch the remote branches
    --[no-]tags              import all tags and associated objects when fetching
                             or do not fetch any tag at all (--no-tags)
    -t, --[no-]track <branch> branch(es) to track
    -m, --[no-]master <branch> master branch
    --[no-]mirror[=(push|fetch)] set up remote as a mirror to push to or fetch from

Syed@DESKTOP-S5OGK51 MINGW64 ~/documents/lab (main)
$ |
```

4. Push the README.md File to GitHub:

- Push the contents (including the README.md) from your local repository to GitHub.

```

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote -v
origin https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (fetch)
origin https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (push)

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ AC

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote rename origin gitea
Renaming remote references: 100% (3/3), done.

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote add github https://github.com/23-22411-057-sudo/assignment-1.git

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote -v
gitea https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (fetch)
gitea https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (push)
github https://github.com/23-22411-057-sudo/assignment-1.git (fetch)
github https://github.com/23-22411-057-sudo/assignment-1.git (push)

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git push github main
fatal: Cannot prompt because user interactivity has been disabled.
fatal: unable to get password from user

```

```

syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
git config --global --unset credential.interactive

syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
git config --global --list
ui.recentrepo=C:/Users/Syed/xxxxxx
ui.recentrepo=C:/Users/Syed/Lab2
ui.recentrepo=C:/Users/Syed/Pictures/lab 2
ser.email=23-22411-057@se.fjwu.edu.pk
ser.name=23-22411-057-sudo
ore.sshcommand=C:/Windows/System32/OpenSSH/ssh.exe
ore.compression=0
ttp.postbuffer=524288000
ttp.maxrequestbuffer=100M
ttp.lowspeedlimit=0
ttp.lowspeedtime=999999
redential.https://silver-eureka-5g7g4x4xw777cj5p-3000.app.github.dev.provider=generic
redential.helper=store

```

```

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git push https://23-22411-057-sudo:ghp_3vYAgbsaHdtPgT1qDCFrch5j0IOJq71PzuJm@github.com/23-22411-057-sudo/assignment-1.git main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 283 bytes | 141.00 KiB/s, done.
Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
To https://github.com/23-22411-057-sudo/assignment-1.git
 * [new branch]      main -> main

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |

```

```


[NEW BRANCH]      main -> main

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git push github main
Everything up-to-date

syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |

```

Readme.md from the lab repository in Gitea is pushed to assignment-1 repository in Github



5. Verify Remotes:

- Run `git remote -v` and ensure both remotes (gitea and github) are listed.

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git push github main
Everything up-to-date

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote -v
gitea https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (fetch)
gitea https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (push)
github https://github.com/23-22411-057-sudo/assignment-1.git (fetch)
github https://github.com/23-22411-057-sudo/assignment-1.git (push)

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |
```

➤ Task 3:

Use Git LFS for Large Files

1. Install Git LFS:

- Set up Git LFS in your local repository.

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git lfs install
Updated Git hooks.
Git LFS initialized.
```

2. Add Large Files:

- Add three files larger than 100 MB each to your repository.
 - Track them using Git LFS:

- git lfs track "*.ext"

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ dd if=/dev/zero of=file1.bin bs=1M count=150
dd if=/dev/zero of=file2.bin bs=1M count=150
dd if=/dev/zero of=file3.bin bs=1M count=150
150+0 records in
150+0 records out
157286400 bytes (157 MB, 150 MiB) copied, 0.148893 s, 1.1 GB/s
150+0 records in
150+0 records out
157286400 bytes (157 MB, 150 MiB) copied, 0.110774 s, 1.4 GB/s
150+0 records in
150+0 records out
157286400 bytes (157 MB, 150 MiB) copied, 0.11294 s, 1.4 GB/s

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ ls -lh
total 451M
-rw-r--r-- 1 Syed 197121  45 Oct 16 19:56 README.md
-rw-r--r-- 1 Syed 197121 150M Oct 16 21:28 file1.bin
-rw-r--r-- 1 Syed 197121 150M Oct 16 21:28 file2.bin
-rw-r--r-- 1 Syed 197121 150M Oct 16 21:28 file3.bin

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git lfs track "*.ext"
Tracking "*.ext"

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |
```

- Replace .ext with the appropriate file extension.

```
Tracking "*.ext"

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git lfs track "*.bin"
Tracking "*.bin"

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |
```

3. Reference in Assignment Repo:

- Commit and push these large files to your GitHub assignment 1 repo.
- Ensure the files are referenced correctly in your repository history.

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git add .gitattributes

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git add file1.bin file2.bin file3.bin

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git commit -m "Add large files tracked with Git LFS"
[main 32829ae] Add large files tracked with Git LFS
4 files changed, 11 insertions(+)
create mode 100644 .gitattributes
create mode 100644 file1.bin
create mode 100644 file2.bin
create mode 100644 file3.bin
```



```

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote remove origin

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote rename github origin
Renaming remote references: 100% (1/1), done.

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote -v
gitea https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (fetch)
gitea https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (push)
origin https://github.com/23-22411-057-sudo/assignment-1.git (fetch)
origin https://github.com/23-22411-057-sudo/assignment-1.git (push)

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git push -u origin main
Uploading LFS objects: 100% (1/1), 157 MB | 481 KB/s, done.
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 771 bytes | 154.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/23-22411-057-sudo/assignment-1.git
   06a14f4..32829ae main -> main
branch 'main' set up to track 'origin/main'.

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git lfs ls-files
12ba578486 * file1.bin
12ba578486 * file2.bin
12ba578486 * file3.bin

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |

```

➤ Task 4:

Create a Portfolio/CV with GitHub Pages

1. Create a New Repository for GitHub Pages:

- Create a new repository named <your-username>.github.io.
- Replace <your-username> with your actual GitHub username (e.g., johnsmith.github.io).

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *

 23-22411-057-sudo

Repository name *

/ 23-22411-057-sudo.github.io

✓ 23-22411-057-sudo.github.io is available.

Great repository names are short and memorable. How about **special-happiness**?

Description

Repository for Portfolio

24 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

 Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

 23-22411-057-sudo / 23-22411-057-sudo.github.io

Q Type [Z] to search

[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#) [Insights](#) [Settings](#)

 23-22411-057-sudo.github.io Public

 Pin  Watch 0  Fork 0  Star 0

**Set up GitHub Copilot**
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
[Get started with GitHub Copilot](#)

**Add collaborators to this repository**
Search for people using their GitHub username or email address.
[Invite collaborators](#)

Quick setup — if you've done this kind of thing before
 Set up in Desktop or  HTTPS  SSH <https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git> 
Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# 23-22411-057-sudo.github.io" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git
git push -u origin main
```



2. Design Your Portfolio/CV:

- Create your portfolio or CV in HTML/CSS (or use a static site generator).

3. Publish with GitHub Pages:

- Push your portfolio/CV files to the <your-username>.github.io repository.

Commands to push files for portfolio:

cd ~/documents/portfolio

git init

git add .

git commit -m "Add new dark-themed portfolio (index1.html & style1.css)"

git remote remove origin

git remote add origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git

git branch -M main

git push -u origin main

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ cd ~/documents

Syed@DESKTOP-S50GK51 MINGW64 ~/documents (main)
$ mkdir portfolio

Syed@DESKTOP-S50GK51 MINGW64 ~/documents (main)
$ cd portfolio

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ git init
Initialized empty Git repository in C:/Users/Syed/Documents/portfolio/.git/

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (master)
$ git add index.html style.css

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (master)
$ git commit -m "Add initial portfolio with light color theme for Saira Ejaz"
[master (root-commit) 4f86d46] Add initial portfolio with light color theme for Saira Ejaz
 2 files changed, 112 insertions(+)
 create mode 100644 index.html
 create mode 100644 style.css

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (master)
$ git remote add origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (master)
$ git branch -M main
```

```

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ git remote -v
origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git (fetch)
origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git (push)

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ git push -u origin main
remote: Repository not found.
fatal: repository 'https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git/' not found

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ AC

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 2.79 KiB | 951.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ |

```

Enable GitHub Pages in your repository settings (if not automatically enabled).

- Publish your site and share the link.

The screenshot shows the GitHub repository settings page for the repository '23-22411-057-sudo'. The 'Settings' tab is selected, and the 'GitHub Pages' section is active. The page indicates that the site is live at <https://23-22411-057-sudo.github.io/> and was last deployed by '23-22411-057-sudo' 2 minutes ago. The 'Build and deployment' section shows that the site is currently being built from the 'main' branch. The 'Source' is set to 'Deploy from a branch', and the 'Branch' is set to 'main'. The 'Save' button is visible. The left sidebar shows the repository settings menu with 'Pages' selected.

23-22411-057-sudo / 23-22411-057-sudo.github.io

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

23-22411-057-sudo.github.io (Public)

main 1 Branch 0 Tags

Go to file Add file Code

23-22411-057-sudo Add dark-themed portfolio with projects 13e0514 · now 4 Commits

index1.html	Add dark-themed portfolio with projects	now
style1.css	Add dark-themed portfolio with projects	now

README



Add a README

Help people interested in this repository understand your project by adding a README.

Add a README

Repository for Portfolio

- Activity
- 0 stars
- 0 watching
- 0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Deployments 1

github-pages 24 minutes ago

Publish your site and share the link.

<https://23-22411-057-sudo.github.io/>

Saira Ejaz

Software Engineering Student | Aspiring UI/UX Designer & Web Developer

About Me

Hello! I am currently studying Software Engineering at Fatima Jinnah Women University, Rawalpindi. I am passionate about web development, UI/UX design, and creating intuitive digital experiences.

Skills


- HTML, CSS, JavaScript
- C#, C++, Python
- UI/UX Design & Figma
- Git, GitHub, Git LFS

Projects

- Restaurant Management System
- Bank Accounts and Transactions System (BATS)
- Student Records Management System


➤ Submission Checklist

- Screenshot of your Gitea repository (showing README listing names & roll numbers)



- GitHub assignment 1 repo link (with README and large files)

<https://github.com/23-22411-057-sudo/assignment-1>



- Screenshot or output of git remote -v showing both remotes

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ git remote -v
gitea  https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (fetch)
gitea  https://college-assumptions-pam-call.trycloudflare.com/Saira12/lab.git (push)
origin https://github.com/23-22411-057-sudo/assignment-1.git (fetch)
origin https://github.com/23-22411-057-sudo/assignment-1.git (push)

Syed@DESKTOP-S50GK51 MINGW64 ~/documents/lab (main)
$ |
```

```
Syed@DESKTOP-S50GK51 MINGW64 ~/documents/portfolio (main)
$ git remote -v
origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git (fetch)
origin https://github.com/23-22411-057-sudo/23-22411-057-sudo.github.io.git (push)
```

- GitHub Pages link to your CV/portfolio

<https://23-22411-057-sudo.github.io/>

Saira Ejaz

Software Engineering Student | Aspiring UI/UX Designer & Web Developer

About Me

Hello! I am currently studying Software Engineering at Fatima Jinnah Women University, Rawalpindi. I am passionate about web development, UI/UX design, and creating intuitive digital experiences.

Skills

- HTML, CSS, JavaScript
- C#, C++, Python
- UI/UX Design & Figma
- Git, GitHub, Git LFS

Projects

- Restaurant Management System
- Bank Accounts and Transactions System (BATS)
- Student Records Management System