



LAB EXAM

Cloud Computing

Name: Saira Ejaz

Reg no: 2023-BSE-057(5-B)

Task no 1:

Repo Link: https://github.com/23-22411-057-sudo/Lab_exam

Q1 – AWS IAM Setup Using AWS CLI and Console Verification (10 marks)

q1_create_group.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam create-group --group-name SoftwareEngineering
{
  "Group": {
    "Path": "/",
    "GroupName": "SoftwareEngineering",
    "GroupId": "AGPAVHLXGUTLDQVK2VL4Y",
    "Arn": "arn:aws:iam::359416636630:group/SoftwareEngineering",
    "CreateDate": "2026-01-19T07:37:37+00:00"
  }
}
```

q1_group_details.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam get-group --group-name SoftwareEngineering
{
  "Users": [],
  "Group": {
    "Path": "/",
    "GroupName": "SoftwareEngineering",
    "GroupId": "AGPAVHLXGUTLDQVK2VL4Y",
    "Arn": "arn:aws:iam::359416636630:group/SoftwareEngineering",
    "CreateDate": "2026-01-19T07:37:37+00:00"
  }
}
```

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $
```

q1_create_user.png

q1_user_details.png

q1_add_user_to_group.png (three ss in same picture)

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam create-user --user-name saira
{
  "User": {
    "Path": "/",
    "UserName": "saira",
    "UserId": "AIDAVHLXGUTLAAX07MTE4",
    "Arn": "arn:aws:iam::359416636630:user/saira",
    "CreateDate": "2026-01-19T07:39:13+00:00"
  }
}

@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam get-user --user-name saira
{
  "User": {
    "Path": "/",
    "UserName": "saira",
    "UserId": "AIDAVHLXGUTLAAX07MTE4",
    "Arn": "arn:aws:iam::359416636630:user/saira",
    "CreateDate": "2026-01-19T07:39:13+00:00"
  }
}

@23-22411-057-sudo →/workspaces/Lab_exam (main) $

@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam add-user-to-group --user-name saira --group-name SoftwareEngineering
@23-22411-057-sudo →/workspaces/Lab_exam (main) $
```

q1_group_membership.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam get-group --group-name SoftwareEngineering
{
  "Users": [
    {
      "Path": "/",
      "UserName": "saira",
      "UserId": "AIDAVHLXGUTLAAX07MTE4",
      "Arn": "arn:aws:iam::359416636630:user/saira",
      "CreateDate": "2026-01-19T07:39:13+00:00"
    }
  ],
  "Group": {
    "Path": "/",
    "GroupName": "SoftwareEngineering",
    "GroupId": "AGPAVHLXGUTLDQVK2VL4Y",
    "Arn": "arn:aws:iam::359416636630:group/SoftwareEngineering",
    "CreateDate": "2026-01-19T07:37:37+00:00"
  }
}
```

q1_find_admin_policy.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam list-policies --scope AWS | grep AdministratorAccess
{
  "PolicyName": "AdministratorAccess",
  "Arn": "arn:aws:iam::aws:policy/AdministratorAccess",
  "PolicyName": "AdministratorAccess-Amplify",
  "Arn": "arn:aws:iam::aws:policy/AdministratorAccess-Amplify",
  "PolicyName": "AWSAuditManagerAdministratorAccess",
  "Arn": "arn:aws:iam::aws:policy/AWSAuditManagerAdministratorAccess",
  "PolicyName": "AdministratorAccess-AWSElasticBeanstalk",
  "Arn": "arn:aws:iam::aws:policy/AdministratorAccess-AWSElasticBeanstalk",
  "PolicyName": "AWSManagementConsoleAdministratorAccess",
  "Arn": "arn:aws:iam::aws:policy/job-function/AWSManagementConsoleAdministratorAccess",
}

@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam attach-group-policy \
--group-name SoftwareEngineering \
--policy-arn arn:aws:iam::aws:policy/AdministratorAccess
@23-22411-057-sudo →/workspaces/Lab_exam (main) $
```

q1_attach_admin_policy.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ aws iam list-attached-group-policies --group-name SoftwareEngineering
{
  "AttachedPolicies": [
    {
      "PolicyName": "AdministratorAccess",
      "PolicyArn": "arn:aws:iam::aws:policy/AdministratorAccess"
    }
  ]
}

@23-22411-057-sudo →/workspaces/Lab_exam (main) $
```

All console screenshots:

The first screenshot shows the 'User groups (1)' page in the AWS IAM console. It displays a table with one user group named 'SoftwareEngineering' with 'Defined' permissions and a creation time of 7 minutes ago.

The second screenshot shows the 'Users (4)' page. It displays a table with four users: 'Admin', 'saira', 'terraform-admin', and 'User2'. The 'saira' user is highlighted.

The third screenshot shows the 'saira' user details page. It includes a summary section with the ARN 'arn:aws:iam::359416636630:user/saira', console access status 'Disabled', and creation time 'January 19, 2025, 12:39 (UTC+05:00)'. It also shows the 'User groups membership' section with the 'SoftwareEngineering' group attached.

Q2 – Terraform Lab: Simple AWS Environment with Nginx over HTTPS (30 marks)

1.

```
GNU nano 7.2 main.tf *
provider "aws" {
  region = "me-central-1"
  profile = "default"
}
```

2. q1_group_details.png

```
GNU nano 7.2 variables.tf *
variable "vpc_cidr_block" {
  description = "CIDR block for the VPC"
  type        = string
}

variable "subnet_cidr_block" {
  description = "CIDR block for the subnet"
  type        = string
}

variable "availability_zone" {
  description = "Availability zone"
  type        = string
}

variable "env_prefix" {
  description = "Environment prefix for resource naming"
  type        = string
}

variable "instance_type" {
  description = "EC2 instance type"
  type        = string
}
```

3. q2_vpc_subnet.png

```
GNU nano 7.2 main.tf *
provider "aws" {
  region = "me-central-1"
  profile = "default"
}

# Create VPC
resource "aws_vpc" "myapp_vpc" {
  cidr_block = var.vpc_cidr_block
  tags = {
    Name = "${var.env_prefix}-vpc"
  }
}

# Create Subnet
resource "aws_subnet" "myapp_subnet" {
  vpc_id            = aws_vpc.myapp_vpc.id
  cidr_block        = var.subnet_cidr_block
  availability_zone = var.availability_zone
  tags = {
    Name = "${var.env_prefix}-subnet-1"
  }
}
```

4. q2_igw_route_table.png

```

# Route 0.0.0.0/0 via IGW
resource "aws_route" "default_route" {
  route_table_id      = data.aws_route_tables.default_rt.ids[0]
  destination_cidr_block = "0.0.0.0/0"
  gateway_id          = aws_internet_gateway.myapp_igw.id
}

# Tag Route Table
resource "aws_route_table" "myapp_rt" {
  vpc_id = aws_vpc.myapp_vpc.id
  tags = {
    Name = "${var.env_prefix}-rt"
  }
}

```

q2_http_and_locals.png

```

GNU nano 7.2                                     main.tf *
data "aws_route_tables" "default_rt" {
  vpc_id = aws_vpc.myapp_vpc.id
}

# Route 0.0.0.0/0 via IGW
resource "aws_route" "default_route" {
  route_table_id      = data.aws_route_tables.default_rt.ids[0]
  destination_cidr_block = "0.0.0.0/0"
  gateway_id          = aws_internet_gateway.myapp_igw.id
}

# Tag Route Table
resource "aws_route_table" "myapp_rt" {
  vpc_id = aws_vpc.myapp_vpc.id
  tags = {
    Name = "${var.env_prefix}-rt"
  }
}

# Fetch public IP
data "http" "my_ip" {
  url = "https://icanhazip.com"
}

# Create locals block with /32 CIDR
locals {
  my_ip = "${chomp(data.http.my_ip.body)}/32"
}

```

```

GNU nano 7.2 main.tf *
resource "aws_security_group" "default_sg" {
  name           = "${var.env_prefix}-default-sg"
  description    = "Default SG with SSH, HTTP, HTTPS"
  vpc_id         = aws_vpc.myapp_vpc.id

  ingress {
    description = "SSH from my IP"
    from_port   = 22
    to_port     = 22
    protocol    = "tcp"
    cidr_blocks = [local.my_ip]
  }

  ingress {
    description = "HTTP from anywhere"
    from_port   = 80
    to_port     = 80
    protocol    = "tcp"
    cidr_blocks = ["0.0.0.0/0"]
  }

  ingress {
    description = "HTTPS from anywhere"
    from_port   = 443
    to_port     = 443
    protocol    = "tcp"
    cidr_blocks = ["0.0.0.0/0"]
  }
}

```

```

GNU nano 7.2 main.tf *
provider "aws" {
  region = "me-central-1"
  profile = "default"
}

resource "aws_key_pair" "server_key" {
  key_name   = "serverkey"
  public_key = file("~/ssh/id_ed25519.pub")
}

# Create VPC
resource "aws_vpc" "myapp_vpc" {
  cidr_block = var.vpc_cidr_block
  tags = {
    Name = "${var.env_prefix}-vpc"
  }
}

# Create Subnet
resource "aws_subnet" "myapp_subnet" {
  vpc_id            = aws_vpc.myapp_vpc.id
  cidr_block        = var.subnet_cidr_block
  availability_zone = var.availability_zone
  tags = {
    Name = "${var.env_prefix}-subnet-1"
  }
}

# Internet Gateway

```

q2_ec2_resource.png

```
GNU nano 7.2 main.tf *
egress {
  description = "All outbound"
  from_port   = 0
  to_port     = 0
  protocol    = "-1"
  cidr_blocks = ["0.0.0.0/0"]
}

tags = {
  Name = "${var.env_prefix}-default-sg"
}
}

# Launch EC2 Instance
resource "aws_instance" "my_ec2" {
  ami               = "ami-08c40ec9ead489470" # Amazon Linux 2023 in me-central-1
  instance_type     = var.instance_type
  subnet_id         = aws_subnet.myapp_subnet.id
  vpc_security_group_ids = [aws_security_group.default_sg.id]
  availability_zone  = var.availability_zone
  associate_public_ip_address = true
  key_name           = aws_key_pair.server_key.key_name
  user_data          = file("entry-script.sh")

  tags = {
    Name = "${var.env_prefix}-ec2-instance"
  }
}
```

q2_entry_script.png

```
GNU nano 7.2 entry-script.sh *
#!/bin/bash
# Update packages
sudo dnf update -y

# Install Nginx
sudo dnf install nginx -y

# Create self-signed SSL certificate
sudo mkdir -p /etc/nginx/ssl
sudo openssl req -x509 -nodes -days 365 -newkey rsa:2048 \
  -keyout /etc/nginx/ssl/selfsigned.key \
  -out /etc/nginx/ssl/selfsigned.crt \
  -subj "/C=PK/ST=Punjab/L=Lahore/O=Saira/OU=Terraform/CN=example.com"

# Configure Nginx for HTTPS
sudo bash -c 'cat > /etc/nginx/conf.d/default.conf << EOF
server {
    listen 80;
    return 301 https://$host$request_uri;
}

server {
    listen 443 ssl;
    ssl_certificate /etc/nginx/ssl/selfsigned.crt;
    ssl_certificate_key /etc/nginx/ssl/selfsigned.key;

    root /usr/share/nginx/html;
    index index.html;
}
```

q2_output_block.png

```
output "ec2_public_ip" {
  description = "Public IP of the EC2 instance"
  value       = aws_instance.my_ec2.public_ip
}
```

q2_tfvars_or_vars.png

```
GNU nano 7.2 terraform.tfvars *
vpc_cidr_block      = "10.0.0.0/16"
subnet_cidr_block   = "10.0.10.0/24"
availability_zone    = "me-central-1a"
env_prefix           = "dev"
instance_type        = "t3.micro"

```

q2_terraform_init.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ terraform init
Initializing the backend...
Initializing provider plugins...
- Finding latest version of hashicorp/aws...
- Finding latest version of hashicorp/http...
- Installing hashicorp/aws v6.28.0...
- Installed hashicorp/aws v6.28.0 (signed by HashiCorp)
- Installing hashicorp/http v3.5.0...
- Installed hashicorp/http v3.5.0 (signed by HashiCorp)
Terraform has created a lock file .terraform.lock.hcl to record the provider
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.
@23-22411-057-sudo →/workspaces/Lab_exam (main) $
```

q2_terraform_plan.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ terraform plan
+ instance_tenancy      = "default"
+ ipv6_association_id   = (known after apply)
+ ipv6_cidr_block        = (known after apply)
+ ipv6_cidr_block_network_border_group = (known after apply)
+ main_route_table_id    = (known after apply)
+ owner_id               = (known after apply)
+ region                 = "me-central-1"
+ tags                   = {
+   + "Name" = "dev-vpc"
+ }
+ tags_all               = {
+   + "Name" = "dev-vpc"
+ }
}

Plan: 8 to add, 0 to change, 0 to destroy.

Changes to Outputs:
+ ec2_public_ip = (known after apply)

Warning: Deprecated attribute
on main.tf line 62, in locals:
62:   my_ip = "${chomp(data.http.my_ip.body)}/32"

The attribute "body" is deprecated. Refer to the provider documentation for details.
```

q2_terraform_apply.png

```
@23-22411-057-sudo →/workspaces/Lab_exam (main) $ terraform apply
(and one more similar warning elsewhere)

Do you want to perform these actions?
Terraform will perform the actions described above.
Only 'yes' will be accepted to approve.

Enter a value: yes

aws_route.default_route: Destroying... [id=r-rtb-0ad8cc122f8e29e281080289494]
aws_instance.my_ec2: Creating...
aws_route.default_route: Destruction complete after 1s
aws_route.default_route: Creating...
aws_route.default_route: Creation complete after 1s [id=r-rtb-0c94a4f0211b7145a1080289494]
aws_instance.my_ec2: Still creating... [00m10s elapsed]
aws_instance.my_ec2: Creation complete after 15s [id=i-00df78e6a1686b0c9]


Warning: Deprecated attribute
  on main.tf line 62, in locals:
  62:   my_ip = "${chomp(data.http.my_ip.body)}/32"

The attribute "body" is deprecated. Refer to the provider documentation for details.


Apply complete! Resources: 2 added, 0 changed, 1 destroyed.

Outputs:
ec2_public_ip = "3.29.124.197"
@23-22411-057-sudo →/workspaces/Lab_exam (main) $
```


q2_console_vpc.png




q2_console_subnet.png




q2_console_igw.png




q2_console_route_table.png



q2_console_sg.png






```
@23-22411-057-sudo → /workspaces/Lab_exam (main) $ terraform destroy
Enter a value: yes

aws_route.default_route: Destroying... [id=r-rtb-0c94a4f0211b7145a1080289494]
aws_route_table.myapp_rt: Destroying... [id=rtb-0c94a4f0211b7145a]
aws_instance.my_ec2: Destroying... [id=i-00df78e6a1686b0c9]
aws_route.default_route: Destruction complete after 2s
aws_internet_gateway.myapp_igw: Destroying... [id=igw-040c4e5ec7f082a26]
aws_route_table.myapp_rt: Destruction complete after 2s
aws_instance.my_ec2: Still destroying... [id=i-00df78e6a1686b0c9, 00m10s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-040c4e5ec7f082a26, 00m10s elapsed]
aws_instance.my_ec2: Still destroying... [id=i-00df78e6a1686b0c9, 00m20s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-040c4e5ec7f082a26, 00m20s elapsed]
aws_instance.my_ec2: Still destroying... [id=i-00df78e6a1686b0c9, 00m30s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-040c4e5ec7f082a26, 00m30s elapsed]
aws_instance.my_ec2: Still destroying... [id=i-00df78e6a1686b0c9, 00m40s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-040c4e5ec7f082a26, 00m40s elapsed]
aws_instance.my_ec2: Still destroying... [id=i-00df78e6a1686b0c9, 00m50s elapsed]
aws_internet_gateway.myapp_igw: Destruction complete after 49s
aws_instance.my_ec2: Still destroying... [id=i-00df78e6a1686b0c9, 01m00s elapsed]
aws_instance.my_ec2: Destruction complete after 1m3s
aws_subnet.myapp_subnet: Destroying... [id=subnet-0dd13276bcd7eab97]
aws_key_pair.server_key: Destroying... [id=serverkey]
aws_security_group.default_sg: Destroying... [id=sg-048a02036d30ffda]
aws_key_pair.server_key: Destruction complete after 0s
aws_subnet.myapp_subnet: Destruction complete after 1s
aws_security_group.default_sg: Destruction complete after 1s
aws_vpc.myapp_vpc: Destroying... [id=vpc-030a60acfebd1376a]
aws_vpc.myapp_vpc: Destruction complete after 1s

Destroy complete! Resources: 8 destroyed.
@23-22411-057-sudo → /workspaces/Lab_exam (main) $
```

Q3 – Ansible Playbook for EC2 Web Server Using Q2 Instance (10 marks)

q3_hosts.png



q3_ansible_cfg.png

```
GNU nano 7.2                                ansible.cfg *
```

```
[defaults]
inventory = ./hosts
host_key_checking = False
remote_python_interpreter = /usr/bin/python3
█
```

q3_playbook.png

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  nano - ans
```

```
GNU nano 7.2                                my-playbook.yml *
```

```
--
- name: Configure EC2 Web Server
  hosts: ec2
  become: true
  tasks:

    - name: Update system packages
      yum:
        name: "*"
        state: latest

    - name: Stop Nginx if running
      service:
        name: nginx
        state: stopped
        enabled: no
        ignore_errors: true

    - name: Remove Nginx if installed
      yum:
        name: nginx
        state: absent
        ignore_errors: true

    - name: Install Apache HTTPD
      yum:
        name: httpd
        state: present
```

q3_play_run.png

```
● @23-22411-057-sudo → /workspaces/Lab_exam/Lab_exam/ansible (main) $ ansible-playbook my-playbook.yml
[WARNING]: Ansible is being run in a world writable directory (/workspaces/Lab_exam/Lab_exam/ansible), ignoring it as an ansible.cfg source. For more
information see https://docs.ansible.com/ansible/devel/reference_appendices/config.html#cfg-in-world-writable-dir
[WARNING]: No inventory was parsed, only implicit localhost is available
[WARNING]: provided hosts list is empty, only localhost is available. Note that the implicit localhost does not match 'all'
[WARNING]: Could not match supplied host pattern, ignoring: ec2

PLAY [Configure EC2 Web Server] *****
skipping: no hosts matched

PLAY RECAP *****
○ @23-22411-057-sudo → /workspaces/Lab_exam/Lab_exam/ansible (main) $ █
```

q3_http_browser.png



Your connection is not private

Attackers might be trying to steal your information from **3.28.133.51** (for example, passwords, messages or credit cards). [Learn more about this warning](#)

NET-ERR_CERT_AUTHORITY_INVALID



Turn on enhanced protection to get Chrome's highest level of security

Advanced

Back to safety

This is Saira's Terraform environment.

Cleanup:

```
[Preview] README.md X yes.pub U main.tf U X
main.tf
1 provider "aws" {
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
@23-22411-057-sudo →/workspaces/Lab_exam/Lab_exam/ansible (main) $ terraform destroy -auto-approve
aws_route_table_association.myapp_rt_assoc: Destroying... [id=rtbassoc-0e2345ed708963ed0]
aws_instance.my_ec2: Destroying... [id=i-08d3e76b4eba94ae0]
aws_route_table_association.myapp_rt_assoc: Destruction complete after 1s
aws_route_table.myapp_rt: Destroying... [id=rtb-08d8674ce88b2f520]
aws_route_table.myapp_rt: Destruction complete after 1s
aws_internet_gateway.myapp_igw: Destroying... [id=igw-09112242f21dd31c6]
aws_instance.my_ec2: Still destroying... [id=i-08d3e76b4eba94ae0, 00m10s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-09112242f21dd31c6, 00m10s elapsed]
aws_instance.my_ec2: Still destroying... [id=i-08d3e76b4eba94ae0, 00m20s elapsed]
aws_internet_gateway.myapp_igw: Destruction complete after 18s
aws_instance.my_ec2: Still destroying... [id=i-08d3e76b4eba94ae0, 00m30s elapsed]
aws_instance.my_ec2: Destruction complete after 31s
aws_key_pair.server_key: Destroying... [id=serverkey]
aws_subnet.myapp_subnet: Destroying... [id=subnet-06d6311f1bb38dfb6]
aws_security_group.default_sg: Destroying... [id=sg-0cd085a590070f629]
aws_key_pair.server_key: Destruction complete after 1s
aws_subnet.myapp_subnet: Destruction complete after 1s
aws_security_group.default_sg: Destruction complete after 1s
aws_vpc.myapp_vpc: Destroying... [id=vpc-08939d9f4893c1761]
aws_vpc.myapp_vpc: Destruction complete after 1s

Warning: Deprecated attribute
  on main.tf line 44, in locals:
  44:   my_ip = "${chomp(data.http.my_ip.body)}/32"

The attribute "body" is deprecated. Refer to the provider documentation for details.

Destroy complete! Resources: 8 destroyed.
@23-22411-057-sudo →/workspaces/Lab_exam/Lab_exam/ansible (main) $
```

EC2

Instances

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

Elastic Block Store

Network & Security

AMIs

AMI Catalog

Volumes

Snapshots

Lifecycle Manager

Security Groups

CloudShell

Feedback

Console Mobile App

Search

[Alt+S]

Ask Amazon Q

Middle East (UAE)

Saïra Ejaz (1594-1663-6630)

Saïra Ejaz

Instances (1/4) info

Find Instance by attribute or tag (case-sensitive)

All states

Connect

Instance state

Actions

Launch instances

☐	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public
☐	INS1	i-0dad2808e1e70c48f	Running	t3.micro	3/3 checks passed	View alarms	me-central-1c	ec2-3-29-2-37.me-cent...	3.29.2...
☐	ec2	i-05372dc281482e8d6	Running	t3.micro	3/3 checks passed	View alarms	me-central-1c	ec2-40-172-159-252.m...	40.172...
☐	admin	i-0a553e2c0ba6609ba	Running	t3.micro	3/3 checks passed	View alarms	me-central-1c	ec2-3-28-197-11.me-ce...	3.28.15...
☒	dev-ec2-insta...	i-00df78e6a1686b0c9	Terminated	t3.micro	-	View alarms	me-central-1a	-	-

i-00df78e6a1686b0c9 (dev-ec2-instance)

DetailsStatus and alarmsMonitoringSecurityNetworkingStorageTags

Instance summary info

Instance ID

i-00df78e6a1686b0c9

IPv6 address

-

Hostname type

-

Public IPv4 address

-

Instance state

Terminated

Private IPv4 addresses

-

Public DNS

-

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences