

Lab 9

Submitted by : inshal nasir

Section : A

Roll no: 38

Submitted to : sir Shoaib

```
Ali@DESKTOP-KQE4P80 MINGW64 ~ (main)
$ winget install --id GitHub.cli
Found an existing package already installed. Trying to upgrade the installed package...
```

```
Ali@DESKTOP-KQE4P80 MINGW64 ~ (main)
$ gh auth login -s codespace
Where do you use GitHub? GitHub.com
What is your preferred protocol for Git operations on this host? HTTPS
Authenticate Git with your GitHub credentials? Yes
How would you like to authenticate GitHub CLI? Login with a web browser

First copy your one-time code: B36D-2706
Press Enter to open https://github.com/login/device in your browser...
Authentication complete.
$ gh config set -h github.com git_protocol https
Configured git protocol
Logged in as 23-22412-038-sys
You were already logged in to this account
```

```
Ali@DESKTOP-KQE4P80 MINGW64 ~ (main)
$ gh codespace list
```

NAME	DISPLAY NAME	REPOSITORY	BRANCH	STATE	CREATED AT
sturdy-para...	sturdy para...	23-22412-03...	main	Shutdown	about 12 da...
obscure-zeb...	obscure zebra	23-22412-03...	main*	Shutdown	about 12 da...

```
? Choose codespace: 23-22412-038-sys/-inshal-nasir-38- [main*]: obscure zebra
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-1030-azure x86_64)

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:       https://ubuntu.com/pro
Last login: Sun Dec 14 16:05:23 2025 from ::1
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $
```

Task 2

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws --version
aws-cli/2.32.16 Python/3.13.11 Linux/6.8.0-1030-azure exe/x86_64.ubuntu.24
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws configure
AWS Access Key ID [None]: AKIAZCN5ZS5DFNEY4OHR
AWS Secret Access Key [None]: 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
Default region name [None]: me-central-1
Default output format [None]: json
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ cat ~/.aws/credentials
cat ~/.aws/config
[default]
aws_access_key_id = AKIAZCN5ZS5DFNEY4OHR
aws_secret_access_key = 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
[default]
region = me-central-1
output = json
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws sts get-caller-identity
{
  "UserId": "AIDAZCN5ZS5DNPM5O4PRX",
  "Account": "623705167686",
  "Arn": "arn:aws:iam::623705167686:user/zzzz"
}
```

Task 3

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 create-security-group \
--group-name MySecurityGroup \
--description "My Security Group" \
--vpc-id vpc-079a26ed9b9cb32f2
{
  "GroupId": "sg-05ccb0c9bde8724e8",
  "SecurityGroupArn": "arn:aws:ec2:me-central-1:623705167686:security-group/sg-05ccb0c9bde8724e8"
}
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 describe-security-groups --group-ids sg-05ccb0c9bde8724e8
{
  "SecurityGroups": [
    {
      "GroupId": "sg-05ccb0c9bde8724e8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-079a26ed9b9cb32f2",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:623705167686:security-group/sg-05ccb0c9bde8724e8",
      "OwnerId": "623705167686",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": []
    }
  ]
}
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ curl icanhazip.com
4.240.18.227
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 authorize-security-group-ingress \
--group-id sg-05ccb0c9bde8724e8 \
--protocol tcp \
--port 22 \
--cidr 4.240.18.227/32
{
  "Return": true,
  "SecurityGroupRules": [
    {
      "SecurityGroupRuleId": "sgr-03c9e24c44966c9f3",
      "GroupId": "sg-05ccb0c9bde8724e8",
      "GroupOwnerId": "623705167686",
      "IsEgress": false,
      "IpProtocol": "tcp",
      "FromPort": 22,
      "ToPort": 22,
      "CidrIpv4": "4.240.18.227/32",
      "SecurityGroupRuleArn": "arn:aws:ec2:me-central-1:623705167686:security-group-rule/sgr-03c9e24c44966c9f3"
    }
  ]
}
```

```
$ aws ec2 authorize-security-group-ingress \
--group-id sg-05ccb0c9bde8724e8 \
--ip-permissions '[{"FromPort":80,"ToPort":80,"IpProtocol":"tcp","IpRanges":[{"CidrIp":"4.240.18.227/32"}]}'
{
  "Return": true,
  "SecurityGroupRules": [
    {
      "SecurityGroupRuleId": "sgr-04e16199952c72ef0",
      "GroupId": "sg-05ccb0c9bde8724e8",
      "GroupOwnerId": "623705167686",
      "IsEgress": false,
      "IpProtocol": "tcp",
      "FromPort": 80,
      "ToPort": 80,
      "CidrIpv4": "4.240.18.227/32",
      "SecurityGroupRuleArn": "arn:aws:ec2:me-central-1:623705167686:security-group-rule/sgr-04e16199952c72ef0"
    }
  ]
}
```

```
923-21412-038-sys → /workspaces/-inshai-nasir-38- (main) $ aws ec2 describe-security-groups --group-ids sg-05ccb0c9bde8724e8
{
  "SecurityGroups": [
    {
      "GroupId": "sg-05ccb0c9bde8724e8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-079a26ed9b9cb32f2",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:623705167686:security-group/sg-05ccb0c9bde8724e8",
      "OwnerId": "623705167686",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": [
        {
          "IpProtocol": "tcp",
          "FromPort": 80,
          "ToPort": 80,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "4.240.18.227/32"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        },
        {
          "IpProtocol": "tcp",
          "FromPort": 22,
          "ToPort": 22,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "4.240.18.227/32"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ]
    }
  ]
}
```

Task 4

```
--key-name MyED25519Key \
--key-type ed25519 \
--key-format pem \
--query 'KeyMaterial' \
--output text > MyED25519Key.pem
```

```
-l MyED25519Key.pem
-rw-rw- 1 codespace codespace 388 Dec 27 14:10 MyED25519Key.pem
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 describe-key-pairs
{
  "KeyPairs": [
    {
      "KeyPairId": "key-0a17c60c74d86b8c8",
      "KeyType": "ed25519",
      "Tags": [],
      "CreateTime": "2025-12-27T14:10:18.282000+00:00",
      "KeyName": "MyED25519Key",
      "KeyFingerprint": "6y4AWdtINiWvr6vWoGF4hqc1l+x3qt3H1lNggXMDwzw="
    }
  ]
}
```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 run-instances \
--image-id ami-05e66df2bafcb7dea \
--count 1 \
--instance-type t3.micro \
--key-name MyED25519Key \
--security-group-ids sg-05ccb0c9bde8724e8 \
--subnet-id subnet-03c38a2393aaf6920 \
--tag-specifications "ResourceType=instance,Tags=[{Key=Name,Value=MyServer}]"
{
  "ReservationId": "r-0ce6ef4ae6b3739c4",
  "OwnerId": "623705167686",
  "Groups": [],
  "Instances": [
    {
      "Architecture": "x86_64",
      "BlockDeviceMappings": [],
      "ClientToken": "ca979562-fea4-44de-8aaf-f289077ea081",
      "EbsOptimized": false,
      "EnaSupport": true,
      "Hypervisor": "xen",
      "NetworkInterfaces": [
        {
          "Attachment": {
            "AttachTime": "2025-12-27T14:16:49+00:00",
            "AttachmentId": "eni-attach-0042831c73ba683d8",
            "DeleteOnTermination": true,
            "DeviceIndex": 0,
            "Status": "attaching",
            "NetworkCardIndex": 0
          },
          "Description": "",
          "Groups": [
            {
              "GroupId": "sg-05ccb0c9bde8724e8",
              "GroupName": "MySecurityGroup"
            }
          ],
          "Ipv6Addresses": [],
          "MacAddress": "0e:15:50:a5:4b:13",
          "NetworkInterfaceId": "eni-0e457fc8c20348c4f",

```

```
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 describe-instances \
--filters "Name=tag:Name,Values=MyServer" \
--query "Reservations[*].Instances[*].[InstanceId,PublicIpAddress]" \
--output table
```

```
-----
| DescribeInstances |
|-----+-----|
| i-051db8825b44630bb | 3.28.200.73 |
|-----+-----|
```

Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added '3.28.200.73' (ED25519) to the list of known hosts.


```
@23-22412-038-sys → /workspaces/~inshal-nasir-38- (main) $ # Stop instance
aws ec2 stop-instances --instance-ids i-051db8825b44630bb

# Start instance
aws ec2 start-instances --instance-ids i-051db8825b44630bb

# Terminate instance (to avoid charges)
aws ec2 terminate-instances --instance-ids i-051db8825b44630bb
{
  "StoppingInstances": [
    {
      "InstanceId": "i-051db8825b44630bb",
      "CurrentState": {
        "Code": 64,
        "Name": "stopping"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    }
  ]
}
```

```
{
  "TerminatingInstances": [
    {
      "InstanceId": "i-051db8825b44630bb",
      "CurrentState": {
        "Code": 32,
        "Name": "shutting-down"
      },
      "PreviousState": {
        "Code": 64,
        "Name": "stopping"
      }
    }
  ]
}
```

Task 5

```

aws ec2 describe-vpcs
aws ec2 describe-subnets
aws ec2 describe-instances
aws ec2 describe-regions
aws ec2 describe-availability-zones
{
  "SecurityGroups": [
    {
      "GroupId": "sg-05ccb0c9bde8724e8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-079a26ed9b9cb32f2",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:623705167686:security-group/sg-05ccb0c9bde8724e8",
      "OwnerId": "623705167686",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": [
        {
          "IpProtocol": "tcp",
          "FromPort": 80,
          "ToPort": 80,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "4.240.18.227/32"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      {
        "IpProtocol": "tcp",

```

```

    "IpPermissionsEgress": [
      {
        "IpProtocol": "-1",
        "UserIdGroupPairs": [],
        "IpRanges": [
          {
            "CidrIp": "0.0.0.0/0"
          }
        ],
        "Ipv6Ranges": [],
        "PrefixListIds": []
      }
    ],
    "VpcId": "vpc-079a26ed9b9cb32f2",
    "SecurityGroupArn": "arn:aws:ec2:me-central-1:623705167686:security-group/sg-0cb37394bf16ab2a5",
    "OwnerId": "623705167686",
    "GroupName": "default",
    "Description": "default VPC security group",
    "IpPermissions": [
      {
        "IpProtocol": "tcp",
        "FromPort": 80,
        "ToPort": 80,
        "UserIdGroupPairs": [],
        "IpRanges": [
          {
            "CidrIp": "154.192.1.59/32"
          }
        ],
        "Ipv6Ranges": [],
        "PrefixListIds": []
      },
      {
        "IpProtocol": "tcp",
        "FromPort": 22,
        "ToPort": 22,
        "UserIdGroupPairs": [],
        "IpRanges": [
          {
            "CidrIp": "206.84.147.78/32"
          }
        ],
        "Ipv6Ranges": [],
        "PrefixListIds": []
      }
    ]
  }
}

```

```

{
  "vpcs": [
    {
      "OwnerId": "623705167686",
      "InstanceTenancy": "default",
      "CidrBlockAssociationSet": [
        {
          "AssociationId": "vpc-cidr-assoc-0dbcc892062f89bef",
          "CidrBlock": "172.31.0.0/16",
          "CidrBlockState": {
            "State": "associated"
          }
        }
      ],
      "IsDefault": true,
      "BlockPublicAccessStates": {
        "InternetGatewayBlockMode": "off"
      },
      "VpcId": "vpc-079a26ed9b9cb32f2",
      "State": "available",
      "CidrBlock": "172.31.0.0/16",
      "DhcpOptionsId": "dopt-02dd4ed017908b331"
    }
  ]
}

```



```

"Subnets": [
  {
    "AvailabilityZoneId": "mec1-az3",
    "MapCustomerOwnedIpOnLaunch": false,
    "OwnerId": "623705167686",
    "AssignIpv6AddressOnCreation": false,
    "Ipv6CidrBlockAssociationSet": [],
    "SubnetArn": "arn:aws:ec2:me-central-1:623705167686:subnet/subnet-03c38a2393aaf6920",
    "EnabledDns64": false,
    "Ipv6Native": false,
    "PrivateDnsNameOptionsOnLaunch": {
      "HostnameType": "ip-name",
      "EnableResourceNameDnsARecord": false,
      "EnableResourceNameDnsAAAARecord": false
    },
    "BlockPublicAccessStates": {
      "InternetGatewayBlockMode": "off"
    },
    "SubnetId": "subnet-03c38a2393aaf6920",
    "State": "available",
    "VpcId": "vpc-079a26ed9b9cb32f2",
    "CidrBlock": "172.31.0.0/20",
    "AvailableIpAddressCount": 4091,
    "AvailabilityZone": "me-central-1c",
    "DefaultForAz": true,
    "MapPublicIpOnLaunch": true
  },
  {
    "AvailabilityZoneId": "mec1-az1",
    "MapCustomerOwnedIpOnLaunch": false,
    "OwnerId": "623705167686",
    "AssignIpv6AddressOnCreation": false,
    "Ipv6CidrBlockAssociationSet": [],
    "SubnetArn": "arn:aws:ec2:me-central-1:623705167686:subnet/subnet-08a73f8aa1dee72d3",
    "EnabledDns64": false,
    "Ipv6Native": false,
    "PrivateDnsNameOptionsOnLaunch": {
      "HostnameType": "ip-name",
      "EnableResourceNameDnsARecord": false,
      "EnableResourceNameDnsAAAARecord": false
    },
    "BlockPublicAccessStates": {
      "InternetGatewayBlockMode": "off"
    },
    "SubnetId": "subnet-08a73f8aa1dee72d3",
    "State": "available",
  }
]

```

```
"Reservations": [
  {
    "ReservationId": "r-0ce6ef4ae6b3739c4",
    "OwnerId": "623705167686",
    "Groups": [],
    "Instances": [
      {
        "Architecture": "x86_64",
        "BlockDeviceMappings": [],
        "ClientToken": "ca979562-fea4-44de-8aaf-f289077ea081",
        "EbsOptimized": false,
        "EnaSupport": true,
        "Hypervisor": "xen",
        "NetworkInterfaces": [],
        "RootDeviceName": "/dev/xvda",
        "RootDeviceType": "ebs",
        "SecurityGroups": [],
        "StateReason": {
          "Code": "Client.UserInitiatedShutdown",
          "Message": "Client.UserInitiatedShutdown: User initiated shutdown"
        },
        "Tags": [
          {
            "Key": "Name",
            "Value": "MyServer"
          }
        ],
        "VirtualizationType": "hvm",
        "CpuOptions": {
          "CoreCount": 1,
          "ThreadsPerCore": 2
        },
        "CapacityReservationSpecification": {
          "CapacityReservationPreference": "open"
        },
        "HibernationOptions": {
          "Configured": false
        },
        "MetadataOptions": {
          "State": "pending",
          "HttpTokens": "required",
          "HttpPutResponseHopLimit": 2,
          "HttpEndpoint": "enabled",
          "HttpProtocolIpv6": "disabled",
          "InstanceMetadataTags": "disabled"
        }
      }
    ]
  }
]
```

```
"Regions": [  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "ap-south-1",  
    "Endpoint": "ec2.ap-south-1.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "eu-north-1",  
    "Endpoint": "ec2.eu-north-1.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "eu-west-3",  
    "Endpoint": "ec2.eu-west-3.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "eu-west-2",  
    "Endpoint": "ec2.eu-west-2.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "eu-west-1",  
    "Endpoint": "ec2.eu-west-1.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "ap-northeast-3",  
    "Endpoint": "ec2.ap-northeast-3.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "ap-northeast-2",  
    "Endpoint": "ec2.ap-northeast-2.amazonaws.com"  
  },  
  {  
    "OptInStatus": "opt-in-not-required",  
    "RegionName": "ap-northeast-1",  
    "Endpoint": "ec2.ap-northeast-1.amazonaws.com"  
  },  
],
```

```

"AvailabilityZones": [
  {
    "OptInStatus": "opt-in-not-required",
    "Messages": [],
    "RegionName": "me-central-1",
    "ZoneName": "me-central-1a",
    "ZoneId": "mec1-az1",
    "GroupName": "me-central-1-zg-1",
    "NetworkBorderGroup": "me-central-1",
    "ZoneType": "availability-zone",
    "GroupLongName": "Middle East (UAE) 1",
    "State": "available"
  },
  {
    "OptInStatus": "opt-in-not-required",
    "Messages": [],
    "RegionName": "me-central-1",
    "ZoneName": "me-central-1b",
    "ZoneId": "mec1-az2",
    "GroupName": "me-central-1-zg-1",
    "NetworkBorderGroup": "me-central-1",
    "ZoneType": "availability-zone",
    "GroupLongName": "Middle East (UAE) 1",
    "State": "available"
  },
  {
    "OptInStatus": "opt-in-not-required",
    "Messages": [],
    "RegionName": "me-central-1",
    "ZoneName": "me-central-1c",
    "ZoneId": "mec1-az3",
    "GroupName": "me-central-1-zg-1",
    "NetworkBorderGroup": "me-central-1",
    "ZoneType": "availability-zone",
    "GroupLongName": "Middle East (UAE) 1",
    "State": "available"
  }
]

```

Task 6

```

023-22412-038-sys ~ /workspaces/~inshal-nasir-38- (main) $ aws iam create-group --group-name MyGroupCli
aws iam get-group --group-name MyGroupCli
aws iam create-user --user-name MyUserCli
aws iam get-user --user-name MyUserCli
{
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPAZCN5ZS5DHF5F2RFNY",
    "Arn": "arn:aws:iam::623705167686:group/MyGroupCli",
    "CreateDate": "2025-12-27T17:10:33+00:00"
  }
}
{
  "Users": [],
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPAZCN5ZS5DHF5F2RFNY",
    "Arn": "arn:aws:iam::623705167686:group/MyGroupCli",
    "CreateDate": "2025-12-27T17:10:33+00:00"
  }
}
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDAZCN5ZS5DCV6JAI6E5",
    "Arn": "arn:aws:iam::623705167686:user/MyUserCli",
    "CreateDate": "2025-12-27T17:10:36+00:00"
  }
}
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDAZCN5ZS5DCV6JAI6E5",
    "Arn": "arn:aws:iam::623705167686:user/MyUserCli",
    "CreateDate": "2025-12-27T17:10:36+00:00"
  }
}

```

```

023-22412-038-sys ~ /workspaces/~inshal-nasir-38- (main) $ aws iam add-user-to-group --user-name MyUserCli --group-name MyGroupCli
aws iam get-group --group-name MyGroupCli
{
  "Users": [
    {
      "Path": "/",
      "UserName": "MyUserCli",
      "UserId": "AIDAZCN5ZS5DCV6JAI6E5",
      "Arn": "arn:aws:iam::623705167686:user/MyUserCli",
      "CreateDate": "2025-12-27T17:10:36+00:00"
    }
  ],
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPAZCN5ZS5DHF5F2RFNY",
    "Arn": "arn:aws:iam::623705167686:group/MyGroupCli",
    "CreateDate": "2025-12-27T17:10:33+00:00"
  }
}

```

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws iam list-policies \
  --query "Policies[?contains(PolicyName, 'EC2')].PolicyName" \
  --output text

aws iam attach-group-policy \
  --group-name MyGroupCli \
  --policy-arn arn:aws:iam::aws:policy/AmazonEC2FullAccess

aws iam list-attached-group-policies --group-name MyGroupCli
AmazonEC2FullAccess      AmazonEC2ReadOnlyAccess AmazonElasticMapReduceforEC2Role      AmazonEC2RoleforDataPipelineRole
onEC2ContainerServiceRole
AmazonEC2RoleforAWSCodeDeploy      AmazonEC2RoleforSSM      CloudWatchActionsEC2Access      AmazonEC2ContainerRegistryReadOnly
onEC2ContainerRegistryFullAccess      AmazonEC2ContainerServiceAutoscaleRole      AmazonEC2SpotFleetAutoscaleRole
AWSLambdaElasticBeanstalkCustomPlatformforEC2Role      AmazonEC2ContainerServiceEventsRole      AmazonEC2SpotFleetTaggingRole      Aw
ScheduledInstances      AWSSEC2SpotFleetServiceRolePolicy      AWSApplicationAutoscalingEC2SpotFleetRequestPolicy
AWSSEC2FleetServiceRolePolicy      AWSAutoScalingPlansEC2AutoScalingPolicy
EC2InstanceConnect
AmazonEC2RolePolicyForLaunchWizard      EC2InstanceProfileForImageBuilder      EC2FleetTimeShifttableServiceRolePolicy
AmazonEC2RoleforAWSCodeDeploylimited
EC2InstanceProfileForImageBuilderECRContainerBuilds      AWSApplicationMigrationEC2Access
AWSSEC2CapacityReservationFleetRolePolicy      EC2FastLaunchServiceRolePolicy
AmazonSSMManagedEC2InstanceDefaultPolicy      AWSFaultInjectionSimulatorEC2Access
EC2ImageBuilderLifecycleExecutionPolicy      AWSSEC2VssSnapshotPolicy      EC2FastLaunchFullAccess
AmazonEC2ContainerRegistryPullOnly      DeclarativePoliciesEC2Report
AmazonEC2ImageReferencesAccessPolicy      AWSSEC2CapacityManagerServiceRolePolicy
AWSSEC2SqlHaServiceRolePolicy      AWSSEC2SqlHaInstancePolicy      AWSLambdaManagedEC2ResourceOperator
{
  "AttachedPolicies": [
    {
      "PolicyName": "AmazonEC2FullAccess",
      "PolicyArn": "arn:aws:iam::aws:policy/AmazonEC2FullAccess"
    }
  ]
}

```

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws iam create-login-profile \
  --user-name MyUserCli \
  --password TempPassword@123 \
  --password-reset-required
{
  "LoginProfile": {
    "UserName": "MyUserCli",
    "CreateDate": "2025-12-27T17:14:28+00:00",
    "PasswordResetRequired": true
  }
}

```

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws iam create-login-profile \
  --user-name MyUserCli \
  --password TempPassword@123 \
  --password-reset-required
{
  "LoginProfile": {
    "UserName": "MyUserCli",
    "CreateDate": "2025-12-27T17:14:28+00:00",
    "PasswordResetRequired": true
  }
}

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws iam attach-group-policy \
  --group-name MyGroupCli \
  --policy-arn arn:aws:iam::aws:policy/IAMUserChangePassword
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws iam detach-group-policy \
  --group-name MyGroupCli \
  --policy-arn arn:aws:iam::aws:policy/IAMUserChangePassword

```



```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws iam create-access-key --user-name MyUserCli
aws iam list-access-keys --user-name MyUserCli
{
  "AccessKey": {
    "UserName": "MyUserCli",
    "AccessKeyId": "AKIAZCN5ZS5DIQQZWZMM",
    "Status": "Active",
    "SecretAccessKey": "O Ae9Am18XCPdpV4EBnGmooGsFN170cIN98Hrove+",
    "CreateDate": "2025-12-27T17:16:40+00:00"
  }
}
{
  "AccessKeyMetadata": [
    {
      "UserName": "MyUserCli",
      "AccessKeyId": "AKIAZCN5ZS5DIQQZWZMM",
      "Status": "Active",
      "CreateDate": "2025-12-27T17:16:40+00:00"
    }
  ]
}

```

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ export AWS_ACCESS_KEY_ID=AKIAZCN5ZS5DIQQZWZMM
export AWS_SECRET_ACCESS_KEY=O Ae9Am18XCPdpV4EBnGmooGsFN170cIN98Hrove+
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ printenv | grep AWS_
AWS_SECRET_ACCESS_KEY=O Ae9Am18XCPdpV4EBnGmooGsFN170cIN98Hrove+
AWS_ACCESS_KEY_ID=AKIAZCN5ZS5DIQQZWZMM

```

Task 7

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 describe-instances \
--filters "Name=instance-type,Values=t3.micro" \
--query "Reservations[].Instances[].InstanceId" \
--output table
@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 describe-instances \
--filters "Name=instance-type,Values=t3.micro" \
--query "Reservations[].Instances[].InstanceId" \
--output table

```

Task 8

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 describe-instances \
--query "Reservations[*].Instances[*].[InstanceId,State.Name]" \
--output table

```

Cleanup

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 delete-security-group --group-id sg-05ccb0c9bde8724e8
{
  "Return": true,
  "GroupId": "sg-05ccb0c9bde8724e8"
}

```

```

@23-22412-038-sys → /workspaces/-inshal-nasir-38- (main) $ aws ec2 delete-key-pair --key-name MyED25519key
{
  "Return": true,
  "KeyPairId": "key-0a17c60c74d86b8c8"
}

```