
Started on Wednesday, 7 May 2025, 3:18 PM

State Finished

Completed on Wednesday, 7 May 2025, 3:40 PM

Time taken 21 mins 54 secs

Grade 100.00 out of 100.00

Question 1

Correct

Mark 20.00 out of 20.00

Write a python program to create a [stack](#) with a maximum size of 5 using Lifo [Queue](#). Get the input from the user and check whether the [stack](#) is full and then display the [stack](#) values in reverse order

For example:

Input	Result
4	False
10	40
20	30
30	20
40	10
5	True
2	3
4	8
6	6
8	4
3	2

Answer: (penalty regime: 0 %)

Reset answer

```

1 from queue import LifoQueue
2 stack = LifoQueue(maxsize=5)
3 n= int(input())
4 for i in range(n):
5     stack.put(input())
6 print(stack.full())
7 for i in range(n):
8     print(stack.get())

```

	Input	Expected	Got	
✓	4	False	False	✓
	10	40	40	
	20	30	30	
	30	20	20	
	40	10	10	
✓	5	True	True	✓
	2	3	3	
	4	8	8	
	6	6	6	
	8	4	4	
	3	2	2	

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **2**

Correct

Mark 20.00 out of 20.00

Develop a python program to get string values from the user and display the values using circular [queue](#)

For example:

Input	Result
4 Python Java C C++	Python Java C C++
5 Java C# C Python C++	Java C# C Python C++

Answer: (penalty regime: 0 %)

Reset answer

```

1 class MyCircularQueue():
2     def __init__(self, k):
3         self.k = k
4         self.queue = [None] * k
5         self.head = self.tail = -1
6     def enqueue(self, data):
7         if ((self.tail + 1) % self.k == self.head):
8             print("The circular queue is full\n")
9         elif (self.head == -1):
10            self.head = 0
11            self.tail = 0
12            self.queue[self.tail] = data
13        else:
14            self.tail = (self.tail + 1) % self.k
15            self.queue[self.tail] = data
16        #
17    def printCQueue(self):
18        if(self.head == -1):
19            print("No element in the circular queue")
20        elif (self.tail >= self.head):
21            for i in range(self.head, self.tail + 1):
22                print(self.queue[i], end=" ")

```

	Input	Expected	Got	
✓	4 Python Java C C++	Python Java C C++	Python Java C C++	✓
✓	5 Java C# C Python C++	Java C# C Python C++	Java C# C Python C++	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **3**

Correct

Mark 20.00 out of 20.00

Develop a python program to add only the even unique numbers using appendleft() from n given numbers

For example:

Input	Result
5 2 5 8 2 4	deque([4, 8, 2])
6 3 5 2 8 2 5	deque([8, 2])

Answer: (penalty regime: 0 %)

```

1 from collections import deque
2 class Queue:
3     def __init__(self):
4         self.queue = deque()
5     def add_element(self, val):
6         if val%2==0 and val not in self.queue:
7             self.queue.appendleft(val)
8             return True
9         return False
10 TheQueue = Queue()
11 n=int(input())
12 for i in range(n):
13     TheQueue.add_element(int(input()))
14 print(TheQueue.queue)

```

	Input	Expected	Got	
✓	5 2 5 8 2 4	deque([4, 8, 2])	deque([4, 8, 2])	✓
✓	6 3 5 2 8 2 5	deque([8, 2])	deque([8, 2])	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **4**

Correct

Mark 20.00 out of 20.00

Write a python program to reverse a string using [stack](#) concept

For example:

Input	Result
Python	nohtyP

Answer: (penalty regime: 0 %)

```

1  def swap(s, i, j):
2      temp = s[i]
3      s[i] = s[j]
4      s[j] = temp
5
6  def reverse(s, i=0, j=len(s)-1):
7      if i < j:
8          return i, j
9
10     i, j = reverse(s, i+1, j-1)
11     if i < j:
12         swap(s, i, j)
13         i += 1
14         j -= 1
15     return i, j
16
17 s = input()
18 chars = [*s]
19 reverse(chars)
20 s = ''.join(chars)

```

	Input	Expected	Got	
✓	Python	nohtyP	nohtyP	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **5**

Correct

Mark 20.00 out of 20.00

Write a Python program to get the name, attendance and Id of a student and check they are eligible for exam using multiple inheritance

Note: attendance >75 eligible student else Not Eligible student

For example:

Input	Result
saveetha 21 88	saveetha 21 Eligible for Exam
sachin 22 71	sachin 22 Not Eligible for Exam

Answer: (penalty regime: 0 %)

```

1 class l:
2     def __init__(self,name,Id,at):
3         self.name=name
4         self.at=at
5         self.id=Id
6     def Print(self):
7         print(self.name)
8         print(self.id)
9         if self.at>75:
10            print("Eligible for Exam")
11        else:
12            print("Not Eligible for Exam")
13 k=l(input(),int(input()),int(input()))
14 k.Print()
15

```

	Input	Expected	Got	
✓	saveetha 21 88	saveetha 21 Eligible for Exam	saveetha 21 Eligible for Exam	✓
✓	sachin 22 71	sachin 22 Not Eligible for Exam	sachin 22 Not Eligible for Exam	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.