

```
Windows PowerShell
PS C:\Users\joseq\LYA2\compilador> cd Ejercicio13_P00
PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> python -m venv .venv
PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> .\venv\Scripts\Activate.ps1
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> code .
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> pip install -r requirements.txt
Collecting antlr4-python3-runtime==4.13.2 (from -r requirements.txt (line 1))
Using cached antlr4_python3_runtime-4.13.2-py3-none-any.whl.metadata (384 bytes)
Using cached antlr4_python3_runtime-4.13.2-py3-none-any.whl (144 kB)
Installing collected packages: antlr4-python3-runtime
Successfully installed antlr4-python3-runtime-4.13.2
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> py .\Ejercicio13_P00.py
¿Cómo deseas ingresar el código?
1. Leer desde un archivo (.txt)
2. Escribir directamente en la consola / terminal
Selecciona una opción (1 o 2): 1
Escribe la ruta del archivo: C:\Users\joseq\Downloads\ejercicio13_prueba.txt

INFORMACION DEL ARCHIVO
-----
Ruta: C:\Users\joseq\Downloads\ejercicio13_prueba.txt
Extension: .txt

CODIGO ORIGINAL
-----
CREATE TABLE equipos (
id_equipo SERIAL PRIMARY KEY,
nombre_equipo VARCHAR(100) NOT NULL,
ip VARCHAR(45) NOT NULL
);
CREATE TABLE alertas_seguridad (
id_alerta SERIAL PRIMARY KEY,
id_equipo INTEGER NOT NULL,
tipo_alerta VARCHAR(100) NOT NULL,
severidad VARCHAR(20) NOT NULL,
fecha_alerta DATE NOT NULL
);
INSERT INTO equipos (nombre_equipo, ip) VALUES
('Servidor Web', '192.168.1.10'),

21°C
Mayorm. nublado
```

```
Windows PowerShell
INSERT INTO equipos (nombre_equipo, ip) VALUES
('Servidor Web', '192.168.1.10'),
('Base de Datos', '192.168.1.20');

INSERT INTO alertas_seguridad (id_equipo, tipo_alerta,
severidad, fecha_alerta) VALUES
(1, 'Intento de acceso no autorizado', 'Alta', '2026-06-20'),
(2, 'Escaneo de puertos', 'Media', '2026-06-21');

SELECT
e.nombre_equipo,
e.ip,
a.tipo_alerta,
a.severidad,
a.fecha_alerta
FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

TOKENS
-----
LEXEMA      TOKEN      TIPO  LINEA  COLUMNA
-----
CREATE      CREATE      1      1      0
TABLE      TABLE      2      1      7
equipos     ID          26     1     13
(           PAR_A      22     1     21
id_equipo  ID          26     2      0
SERIAL     SERIAL      3      2     10
PRIMARY    PRIMARY     4      2     17
KEY         KEY         5      2     25
,           COMA        24     2     28
nombre_equipo ID          26     3      0
VARCHAR    VARCHAR     6      3     14
(           PAR_A      22     3     21
100        NUM         27     3     22
)          PAR_C      23     3     25
NOT        NOT         7      3     27
NULL       NULL        8      3     31
,           COMA        24     3     35
ip         ID          26     4      0
VARCHAR    VARCHAR     6      4      3

21°C
Buscar
```

```
Windows PowerShell
)      PAR_C      23      4      13
NOT    NOT        7      4      15
NULL   NULL       8      4      19
)      PAR_C      23      5      0
;      PUNTO_COMA  21      5      1
CREATE CREATE     1      6      0
TABLE  TABLE     2      6      7
alertas_seguridad ID      26      6      13
(      PAR_A      22      6      31
id_alerta ID      26      7      0
SERIAL  SERIAL     3      7      10
PRIMARY PRIMARY     4      7      17
KEY     KEY        5      7      25
;      COMA       24      7      28
id_equipo ID      26      8      0
INTEGER INTEGER     9      8      10
NOT     NOT        7      8      18
NULL    NULL       8      8      22
;      COMA       24      8      26
tipo_alerta ID      26      9      0
VARCHAR  VARCHAR    6      9      12
(      PAR_A      22      9      19
100     NUM        27      9      20
)      PAR_C      23      9      23
NOT     NOT        7      9      25
NULL    NULL       8      9      29
;      COMA       24      9      33
severidad ID      26     10      0
VARCHAR  VARCHAR    6     10     10
(      PAR_A      22     10     17
20     NUM        27     10     18
)      PAR_C      23     10     20
NOT     NOT        7     10     22
NULL    NULL       8     10     26
;      COMA       24     10     30
fecha_alerta ID      26     11      0
DATE    DATE       19     11     13
NOT     NOT        7     11     18
NULL    NULL       8     11     22
;      PAR_C      23     12      0
;      PUNTO_COMA  21     12      1
```

```
Windows PowerShell
NOT    NOT        7      11     18
NULL   NULL       8      11     22
)      PAR_C      23      12      0
;      PUNTO_COMA  21      12      1
INSERT INSERT     11      14      0
INTO   INTO       12      14      7
equipos ID      26      14      12
(      PAR_A      22      14      20
nombre_equipo ID      26      14      21
;      COMA       24      14      34
ip     ID      26      14      36
)      PAR_C      23      14      38
VALUES VALUES    13      14      40
(      PAR_A      22      15      0
'Servidor Web' STRING_LIT 28      15      1
;      COMA       24      15      15
'192.168.1.10' STRING_LIT 28      15      17
)      PAR_C      23      15      31
;      COMA       24      15      32
(      PAR_A      22      16      0
'Base de Datos' STRING_LIT 28      16      1
;      COMA       24      16      16
'192.168.1.20' STRING_LIT 28      16      18
)      PAR_C      23      16      32
;      PUNTO_COMA  21      16      33
INSERT INSERT     11      18      0
INTO   INTO       12      18      7
alertas_seguridad ID      26      18      12
(      PAR_A      22      18      30
id_equipo ID      26      18      31
;      COMA       24      18      40
tipo_alerta ID      26      18      42
;      COMA       24      18      53
severidad ID      26      19      0
;      COMA       24      19      9
fecha_alerta ID      26      19      11
)      PAR_C      23      19      23
VALUES VALUES    13      19      25
(      PAR_A      22      20      0
1      NUM        27      20      1
;      COMA       24      20      2
```

```
Windows PowerShell
(
  PAR_A      22 20 0
  NUM        27 20 1
  COMA       24 20 2
  'Intento de acceso no autorizado' STRING_LIT 28 20 4
  COMA       24 20 37
  'Alta'     STRING_LIT 28 20 39
  COMA       24 20 45
  '2026-06-20' STRING_LIT 28 20 47
  PAR_C      23 20 59
  COMA       24 20 60
  PAR_A      22 21 0
  NUM        27 21 1
  COMA       24 21 2
  'Escaneo de puertos' STRING_LIT 28 21 4
  COMA       24 21 24
  'Media'    STRING_LIT 28 21 26
  COMA       24 21 33
  '2026-06-21' STRING_LIT 28 21 35
  PAR_C      23 21 47
  PUNTO_COMA 21 21 48
  SELECT     SELECT 14 23 0
  ID         26 24 0
  PUNTO      25 24 1
  nombre_equipo ID 26 24 2
  COMA       24 24 15
  ID         26 25 0
  PUNTO      25 25 1
  ID         26 25 2
  COMA       24 25 4
  ID         26 26 0
  PUNTO      25 26 1
  tipo_alerta ID 26 26 2
  COMA       24 26 13
  ID         26 27 0
  PUNTO      25 27 1
  ID         26 27 2
  severidad  COMA 24 27 11
  ID         26 28 0
  PUNTO      25 28 1
  fecha_alerta ID 26 28 2
  FROM       FROM 15 29 0
)

21° 07:08 p. m. 04/07/2026
```

```
Windows PowerShell
.
PUNTO      25 25 1
ip         ID 26 25 2
COMA       24 25 4
a         ID 26 26 0
PUNTO      25 26 1
tipo_alerta ID 26 26 2
COMA       24 26 13
a         ID 26 27 0
PUNTO      25 27 1
severidad ID 26 27 2
COMA       24 27 11
a         ID 26 28 0
PUNTO      25 28 1
fecha_alerta ID 26 28 2
FROM       FROM 15 29 0
alertas_seguridad ID 26 29 5
a         ID 26 29 23
INNER     INNER 16 29 25
JOIN      JOIN 17 29 31
equipos   ID 26 29 36
e         ID 26 29 44
ON        ON 18 29 46
a         ID 26 29 49
PUNTO      25 29 50
id_equipo ID 26 29 51
=         IGUAL 20 29 61
e         ID 26 29 63
PUNTO      25 29 64
id_equipo ID 26 29 65
WHERE     WHERE 19 30 0
a         ID 26 30 6
PUNTO      25 30 7
severidad ID 26 30 8
=         IGUAL 20 30 18
'Alta'    STRING_LIT 28 30 20
PUNTO_COMA 21 30 26
;

ERRORES LEXICOS
No hay errores lexicos
(..env) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> |

21° 07:08 p. m. 04/07/2026
```

```
Windows PowerShell
.
severidad ID PUNTO 25 30 7
= IGUAL 26 30 8
'Alta' STRING_LIT 28 30 20
; PUNTO_COMA 21 30 26

ERRORES LEXICOS
-----
No hay errores lexicos
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> py .\Ejercicio13_P00.py
¿Cómo deseas ingresar el código?
1. Leer desde un archivo (.txt)
2. Escribir directamente en la consola / terminal
Selecciona una opción (1 o 2): 2
? CREATE TABLE equipos (

FLUJO DE TOKENS:
<antlr4.CommonTokenStream.CommonTokenStream object at 0x00000180ED5BAFC0>
-----
Text: CREATE
Linea: 1
Columna: 0
Tipo: CREATE
-----
Text: TABLE
Linea: 1
Columna: 7
Tipo: TABLE
-----
Text: equipos
Linea: 1
Columna: 13
Tipo: ID
-----
Text: (
Linea: 1
Columna: 21
Tipo: PAR_A
-----
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> id_equipo SERIAL PRIMARY KEY,
>> nombre_equipo VARCHAR(100) NOT NULL,
```

```
Windows PowerShell
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> deactivate
PS C:\Users\joseq\LYA2\compilador\Ejercicio13_P00> cd ..
PS C:\Users\joseq\LYA2\compilador> cd Ejercicio14_P00
PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> python -m venv .venv
PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> .\venv\Scripts\Activate.ps1
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> code .
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> pip install -r requirements.txt
Collecting antlr4-python3-runtime==4.13.2 (from -r requirements.txt (line 1))
  Using cached antlr4_python3_runtime-4.13.2-py3-none-any.whl.metadata (304 bytes)
Using cached antlr4_python3_runtime-4.13.2-py3-none-any.whl (144 kB)
Installing collected packages: antlr4-python3-runtime
Successfully installed antlr4-python3-runtime-4.13.2
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> py .\Ejercicio14_P00.py
Traceback (most recent call last):
  File "C:\Users\joseq\LYA2\compilador\Ejercicio14_P00\Ejercicio14_P00.py", line 3, in <module>
    from ExprLexer import ExprLexer
ModuleNotFoundError: No module named 'ExprLexer'
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> py .\Ejercicio14_P00.py
¿Cómo deseas ingresar el código?
1. Leer desde un archivo (.txt)
2. Escribir directamente en la consola / terminal
Selecciona una opción (1 o 2): 1
Escribe la ruta del archivo: C:\Users\joseq\Downloads\ejercicio14_prueba.txt

INFORMACION DEL ARCHIVO
-----
Ruta: C:\Users\joseq\Downloads\ejercicio14_prueba.txt
Extension: .txt

CODIGO ORIGINAL
-----
UPDATE incidentes_seguridad
SET estado = 'MITIGADO', severidad = 'MEDIA'
WHERE id_incidente = 3;

TOKENS
-----
LEXEMA      TOKEN      TIPO  LINEA  COLUMN
-----
UPDATE      UPDATE      1     1      0
```

```
Windows PowerShell
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> py .\Ejercicio14_P00.py
¿Cómo deseas ingresar el código?
1. Leer desde un archivo (.txt)
2. Escribir directamente en la consola / terminal
Selecciona una opción (1 o 2): 1
Escribe la ruta del archivo: C:\Users\joseq\Downloads\ejercicio14_prueba.txt

INFORMACION DEL ARCHIVO
-----
Ruta: C:\Users\joseq\Downloads\ejercicio14_prueba.txt
Extension: .txt

CODIGO ORIGINAL
-----
UPDATE incidentes_seguridad
SET estado = 'MITIGADO', severidad = 'MEDIA'
WHERE id_incidente = 3;

TOKENS
-----
LEXEMA      TOKEN      TIPO  LINEA  COLUMNA
-----
UPDATE      UPDATE     1     1      0
incidentes_seguridad ID          7     1      7
SET          SET        2     2      0
estado      ID         7     2      4
=           IGUAL      4     2     11
'MITIGADO'  STRING_LIT 9     2     13
,          COMA       5     2     23
severidad  ID         7     2     25
=           IGUAL      4     2     35
'MEDIA'    STRING_LIT 9     2     37
WHERE      WHERE      3     3      0
id_incidente ID         7     3      6
=           IGUAL      4     3     19
3          NUM       8     3     21
;          PUNTO_COMA 6     3     22

ERRORES LEXICOS
-----
No hay errores lexicos
```

```
Windows PowerShell
No hay errores lexicos
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> py .\Ejercicio14_P00.py
¿Cómo deseas ingresar el código?
1. Leer desde un archivo (.txt)
2. Escribir directamente en la consola / terminal
Selecciona una opción (1 o 2): 2
? UPDATE incidentes_seguridad

FLUJO DE TOKENS:
<antlr4.CommonTokenStream.CommonTokenStream object at 0x000002697560AFC0>
-----
Texto: UPDATE
Linea: 1
Columna: 0
Tipo: UPDATE
-----
Texto: incidentes_seguridad
Linea: 1
Columna: 7
Tipo: ID
-----
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> SET estado = 'MITIGADO', severidad = 'MEDIA'
Set-Variable : No se encuentra ningún parámetro de posición que acepte el argumento 'System.Object[]'.
En línea: 1 Carácter: 1
+ SET estado = 'MITIGADO', severidad = 'MEDIA'
+ ~~~~~
+ CategoryInfo          : InvalidArgument: (:) [Set-Variable], ParameterBindingException
+ FullyQualifiedErrorId : PositionalParameterNotFound,Microsoft.PowerShell.Commands.SetVariableCommand

(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> py .\Ejercicio14_P00.py
¿Cómo deseas ingresar el código?
1. Leer desde un archivo (.txt)
2. Escribir directamente en la consola / terminal
Selecciona una opción (1 o 2): 2
? SET estado = 'MITIGADO', severidad = 'MEDIA'

FLUJO DE TOKENS:
<antlr4.CommonTokenStream.CommonTokenStream object at 0x000002743D51AFC0>
-----
Texto: SET
Linea: 1
```

```
Windows PowerShell
Text: SET
Linea: 1
Columna: 0
Tipo: SET
-----
Text: estado
Linea: 1
Columna: 4
Tipo: ID
-----
Text: =
Linea: 1
Columna: 11
Tipo: IGUAL
-----
Text: 'MITIGADO'
Linea: 1
Columna: 13
Tipo: STRING_LIT
-----
Text: ,
Linea: 1
Columna: 23
Tipo: COMA
-----
Text: severidad
Linea: 1
Columna: 25
Tipo: ID
-----
Text: =
Linea: 1
Columna: 35
Tipo: IGUAL
-----
Text: 'MEDIA'
Linea: 1
Columna: 37
Tipo: STRING_LIT
-----
(..venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_P00> |
```

```
Windows PowerShell
(..venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> deactivate
PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> cd ..
PS C:\Users\joseq\LYA2\compilador> cd Ejercicio13_Streamlit
PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> python -m venv .venv
PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> .\venv\Scripts\Activate.ps1
(..venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> python -m pip install --upgrade pip
Requirement already satisfied: pip in .\venv\Lib\site-packages (26.1.2)
(..venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> code .
(..venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> pip install -r requirements.txt
Collecting streamlit (from -r requirements.txt (line 1))
  Using cached streamlit-1.58.0-py3-none-any.whl.metadata (9.6 kB)
Collecting antlr4-python3-runtime==4.13.2 (from -r requirements.txt (line 2))
  Using cached antlr4_python3_runtime-4.13.2-py3-none-any.whl.metadata (304 bytes)
Collecting altair!=5.4.0,!=5.4.1,<7,>=4.0 (from streamlit->-r requirements.txt (line 1))
  Using cached altair-6.2.2-py3-none-any.whl.metadata (11 kB)
Collecting blinker<2,>=1.5.0 (from streamlit->-r requirements.txt (line 1))
  Using cached blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Collecting cachetools<8,>=5.5 (from streamlit->-r requirements.txt (line 1))
  Using cached cachetools-7.1.4-py3-none-any.whl.metadata (5.5 kB)
Collecting click<9,>=7.0 (from streamlit->-r requirements.txt (line 1))
  Using cached click-8.4.2-py3-none-any.whl.metadata (2.6 kB)
Collecting gitpython!=3.1.19,<4,>=3.0.7 (from streamlit->-r requirements.txt (line 1))
  Using cached gitpython-3.1.50-py3-none-any.whl.metadata (14 kB)
Collecting numpy<3,>=1.23 (from streamlit->-r requirements.txt (line 1))
  Using cached numpy-2.5.1-cp314-cp314-win_amd64.whl.metadata (6.6 kB)
Collecting packaging>=20 (from streamlit->-r requirements.txt (line 1))
  Using cached packaging-26.2-py3-none-any.whl.metadata (3.5 kB)
Collecting pandas<4,>=1.4.0 (from streamlit->-r requirements.txt (line 1))
  Using cached pandas-3.0.3-cp314-cp314-win_amd64.whl.metadata (19 kB)
Collecting pillow<13,>=7.1.0 (from streamlit->-r requirements.txt (line 1))
  Using cached pillow-12.3.0-cp314-cp314-win_amd64.whl.metadata (9.3 kB)
Collecting pydeck<1,>=0.8.0b4 (from streamlit->-r requirements.txt (line 1))
  Using cached pydeck-0.9.3-py2.py3-none-any.whl.metadata (4.2 kB)
Collecting protobuf<8,>=3.20 (from streamlit->-r requirements.txt (line 1))
  Using cached protobuf-7.35.1-cp310-abi3-win_amd64.whl.metadata (595 bytes)
Collecting pyarrow>=7.0 (from streamlit->-r requirements.txt (line 1))
  Using cached pyarrow-24.0.0-cp314-cp314-win_amd64.whl.metadata (3.0 kB)
Collecting requests<3,>=2.27 (from streamlit->-r requirements.txt (line 1))
  Using cached requests-2.34.2-py3-none-any.whl.metadata (4.8 kB)
Collecting tenacity<10,>=8.1.0 (from streamlit->-r requirements.txt (line 1))
  Using cached tenacity-9.1.4-py3-none-any.whl.metadata (1.2 kB)
```

```
Windows PowerShell
Using cached jsonschema-4.26.0-py3-none-any.whl.metadata (7.6 kB)
Collecting narwhals>=2.4.0 (from altair!=5.4.0,!>5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1))
Using cached narwhals-2.23.0-py3-none-any.whl.metadata (15 kB)
Collecting colorama (from click<9,>=7.0->streamlit->r requirements.txt (line 1))
Using cached colorama-0.4.6-py2.py3-none-any.whl.metadata (17 kB)
Collecting gitdb<5,>=4.0.1 (from gitpython!=3.1.19,<4,>=3.0.7->streamlit->r requirements.txt (line 1))
Using cached gitdb-4.0.12-py3-none-any.whl.metadata (1.2 kB)
Collecting smmap<6,>=3.0.1 (from gitdb<5,>=4.0.1->gitpython!=3.1.19,<4,>=3.0.7->streamlit->r requirements.txt (line 1))
Using cached smmap-5.0.3-py3-none-any.whl.metadata (4.6 kB)
Collecting python-dateutil<=2.8.2 (from pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1))
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl.metadata (8.4 kB)
Collecting tzdata (from pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1))
Using cached tzdata-2026.2-py2.py3-none-any.whl.metadata (1.4 kB)
Collecting charset_normalizer<4,>=2 (from requests<3,>=2.27->streamlit->r requirements.txt (line 1))
Using cached charset_normalizer-3.4.7-cp314-cp314-win_amd64.whl.metadata (41 kB)
Collecting idna<4,>=2.5 (from requests<3,>=2.27->streamlit->r requirements.txt (line 1))
Using cached idna-3.18-py3-none-any.whl.metadata (6.1 kB)
Collecting urllib3<3,>=1.26 (from requests<3,>=2.27->streamlit->r requirements.txt (line 1))
Using cached urllib3-2.7.0-py3-none-any.whl.metadata (6.9 kB)
Collecting certifi>=2023.5.7 (from requests<3,>=2.27->streamlit->r requirements.txt (line 1))
Using cached certifi-2026.6.17-py3-none-any.whl.metadata (2.5 kB)
Collecting MarkupSafe>=2.0 (from jinja2>altair!=5.4.0,!>5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1))
Using cached markupsafe-3.0.3-cp314-cp314-win_amd64.whl.metadata (2.8 kB)
Collecting attrs>=22.2.0 (from jsonschema>=3.0->altair!=5.4.0,!>5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1))
Using cached attrs-26.1.0-py3-none-any.whl.metadata (8.8 kB)
Collecting jsonschema-specifications>=2023.03.6 (from jsonschema>=3.0->altair!=5.4.0,!>5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1))
Using cached jsonschema_specifications-2025.9.1-py3-none-any.whl.metadata (2.9 kB)
Collecting referencing<0.28.0 (from jsonschema>=3.0->altair!=5.4.0,!>5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1))
Using cached referencing-0.37.0-py3-none-any.whl.metadata (2.8 kB)
Collecting rpds-py>=0.25.0 (from jsonschema>=3.0->altair!=5.4.0,!>5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1))
Using cached rpds_py-2026.6.3-cp314-cp314-win_amd64.whl.metadata (4.2 kB)
Collecting six>=1.5 (from python-dateutil<=2.8.2->pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1))
Using cached six-1.17.0-py2.py3-none-any.whl.metadata (1.7 kB)
Collecting h11>=0.8 (from uvicorn>=0.30.0->streamlit->r requirements.txt (line 1))
Using cached h11-0.16.0-py3-none-any.whl.metadata (8.3 kB)
Using cached anyio-4.14.1-py3-none-any.whl (124 kB)
Using cached streamlit-1.58.0-py3-none-any.whl (9.2 MB)
Using cached altair-6.2.2-py3-none-any.whl (797 kB)
Using cached blinker-1.9.0-py3-none-any.whl (8.5 kB)
Using cached cachetools-7.1.4-py3-none-any.whl (16 kB)
Using cached click-8.4.2-py3-none-any.whl (119 kB)

21°
+
Q Buscar
08:00 p.m.
04/07/2026
```

```
Windows PowerShell
Using cached watchdog-6.0.0-py3-none-win_amd64.whl (79 kB)
Using cached anyio-4.14.1-py3-none-any.whl (124 kB)
Using cached certifi-2026.6.17-py3-none-any.whl (133 kB)
Using cached httptools-0.8.0-cp314-cp314-win_amd64.whl (92 kB)
Using cached itsdangerous-2.2.0-py3-none-any.whl (16 kB)
Using cached jinja2-3.1.6-py3-none-any.whl (134 kB)
Using cached jsonschema-4.26.0-py3-none-any.whl (90 kB)
Using cached attrs-26.1.0-py3-none-any.whl (67 kB)
Using cached jsonschema_specifications-2025.9.1-py3-none-any.whl (18 kB)
Using cached markupsafe-3.0.3-cp314-cp314-win_amd64.whl (15 kB)
Using cached narwhals-2.23.0-py3-none-any.whl (458 kB)
Using cached packaging-26.2-py3-none-any.whl (100 kB)
Using cached pyarrow-24.0.0-cp314-cp314-win_amd64.whl (28.0 MB)
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Using cached python_multipart-0.0.32-py3-none-any.whl (30 kB)
Using cached referencing-0.37.0-py3-none-any.whl (26 kB)
Using cached rpds_py-2026.6.3-cp314-cp314-win_amd64.whl (220 kB)
Using cached six-1.17.0-py2.py3-none-any.whl (11 kB)
Using cached starlette-1.3.1-py3-none-any.whl (79 kB)
Using cached uvicorn-0.50.0-py3-none-any.whl (72 kB)
Using cached h11-0.16.0-py3-none-any.whl (37 kB)
Using cached websockets-16.0-cp314-cp314-win_amd64.whl (178 kB)
Using cached colorama-0.4.6-py2.py3-none-any.whl (25 kB)
Using cached tzdata-2026.2-py2.py3-none-any.whl (349 kB)
Installing collected packages: antlr4-python3-runtime, websockets, watchdog, urllib3, tzdata, typing-extensions, toml, tenacity, smmap, six, rpds-py, python-multipart, pyarrow, protobuf, pillow, packaging, numpy, narwhals, MarkupSafe, itsdangerous, idna, httptools, h11, colorama, charset_normalizer, certifi, cachetools, blinker, attrs, requests, referencing, python-dateutil, jinja2, gitdb, click, anyio, uvicorn, starlette, pydeck, pandas, jsonschema-specifications, gitpython, jsonschema, altair, streamlit
Successfully installed MarkupSafe-3.0.3 altair-6.2.2 antlr4-python3-runtime-4.13.2 anyio-4.14.1 attrs-26.1.0 blinker-1.9.0 cachetools-7.1.4 certifi-2026.6.17 charset_normalizer-3.4.7 click-8.4.2 colorama-0.4.6 gitdb-4.0.12 gitpython-3.1.50 h11-0.16.0 httptools-0.8.0 idna-3.18 itsdangerous-2.2.0 jinja2-3.1.6 jsonschema-4.26.0 jsonschema-specifications-2025.9.1 narwhals-2.23.0 numpy-2.5.1 packaging-26.2 pandas-3.0.3 pillow-12.3.0 protobuf-7.35.1 pyarrow-24.0.0 pydeck-k-0.9.3 python-dateutil-2.9.0.post0 python-multipart-0.0.32 referencing-0.37.0 requests-2.34.2 rpds-py-2026.6.3 six-1.17.0 smmap-5.0.3 starlette-1.3.1 streamlit-1.58.0 tenacity-9.1.4 toml-0.10.2 typing-extensions-4.16.0 tzdata-2026.2 urllib3-2.7.0 uvicorn-0.50.0 watchdog-6.0.0 websockets-16.0
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> py .\Ejercicio13_Streamlit.py
C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit\.venv\Scripts\python.exe: can't open file 'C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit\Ejercicio13_Streamlit.py': [Errno 2] No such file or directory
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> ls

Directorio: C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit

21°
+
Q Buscar
08:00 p.m.
04/07/2026
```

```
Windows PowerShell
k-0.9.3 python-datetimel-2.9.0.post0 python-multipart-0.0.32 referencing-0.37.0 requests-2.34.2 rpds-py-2026.6.3 six-1.17.0 smmap-5.0.3 starlette-1.3.1 strea
mlit-1.58.0 tenacity-9.1.4 toml-0.10.2 typing-extensions-4.16.0 tzdata-2026.2 urllib3-2.7.0 uvicorn-0.50.0 watchdog-6.0.0 websockets-16.0
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> py .\Ejercicio13_Streamlit.py
C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit\venv\Scripts\python.exe: can't open file 'C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit\E
jercicio13_Streamlit.py': [Errno 2] No such file or directory
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> ls

Directorio: C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit

Mode                LastWriteTime         Length Name
----                -
d-----          04/07/2026   07:57 p. m.         .antlr
d-----          04/07/2026   07:54 p. m.         .venv
-a-----          02/07/2026   01:12 p. m.         2784 analizador_lexico.py
-a-----          02/07/2026   01:12 p. m.         1696 app.py
-a-----          02/07/2026   01:12 p. m.         1387 archivo.py
-a-----          04/07/2026   07:57 p. m.          669 Expr.p4
-a-----          04/07/2026   07:57 p. m.         7816 ExprLexer.py
-a-----          04/07/2026   07:57 p. m.         4407 ExprParser.py
-a-----          02/07/2026   01:12 p. m.          45 requirements.txt

(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> py .\app.py
2026-07-04 19:58:07.001 WARNING streamlit.runtime.scriptrunner_utils.script_run_context: Thread 'MainThread': missing ScriptRunContext! This warning can be
ignored when running in bare mode.
2026-07-04 19:58:07.002 WARNING streamlit.runtime.scriptrunner_utils.script_run_context: Thread 'MainThread': missing ScriptRunContext! This warning can be
ignored when running in bare mode.
2026-07-04 19:58:07.316
Warning: to view this Streamlit app on a browser, run it with the following
command:

streamlit run .\app.py [ARGUMENTS]
2026-07-04 19:58:07.316 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.316 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.318 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.318 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
```

```
Windows PowerShell
-a-----          02/07/2026   01:12 p. m.          45 requirements.txt

(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> py .\app.py
2026-07-04 19:58:07.001 WARNING streamlit.runtime.scriptrunner_utils.script_run_context: Thread 'MainThread': missing ScriptRunContext! This warning can be
ignored when running in bare mode.
2026-07-04 19:58:07.002 WARNING streamlit.runtime.scriptrunner_utils.script_run_context: Thread 'MainThread': missing ScriptRunContext! This warning can be
ignored when running in bare mode.
2026-07-04 19:58:07.316
Warning: to view this Streamlit app on a browser, run it with the following
command:

streamlit run .\app.py [ARGUMENTS]
2026-07-04 19:58:07.316 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.316 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.317 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.318 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.318 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.318 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.319 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.319 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.319 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.319 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
2026-07-04 19:58:07.328 Thread 'MainThread': missing ScriptRunContext! This warning can be ignored when running in bare mode.
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> streamlit run app.py
2026-07-04 19:58:30.341 Uvicorn server started on 0.0.0.0:8501

You can now view your Streamlit app in your browser.

Local URL: http://localhost:8501
Network URL: http://192.168.1.74:8501

2026-07-04 19:58:43.447 Please replace 'use_container_width' with 'width'.
'use_container_width' will be removed after 2025-12-31.

For 'use_container_width=True', use 'width='stretch''. For 'use_container_width=False', use 'width='content'.
```


ingles español traductor - Busc... x Analizador Lexico x +

localhost:8501

Deploy

Analizador Lexico con ANTLR y Streamlit

Sube un archivo .txt para ver tokens y errores lexicos.

Selecciona tu archivo

ejercic...prueba.txt 0.5KB +

Informacion del archivo

Nombre: ejercicio13_prueba.txt

Extension: .txt

Codigo original

```
CREATE TABLE equipos (  
  id_equipo SERIAL PRIMARY KEY,  
  nombre_equipo VARCHAR(100) NOT NULL,  
  ip VARCHAR(45) NOT NULL  
);  
  
CREATE TABLE alertas_seguridad (  
  id_alerta SERIAL PRIMARY KEY,  
  id_equipo INTEGER NOT NULL,  
  tipo_alerta VARCHAR(100) NOT NULL,  
  severidad VARCHAR(20) NOT NULL,  
  fecha_alerta DATE NOT NULL  
);
```

21°

Buscar

08:01 p. m.
04/07/2026

ingles español traductor - Busc... x Analizador Lexico x +

localhost:8501

Deploy

```
CREATE TABLE equipos (  
  id_equipo SERIAL PRIMARY KEY,  
  nombre_equipo VARCHAR(100) NOT NULL,  
  ip VARCHAR(45) NOT NULL  
);  
  
CREATE TABLE alertas_seguridad (  
  id_alerta SERIAL PRIMARY KEY,  
  id_equipo INTEGER NOT NULL,  
  tipo_alerta VARCHAR(100) NOT NULL,  
  severidad VARCHAR(20) NOT NULL,  
  fecha_alerta DATE NOT NULL  
);  
  
INSERT INTO equipos (nombre_equipo, ip) VALUES  
('Servidor Web', '192.168.1.10'),  
('Base de Datos', '192.168.1.20');  
  
INSERT INTO alertas_seguridad (id_equipo, tipo_alerta,  
severidad, fecha_alerta) VALUES  
(1, 'Intento de acceso no autorizado', 'Alta', '2026-06-20'),  
(2, 'Escaneo de puertos', 'Media', '2026-06-21');  
  
SELECT  
e.nombre_equipo,  
e.ip,  
a.tipo_alerta,  
a.severidad,  
a.fecha_alerta
```

21°

Buscar

08:01 p. m.
04/07/2026

ingles español traductor - Busc...

Analizador Lexico

localhost:8501

Deploy

FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

Tokens

lexema	token	tipo	linea	columna
CREATE	CREATE		1	1
TABLE	TABLE		2	1
equipos	ID		26	1
(	PAR_A		22	1
id_equipo	ID		26	2
SERIAL	SERIAL		3	2
PRIMARY	PRIMARY		4	2
KEY	KEY		5	2
,	COMA		24	2
nombre_equipo	ID		26	3

Errores lexicos

No hay errores lexicos

21°

Buscar

08:01 p. m.
04/07/2026

ingles español traductor - Busc...

Analizador Lexico

localhost:8501

Deploy

FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

Tokens

lexema	token	tipo	linea	columna
VARCHAR	VARCHAR		6	3
(	PAR_A		22	3
100	NUM		27	3
)	PAR_C		23	3
NOT	NOT		7	3
NULL	NULL		8	3
,	COMA		24	3
ip	ID		26	4
VARCHAR	VARCHAR		6	4
(	PAR_A		22	4

Errores lexicos

No hay errores lexicos

21°

Buscar

08:01 p. m.
04/07/2026

ingles español traductor - Busc...

Analizador Lexico

localhost:8501

Deploy

FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

Tokens

lexema	token	tipo	linea	columna
)	PAR_C		23	4
NOT	NOT		7	4
NULL	NULL		8	4
)	PAR_C		23	5
;	PUNTO_COMA		21	5
CREATE	CREATE		1	6
TABLE	TABLE		2	6
alertas_seguridad	ID		26	6
(	PAR_A		22	6
id_alerta	ID		26	7
SERIAL	SERIAL		3	7

Errores lexicos

No hay errores lexicos

21°

Buscar

08:01 p. m.
04/07/2026

ingles español traductor - Busc...

Analizador Lexico

localhost:8501

Deploy

FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

Tokens

lexema	token	tipo	linea	columna
SERIAL	SERIAL		3	7
PRIMARY	PRIMARY		4	7
KEY	KEY		5	7
,	COMA		24	7
id_equipo	ID		26	8
INTEGER	INTEGER		9	8
NOT	NOT		7	8
NULL	NULL		8	8
,	COMA		24	8
tipo_alerta	ID		26	9

Errores lexicos

No hay errores lexicos

21°

Buscar

08:01 p. m.
04/07/2026

ingles español traductor - Busc...

Analizador Lexico

+

localhost:8501

Deploy

FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

Tokens

lexema	token	tipo	linea	columna
tipo_alerta	id		20	9
VARCHAR	VARCHAR		6	9
(	PAR_A		22	9
100	NUM		27	9
)	PAR_C		23	9
NOT	NOT		7	9
NULL	NULL		8	9
,	COMA		24	9
severidad	ID		26	10
VARCHAR	VARCHAR		6	10
(	PAR_A		22	10

Errores lexicos

No hay errores lexicos

21°

Buscar

08:02 p. m.
04/07/2026

ingles español traductor - Busc...

Analizador Lexico

+

localhost:8501

Deploy

FROM alertas_seguridad a INNER JOIN equipos e ON a.id_equipo = e.id_equipo
WHERE a.severidad = 'Alta';

Tokens

lexema	token	tipo	linea	columna
e	ID		26	29
.	PUNTO		25	29
id_equipo	ID		26	29
WHERE	WHERE		19	30
a	ID		26	30
.	PUNTO		25	30
severidad	ID		26	30
=	IGUAL		20	30
'Alta'	STRING_LIT		28	30
;	PUNTO_COMA		21	30

Errores lexicos

No hay errores lexicos

21°

Buscar

08:02 p. m.
04/07/2026

ingles español traductor - Busc...Análizador Lexico

localhost:8501

Deploy

e	ID	26	29	63
-	PUNTO	25	29	64
id_equipo	ID	26	29	65
WHERE	WHERE	19	30	0
a	ID	26	30	6
-	PUNTO	25	30	7
severidad	ID	26	30	8
=	IGUAL	20	30	18
'Alta'	STRING_LIT	28	30	20
;	PUNTO_COMA	21	30	26

Errores lexicos

No hay errores lexicos

21°

Buscar

08:02 p. m.
04/07/2026

Windows PowerShell

```
PS C:\Users\joseq\LYA2\compilador> cd Ejercicio14_Streamlit
PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> python -m venv .venv
PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> .\venv\Scripts\Activate.ps1
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> python -m pip install --upgrade pip
Requirement already satisfied: pip in .\venv\Lib\site-packages (26.1.2)
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> code .
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio14_Streamlit> pip install -r requirements.txt
Collecting streamlit (from -r requirements.txt (line 1))
  Using cached streamlit-1.50.0-py3-none-any.whl.metadata (9.6 kB)
Collecting antlr4-python3-runtime==4.13.2 (from -r requirements.txt (line 2))
  Using cached antlr4_python3_runtime-4.13.2-py3-none-any.whl.metadata (304 bytes)
Collecting altair!=5.4.0,!5.4.1,<7,>=4.0 (from streamlit->-r requirements.txt (line 1))
  Using cached altair-6.2.2-py3-none-any.whl.metadata (11 kB)
Collecting blinker<2,>=1.5.0 (from streamlit->-r requirements.txt (line 1))
  Using cached blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Collecting cachetools<8,>=5.5 (from streamlit->-r requirements.txt (line 1))
  Using cached cachetools-7.1.4-py3-none-any.whl.metadata (5.5 kB)
Collecting click>=7.0 (from streamlit->-r requirements.txt (line 1))
  Using cached click-8.4.2-py3-none-any.whl.metadata (2.6 kB)
Collecting gitpython!=3.1.19,<4,>=3.0.7 (from streamlit->-r requirements.txt (line 1))
  Using cached gitpython-3.1.50-py3-none-any.whl.metadata (14 kB)
Collecting numpy<3,>=1.23 (from streamlit->-r requirements.txt (line 1))
  Using cached numpy-2.5.1-cp314-cp314-win_amd64.whl.metadata (6.6 kB)
Collecting packaging>=20 (from streamlit->-r requirements.txt (line 1))
  Using cached packaging-26.2-py3-none-any.whl.metadata (3.5 kB)
Collecting pandas<4,>=1.4.0 (from streamlit->-r requirements.txt (line 1))
  Using cached pandas-3.0.3-cp314-cp314-win_amd64.whl.metadata (19 kB)
Collecting pillow<13,>=7.1.0 (from streamlit->-r requirements.txt (line 1))
  Using cached pillow-12.3.0-cp314-cp314-win_amd64.whl.metadata (9.3 kB)
Collecting pydeck<1,>=0.8.0b4 (from streamlit->-r requirements.txt (line 1))
  Using cached pydeck-0.9.3-py2.py3-none-any.whl.metadata (4.2 kB)
Collecting protobuf<8,>=3.20 (from streamlit->-r requirements.txt (line 1))
  Using cached protobuf-7.35.1-cp310-abi3-win_amd64.whl.metadata (595 bytes)
Collecting pyarrow>=7.0 (from streamlit->-r requirements.txt (line 1))
  Using cached pyarrow-24.0.0-cp314-cp314-win_amd64.whl.metadata (3.0 kB)
Collecting requests<3,>=2.27 (from streamlit->-r requirements.txt (line 1))
  Using cached requests-2.34.2-py3-none-any.whl.metadata (4.8 kB)
Collecting tenacity<10,>=8.1.0 (from streamlit->-r requirements.txt (line 1))
  Using cached tenacity-9.1.4-py3-none-any.whl.metadata (1.2 kB)
Collecting toml<2,>=0.10.1 (from streamlit->-r requirements.txt (line 1))
```

23°

Buscar

07:45 p. m.
04/07/2026

```
Windows PowerShell
nschema=4.26.0 jsonschema-specifications=2025.9.1 narwhals=2.23.0 numpy=2.5.1 packaging=26.2 pandas=3.0.3 pillow=12.3.0 protobuf=7.35.1 pyarrow=24.0.0 pyde
k=0.9.3 python-dateutil=2.9.0.post0 python-multipart=0.0.32 referencing=0.37.0 requests=2.34.2 rpsd-py=2026.6.3 six=1.17.0 smmap=5.0.3 starlette=1.3.1 strea
mlit=1.58.0 tenacity=9.1.4 toml=0.10.2 typing-extensions=4.16.0 tzdata=2026.2 urllib3=2.7.0 uvicorn=0.50.0 watchdog=6.0.0 websockets=16.0
(.venv) PS C:\Users\joseq\l\YA2\compilador\Ejercicio14\Streamlit> pip install -r requirements.txt
Requirement already satisfied: streamlit in .\venv\Lib\site-packages (from -r requirements.txt (line 1)) (1.58.0)
Requirement already satisfied: antlr4-python3-runtime==4.13.2 in .\venv\Lib\site-packages (from -r requirements.txt (line 2)) (4.13.2)
Requirement already satisfied: altair!=5.4.0,!=5.4.1,<7,>=4.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (6.2.2)
Requirement already satisfied: blinker<2,>=1.5.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (1.9.0)
Requirement already satisfied: cachetools<8,>=5.5 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (7.1.4)
Requirement already satisfied: click<9,>=7.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (8.4.2)
Requirement already satisfied: gitpython!=3.1.19,<4,>=3.0.7 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (3.1.50)
Requirement already satisfied: numpy<3,>=1.23 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (2.5.1)
Requirement already satisfied: packaging>=20 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (26.2)
Requirement already satisfied: pandas<4,>=1.4.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (3.0.3)
Requirement already satisfied: pillow<13,>=7.1.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (12.3.0)
Requirement already satisfied: pydeck<1,>=0.8.0b4 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (0.9.3)
Requirement already satisfied: protobuf<8,>=3.20 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (7.35.1)
Requirement already satisfied: pyarrow>=7.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (24.0.0)
Requirement already satisfied: requests<3,>=2.27 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (2.34.2)
Requirement already satisfied: tenacity<10,>=8.1.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (9.1.4)
Requirement already satisfied: toml<2,>=0.10.1 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (0.10.2)
Requirement already satisfied: typing-extensions<5,>=4.10.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (4.16.0)
Requirement already satisfied: starlette>=0.40.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (1.3.1)
Requirement already satisfied: uvicorn>=0.30.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (0.50.0)
Requirement already satisfied: httpxtools>=0.6.3 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (0.8.0)
Requirement already satisfied: anyio>=4.0.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (4.14.1)
Requirement already satisfied: python-multipart>=0.0.10 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (0.0.32)
Requirement already satisfied: websockets>=12.0.0 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (16.0)
Requirement already satisfied: itdangerous>=2.1.2 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (2.2.0)
Requirement already satisfied: watchdog<7,>=2.1.5 in .\venv\Lib\site-packages (from streamlit->r requirements.txt (line 1)) (6.0.0)
Requirement already satisfied: Jinja2 in .\venv\Lib\site-packages (from altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (3.1.6)
Requirement already satisfied: jsonschema>=3.0 in .\venv\Lib\site-packages (from altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (4.26.0)
Requirement already satisfied: narwhals>=2.4.0 in .\venv\Lib\site-packages (from altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (2.23.0)
Requirement already satisfied: colorama in .\venv\Lib\site-packages (from click<9,>=7.0->streamlit->r requirements.txt (line 1)) (0.4.6)
Requirement already satisfied: gitdb<5,>=4.0.1 in .\venv\Lib\site-packages (from gitpython!=3.1.19,<4,>=3.0.7->streamlit->r requirements.txt (line 1)) (4.0.12)
Requirement already satisfied: smmap<6,>=3.0.1 in .\venv\Lib\site-packages (from gitdb<5,>=4.0.1->gitpython!=3.1.19,<4,>=3.0.7->streamlit->r requirements.txt (line 1)) (5.0.3)
Requirement already satisfied: python-dateutil>=2.8.2 in .\venv\Lib\site-packages (from pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1)) (2.9.0.post0)
Requirement already satisfied: tzdata in .\venv\Lib\site-packages (from pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1)) (2026.2)
Requirement already satisfied: charset-normalizer<4,>=2 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (3.4.7)
Requirement already satisfied: idna<4,>=2.5 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (3.18)
Requirement already satisfied: urllib3<3,>=1.26 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (2.7.0)
Requirement already satisfied: certifi>=2023.5.7 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (2026.6.17)
Requirement already satisfied: MarkupSafe>=2.0 in .\venv\Lib\site-packages (from Jinja2->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (3.0.3)
Requirement already satisfied: attrs>=22.2.0 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (26.1.0)
Requirement already satisfied: jsonschema-specifications>=2023.03.6 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (2025.9.1)
Requirement already satisfied: referencing>=0.28.4 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (0.37.0)
Requirement already satisfied: rpsd-py>=0.25.0 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (2026.6.3)
Requirement already satisfied: six>=1.5 in .\venv\Lib\site-packages (from python-dateutil>=2.8.2->pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1)) (1.17.0)
Requirement already satisfied: h11>=0.8 in .\venv\Lib\site-packages (from uvicorn>=0.30.0->streamlit->r requirements.txt (line 1)) (0.16.0)
(.venv) PS C:\Users\joseq\l\YA2\compilador\Ejercicio14\Streamlit> streamlit run app.py
2026-07-04 19:44:43.095 Uvicorn server started on 0.0.0.0:8501

You can now view your Streamlit app in your browser.

Local URL: http://localhost:8501
Network URL: http://192.168.1.74:8501

2026-07-04 19:44:57.577 Please replace 'use_container_width' with 'width'.
'use_container_width' will be removed after 2025-12-31.
For 'use_container_width=True', use 'width='stretch''. For 'use_container_width=False', use 'width='content'.
```

```
Windows PowerShell
2.23.0)
Requirement already satisfied: colorama in .\venv\Lib\site-packages (from click<9,>=7.0->streamlit->r requirements.txt (line 1)) (0.4.6)
Requirement already satisfied: gitdb<5,>=4.0.1 in .\venv\Lib\site-packages (from gitpython!=3.1.19,<4,>=3.0.7->streamlit->r requirements.txt (line 1)) (4.0.12)
Requirement already satisfied: smmap<6,>=3.0.1 in .\venv\Lib\site-packages (from gitdb<5,>=4.0.1->gitpython!=3.1.19,<4,>=3.0.7->streamlit->r requirements.txt (line 1)) (5.0.3)
Requirement already satisfied: python-dateutil>=2.8.2 in .\venv\Lib\site-packages (from pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1)) (2.9.0.post0)
Requirement already satisfied: tzdata in .\venv\Lib\site-packages (from pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1)) (2026.2)
Requirement already satisfied: charset-normalizer<4,>=2 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (3.4.7)
Requirement already satisfied: idna<4,>=2.5 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (3.18)
Requirement already satisfied: urllib3<3,>=1.26 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (2.7.0)
Requirement already satisfied: certifi>=2023.5.7 in .\venv\Lib\site-packages (from requests<3,>=2.27->streamlit->r requirements.txt (line 1)) (2026.6.17)
Requirement already satisfied: MarkupSafe>=2.0 in .\venv\Lib\site-packages (from Jinja2->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (3.0.3)
Requirement already satisfied: attrs>=22.2.0 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (26.1.0)
Requirement already satisfied: jsonschema-specifications>=2023.03.6 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (2025.9.1)
Requirement already satisfied: referencing>=0.28.4 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (0.37.0)
Requirement already satisfied: rpsd-py>=0.25.0 in .\venv\Lib\site-packages (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=4.0->streamlit->r requirements.txt (line 1)) (2026.6.3)
Requirement already satisfied: six>=1.5 in .\venv\Lib\site-packages (from python-dateutil>=2.8.2->pandas<4,>=1.4.0->streamlit->r requirements.txt (line 1)) (1.17.0)
Requirement already satisfied: h11>=0.8 in .\venv\Lib\site-packages (from uvicorn>=0.30.0->streamlit->r requirements.txt (line 1)) (0.16.0)
(.venv) PS C:\Users\joseq\l\YA2\compilador\Ejercicio14\Streamlit> streamlit run app.py
2026-07-04 19:44:43.095 Uvicorn server started on 0.0.0.0:8501

You can now view your Streamlit app in your browser.

Local URL: http://localhost:8501
Network URL: http://192.168.1.74:8501

2026-07-04 19:44:57.577 Please replace 'use_container_width' with 'width'.
'use_container_width' will be removed after 2025-12-31.
For 'use_container_width=True', use 'width='stretch''. For 'use_container_width=False', use 'width='content'.
```

ingles español traductor - Busc...

Analizador Lexico

localhost:8501

Deploy

Analizador Lexico con ANTLR y Streamlit

Sube un archivo .txt para ver tokens y errores lexicos.

Selecciona tu archivo

ejercic...prueba.txt

+

Informacion del archivo

Nombre: ejercicio14_prueba.txt

Extension: .txt

Codigo original

```
UPDATE incidentes_seguridad
SET estado = 'MITIGADO', severidad = 'MEDIA'
WHERE id_incidente = 3;
```

Tokens

ingles español traductor - Busc...

Analizador Lexico

localhost:8501

Deploy

Tokens

lexema	token	tipo	linea	columna
UPDATE	UPDATE		1	0
incidentes_seguridad	ID		7	7
SET	SET		2	0
estado	ID		7	4
=	IGUAL		4	11
'MITIGADO'	STRING_LIT		9	13
,	COMA		5	23
severidad	ID		7	25
=	IGUAL		4	35
'MEDIA'	STRING_LIT		9	37

Errores lexicos

No hay errores lexicos

ingles español traductor - Busc...Analizador Lexico

localhost:8501

Deploy

Tokens

lexema	token	tipo	linea	columna
'MITIGADO'	STRING_LIT		9	2
,	COMA		5	2
severidad	ID		7	2
=	IGUAL		4	2
'MEDIA'	STRING_LIT		9	2
WHERE	WHERE		3	3
id_incidente	ID		7	3
=	IGUAL		4	3
3	NUM		8	3
;	PUNTO_COMA		6	3

Errores lexicos

No hay errores lexicos

23°

Buscar

07:47 p. m.
04/07/2026

```
Windows PowerShell
'use_container_width' will be removed after 2025-12-31.
For 'use_container_width=True', use 'width='stretch''. For 'use_container_width=False', use 'width='content''.
Stopping...
(.venv) PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> deactivate
PS C:\Users\joseq\LYA2\compilador\Ejercicio13_Streamlit> cd ..
PS C:\Users\joseq\LYA2\compilador> git status
On branch Competencia2_analisislexico_primeros_ejercicios_primerPrueba
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    Ejercicio11_P00/
    Ejercicio13_P00/
    Ejercicio13_Streamlit/
    Ejercicio14_P00/
    Ejercicio14_Streamlit/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\joseq\LYA2\compilador> git branch
* Competencia2_analisislexico_primeros_ejercicios_primerPrueba
  main
PS C:\Users\joseq\LYA2\compilador> git pull origin Competencia2_analisislexico_primeros_ejercicios_primerPrueba
remote: Enumerating objects: 65, done.
remote: Counting objects: 100% (65/65), done.
remote: Compressing objects: 100% (60/60), done.
remote: Total 64 (delta 17), reused 50 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (64/64), 825.11 KiB | 3.00 KiB/s, done.
From https://github.com/23030498-sudo/compilador
  * branch            Competencia2_analisislexico_primeros_ejercicios_primerPrueba -> FETCH_HEAD
  Updating 6c1cd6d..53ae522
Fast-forward
 ejercicio11/Expr3.g4      | 46 ++++
 ejercicio11/Expr3.interp  | 55 +++++
 ejercicio11/Expr3.tokens  | 38 ++++
 ejercicio11/Expr3Lexer.interp | 80 ++++++++
 ejercicio11/Expr3Lexer.py  | 118 +++++++++++++++++
 ejercicio11/Expr3Lexer.tokens | 38 ++++
 ejercicio11/Expr3Parser.py | 227 ++++++++++++++++++++++
 ejercicio11/_pycache__/_Expr3Lexer.cpython-314.pyc | Bin 0 -> 20662 bytes
 ejercicio11/capturas/E11.1.png | Bin 0 -> 82023 bytes
 ejercicio11/capturas/EEEEEE.png | Bin 0 -> 73762 bytes
```



```
Windows PowerShell
ejercicio11/capturas/ddjj.png | Bin 0 -> 94503 bytes
ejercicio11/entrada.txt | 10 +
ejercicio11/main.py | 39 +++++
ejercicio11P00/Expr3.g4 | 51 +++++
ejercicio11P00/Expr3.interp | 61 +++++
ejercicio11P00/Expr3.tokens | 44 +++++
ejercicio11P00/Expr3Lexer.interp | 89 ++++++++
ejercicio11P00/Expr3Lexer.py | 129 ++++++++
ejercicio11P00/Expr3Lexer.tokens | 44 +++++
ejercicio11P00/Expr3Parser.py | 240 ++++++++
.../_pycache__/_Expr3Lexer.cpython-314.pyc | Bin 0 -> 13726 bytes
ejercicio11P00/capturas/E11P00.png | Bin 0 -> 85401 bytes
ejercicio11P00/capturas/E11P001.png | Bin 0 -> 129254 bytes
ejercicio11P00/entrada11.txt | 21 ++
ejercicio11P00/main.py | 39 +++++
ejercicio12P00/Expr3.g4 | 53 +++++
ejercicio12P00/Expr3.interp | 65 +++++
ejercicio12P00/Expr3.tokens | 48 +++++
ejercicio12P00/Expr3Lexer.interp | 95 +++++
ejercicio12P00/Expr3Lexer.py | 135 +++++
ejercicio12P00/Expr3Lexer.tokens | 48 +++++
ejercicio12P00/Expr3Parser.py | 248 +++++
.../_pycache__/_Expr3Lexer.cpython-314.pyc | Bin 0 -> 25144 bytes
ejercicio12P00/capturas/E12P00.1.png | Bin 0 -> 149893 bytes
ejercicio12P00/capturas/E12P00.2.png | Bin 0 -> 109175 bytes
ejercicio12P00/entrada12.txt | 22 ++
ejercicio12P00/main.py | 39 +++++
ejercicio12/Expr3.g4 | 50 +++++
ejercicio12/Expr3.interp | 59 +++++
ejercicio12/Expr3.tokens | 42 +++++
ejercicio12/Expr3Lexer.interp | 86 +++++
ejercicio12/Expr3Lexer.py | 123 +++++
ejercicio12/Expr3Lexer.tokens | 42 +++++
ejercicio12/Expr3Parser.py | 235 +++++
ejercicio12/_pycache__/_Expr3Lexer.cpython-314.pyc | Bin 0 -> 22109 bytes
ejercicio12/capturas/E12.png | Bin 0 -> 124553 bytes
ejercicio12/entrada1.txt | 10 +
ejercicio12/main.py | 39 +++++
48 files changed, 2808 insertions(+)
create mode 100644 ejercicio11/Expr3.g4
create mode 100644 ejercicio11/Expr3.interp
```

```
Windows PowerShell
create mode 100644 ejercicio11/main.py
create mode 100644 ejercicio11P00/Expr3.g4
create mode 100644 ejercicio11P00/Expr3.interp
create mode 100644 ejercicio11P00/Expr3.tokens
create mode 100644 ejercicio11P00/Expr3Lexer.interp
create mode 100644 ejercicio11P00/Expr3Lexer.py
create mode 100644 ejercicio11P00/Expr3Lexer.tokens
create mode 100644 ejercicio11P00/Expr3Parser.py
create mode 100644 ejercicio11P00/_pycache__/_Expr3Lexer.cpython-314.pyc
create mode 100644 ejercicio11P00/capturas/E11P00.png
create mode 100644 ejercicio11P00/capturas/E11P001.png
create mode 100644 ejercicio11P00/entrada11.txt
create mode 100644 ejercicio11P00/main.py
create mode 100644 ejercicio12P00/Expr3.g4
create mode 100644 ejercicio12P00/Expr3.interp
create mode 100644 ejercicio12P00/Expr3.tokens
create mode 100644 ejercicio12P00/Expr3Lexer.interp
create mode 100644 ejercicio12P00/Expr3Lexer.py
create mode 100644 ejercicio12P00/Expr3Lexer.tokens
create mode 100644 ejercicio12P00/Expr3Parser.py
create mode 100644 ejercicio12P00/_pycache__/_Expr3Lexer.cpython-314.pyc
create mode 100644 ejercicio12P00/capturas/E12P00.1.png
create mode 100644 ejercicio12P00/capturas/E12P00.2.png
create mode 100644 ejercicio12P00/entrada12.txt
create mode 100644 ejercicio12P00/main.py
create mode 100644 ejercicio12/Expr3.g4
create mode 100644 ejercicio12/Expr3.interp
create mode 100644 ejercicio12/Expr3.tokens
create mode 100644 ejercicio12/Expr3Lexer.interp
create mode 100644 ejercicio12/Expr3Lexer.py
create mode 100644 ejercicio12/Expr3Lexer.tokens
create mode 100644 ejercicio12/Expr3Parser.py
create mode 100644 ejercicio12/_pycache__/_Expr3Lexer.cpython-314.pyc
create mode 100644 ejercicio12/capturas/E12.png
create mode 100644 ejercicio12/entrada1.txt
create mode 100644 ejercicio12/main.py
PS C:\Users\joseq\LYA2\compilador>
PS C:\Users\joseq\LYA2\compilador> git status
On branch Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
Untracked files:
```

```
Windows PowerShell
create mode 100644 ejercicio12/__pycache__/Expr3Lexer.cpython-314.pyc
create mode 100644 ejercicio12/capturas/E12.png
create mode 100644 ejercicio12/entrada1.txt
create mode 100644 ejercicio12/main.py
PS C:\Users\joseq\LYA2\compilador>
PS C:\Users\joseq\LYA2\compilador>
PS C:\Users\joseq\LYA2\compilador> git status
On branch Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
Untracked files:
  (use "git add <file> ..." to include in what will be committed)
    Ejercicio13_P00/
    Ejercicio13_Streamlit/
    Ejercicio14_P00/
    Ejercicio14_Streamlit/
    prueba/Pruebas ejercicios 13 y 14/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\joseq\LYA2\compilador> git add Ejercicio13_P00
warning: in the working copy of 'Ejercicio13_P00/.antlr/Expr.interp', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Ejercicio13_P00/.antlr/ExprLexer.interp', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\joseq\LYA2\compilador> git commit -m "Agrego ejercicio 13 realizado con P00 con entrada tanto en terminal como en consola, ejercicio basado en SQL"
[Competencia2_analisisLexico_primeros_ejercicios_primerPrueba fb59447] Agrego ejercicio 13 realizado con P00 con entrada tanto en terminal como en consola, ejercicio basado en SQL
14 files changed, 886 insertions(+)
create mode 100644 Ejercicio13_P00/.antlr/Expr.interp
create mode 100644 Ejercicio13_P00/.antlr/Expr.tokens
create mode 100644 Ejercicio13_P00/.antlr/ExprLexer.interp
create mode 100644 Ejercicio13_P00/.antlr/ExprLexer.tokens
create mode 100644 Ejercicio13_P00/Ejercicio13_poo.py
create mode 100644 Ejercicio13_P00/Expr.g4
create mode 100644 Ejercicio13_P00/ExprLexer.py
create mode 100644 Ejercicio13_P00/ExprParser.py
create mode 100644 Ejercicio13_P00/__pycache__/ExprLexer.cpython-314.pyc
create mode 100644 Ejercicio13_P00/__pycache__/analizador_lexico.cpython-314.pyc
create mode 100644 Ejercicio13_P00/__pycache__/archivo.cpython-314.pyc
create mode 100644 Ejercicio13_P00/analizador_lexico.py
create mode 100644 Ejercicio13_P00/archivo.py
create mode 100644 Ejercicio13_P00/requirements.txt
PS C:\Users\joseq\LYA2\compilador> git brach
git: 'brach' is not a git command. See 'git --help'.
```

```
Windows PowerShell
Delta compression using up to 12 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (18/18), 22.18 KiB | 1.30 MiB/s, done.
Total 18 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/23030490-sudo/compilador.git
53ae522..fb59447 Competencia2_analisisLexico_primeros_ejercicios_primerPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
PS C:\Users\joseq\LYA2\compilador> git add Ejercicio14_P00
warning: in the working copy of 'Ejercicio14_P00/.antlr/Expr.interp', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Ejercicio14_P00/.antlr/ExprLexer.interp', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\joseq\LYA2\compilador> git commit -m "Agrego ejercicio 14 realizado con P00 con entrada tanto en terminal como en consola, ejercicio basado en SQL"
[Competencia2_analisisLexico_primeros_ejercicios_primerPrueba df92324] Agrego ejercicio 14 realizado con P00 con entrada tanto en terminal como en consola, ejercicio basado en SQL
16 files changed, 805 insertions(+)
create mode 100644 Ejercicio14_P00/.antlr/Expr.interp
create mode 100644 Ejercicio14_P00/.antlr/Expr.tokens
create mode 100644 Ejercicio14_P00/.antlr/ExprLexer.interp
create mode 100644 Ejercicio14_P00/.antlr/ExprLexer.py
create mode 100644 Ejercicio14_P00/.antlr/ExprLexer.tokens
create mode 100644 Ejercicio14_P00/.antlr/ExprParser.py
create mode 100644 Ejercicio14_P00/Ejercicio14_poo.py
create mode 100644 Ejercicio14_P00/Expr.g4
create mode 100644 Ejercicio14_P00/ExprLexer.py
create mode 100644 Ejercicio14_P00/ExprParser.py
create mode 100644 Ejercicio14_P00/__pycache__/ExprLexer.cpython-314.pyc
create mode 100644 Ejercicio14_P00/__pycache__/analizador_lexico.cpython-314.pyc
create mode 100644 Ejercicio14_P00/__pycache__/archivo.cpython-314.pyc
create mode 100644 Ejercicio14_P00/analizador_lexico.py
create mode 100644 Ejercicio14_P00/archivo.py
create mode 100644 Ejercicio14_P00/requirements.txt
PS C:\Users\joseq\LYA2\compilador> git push origin Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (18/18), 14.47 KiB | 1.11 MiB/s, done.
Total 18 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/23030490-sudo/compilador.git
fb59447..df92324 Competencia2_analisisLexico_primeros_ejercicios_primerPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
```

```
Windows PowerShell
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/23030490-sudo/compilador.git
   fb59447..df92324 Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba
PS C:\Users\joseq\LYA2\compilador> git add Ejercicio13_Streamlit
warning: in the working copy of 'Ejercicio13_Streamlit/.antlr/Expr.interp', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Ejercicio13_Streamlit/.antlr/ExprLexer.interp', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\joseq\LYA2\compilador> git commit -m "Agrego ejercicio 13 realizado con Streamlit con entrada tanto en terminal como en consola, ejercicio basado en SQL"
[Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba 4572131] Agrego ejercicio 13 realizado con Streamlit con entrada tanto en terminal como en co
nsola, ejercicio basado en SQL
14 files changed, 807 insertions(+)
create mode 100644 Ejercicio13_Streamlit/.antlr/Expr.interp
create mode 100644 Ejercicio13_Streamlit/.antlr/Expr.tokens
create mode 100644 Ejercicio13_Streamlit/.antlr/ExprLexer.interp
create mode 100644 Ejercicio13_Streamlit/.antlr/ExprLexer.tokens
create mode 100644 Ejercicio13_Streamlit/Expr.g4
create mode 100644 Ejercicio13_Streamlit/ExprLexer.py
create mode 100644 Ejercicio13_Streamlit/ExprParser.py
create mode 100644 Ejercicio13_Streamlit/_pycache__/_ExprLexer.cpython-314.pyc
create mode 100644 Ejercicio13_Streamlit/_pycache__/_ExprLexer.cpython-314.pyc
create mode 100644 Ejercicio13_Streamlit/_pycache__/_ExprParser.cpython-314.pyc
create mode 100644 Ejercicio13_Streamlit/_pycache__/_ExprParser.cpython-314.pyc
create mode 100644 Ejercicio13_Streamlit/_pycache__/_analizador_lexico.cpython-314.pyc
create mode 100644 Ejercicio13_Streamlit/_pycache__/_analizador_lexico.cpython-314.pyc
create mode 100644 Ejercicio13_Streamlit/app.py
create mode 100644 Ejercicio13_Streamlit/archivo.py
create mode 100644 Ejercicio13_Streamlit/requirements.txt
PS C:\Users\joseq\LYA2\compilador> git push origin Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (18/18), 21.09 KiB | 1.32 MiB/s, done.
Total 18 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/23030490-sudo/compilador.git
   df92324..4572131 Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba
PS C:\Users\joseq\LYA2\compilador> git add Ejercicio14_Streamlit
warning: in the working copy of 'Ejercicio14_Streamlit/.antlr/Expr.interp', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Ejercicio14_Streamlit/.antlr/ExprLexer.interp', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\joseq\LYA2\compilador> git commit -m "Agrego ejercicio 14 realizado con Streamlit con entrada por archivo, ejercicio basado en SQL"
[Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba 0b52f0f] Agrego ejercicio 14 realizado con Streamlit con entrada por archivo, ejercicio basado
en SQL
```

```
Windows PowerShell
PS C:\Users\joseq\LYA2\compilador> git commit -m "Agrego ejercicio 14 realizado con Streamlit con entrada por archivo, ejercicio basado en SQL"
[Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba 0b52f0f] Agrego ejercicio 14 realizado con Streamlit con entrada por archivo, ejercicio basado
en SQL
14 files changed, 552 insertions(+)
create mode 100644 Ejercicio14_Streamlit/.antlr/Expr.interp
create mode 100644 Ejercicio14_Streamlit/.antlr/Expr.tokens
create mode 100644 Ejercicio14_Streamlit/.antlr/ExprLexer.interp
create mode 100644 Ejercicio14_Streamlit/.antlr/ExprLexer.tokens
create mode 100644 Ejercicio14_Streamlit/Expr.g4
create mode 100644 Ejercicio14_Streamlit/ExprLexer.py
create mode 100644 Ejercicio14_Streamlit/ExprParser.py
create mode 100644 Ejercicio14_Streamlit/_pycache__/_ExprLexer.cpython-314.pyc
create mode 100644 Ejercicio14_Streamlit/_pycache__/_ExprLexer.cpython-314.pyc
create mode 100644 Ejercicio14_Streamlit/_pycache__/_ExprParser.cpython-314.pyc
create mode 100644 Ejercicio14_Streamlit/_pycache__/_ExprParser.cpython-314.pyc
create mode 100644 Ejercicio14_Streamlit/_pycache__/_analizador_lexico.cpython-314.pyc
create mode 100644 Ejercicio14_Streamlit/_pycache__/_analizador_lexico.cpython-314.pyc
create mode 100644 Ejercicio14_Streamlit/app.py
create mode 100644 Ejercicio14_Streamlit/archivo.py
create mode 100644 Ejercicio14_Streamlit/requirements.txt
PS C:\Users\joseq\LYA2\compilador> git push origin Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (18/18), 13.31 KiB | 1.11 MiB/s, done.
Total 18 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/23030490-sudo/compilador.git
   4572131..0b52f0f Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba
PS C:\Users\joseq\LYA2\compilador> git status
On branch Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba
Untracked files:
  (use "git add <file>..." to include in what will be committed)
      prueba/Pruebas ejercicios 13 y 14/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\joseq\LYA2\compilador> git add prueba
PS C:\Users\joseq\LYA2\compilador> git commit -m "Se agregan los archivos de prueba para testar los ejercicios 13 y 14 tanto de P00 como en Streamlit"
[Competencia2_analisisLexico_primeros_ejercicios_primeraPrueba 87290c3] Se agregan los archivos de prueba para testar los ejercicios 13 y 14 tanto de P00 co
mo en Streamlit
2 files changed, 33 insertions(+)
create mode 100644 prueba/Pruebas ejercicios 13 y 14/ejercicio13_prueba.txt
```

```
Windows PowerShell
create mode 100644 Ejercicio14_Streamlit/requirements.txt
create mode 100644 Ejercicio14_Streamlit/requirements.txt
create mode 100644 Ejercicio14_Streamlit/requirements.txt
create mode 100644 Ejercicio14_Streamlit/requirements.txt
create mode 100644 Ejercicio14_Streamlit/requirements.txt
PS C:\Users\joseq\LYA2\compilador> git push origin Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (18/18), 13.31 KiB | 1.11 MiB/s, done.
Total 18 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/23030490-sudo/compilador.git
 4572131..0b52f0f Competencia2_analisisLexico_primeros_ejercicios_primerPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
PS C:\Users\joseq\LYA2\compilador> git status
On branch Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  prueba/Pruebas ejercicios 13 y 14/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\joseq\LYA2\compilador> git add prueba
PS C:\Users\joseq\LYA2\compilador> git commit -m "Se agregan los archivos de prueba para testar los ejercicios 13 y 14 tanto de P00 como en Streamlit"
[Competencia2_analisisLexico_primeros_ejercicios_primerPrueba 87290c3] Se agregan los archivos de prueba para testar los ejercicios 13 y 14 tanto de P00 como en Streamlit
2 files changed, 33 insertions(+)
 create mode 100644 prueba/Pruebas ejercicios 13 y 14/ejercicio13.prueba.txt
 create mode 100644 prueba/Pruebas ejercicios 13 y 14/ejercicio14.prueba.txt
PS C:\Users\joseq\LYA2\compilador> git push origin Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 945 bytes | 472.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/23030490-sudo/compilador.git
 0b52f0f..87290c3 Competencia2_analisisLexico_primeros_ejercicios_primerPrueba -> Competencia2_analisisLexico_primeros_ejercicios_primerPrueba
PS C:\Users\joseq\LYA2\compilador> |
```