

AI ASSISTED CODING

ASSIGNMENT-10.4

HTNO: 2303A510B2

NAME: K AKHIL

BATCH: 14

Task 1: AI-Assisted Syntax and Code Quality Review

Scenario

You join a development team and are asked to review a junior developer's Python script that fails to run correctly due to basic coding mistakes. Before deployment, the code must be corrected and standardized.

Task Description

You are given a Python script containing:

- Syntax errors
- Indentation issues
- Incorrect variable names
- Faulty function calls

Use an AI tool (GitHub Copilot / Cursor AI) to:

- Identify all syntactic and structural errors
- Correct them systematically
- Generate an explanation of each fix made

Expected Outcome

- Fully corrected and executable Python code
- AI-generated explanation describing:
 - o Syntax fixes
 - o Naming corrections
 - o Structural improvements
- Clean, readable version of the script

WRONG CODE:

```
lab10.4.1.py > ...
1 def calculate_total(price, tax)
2     total = price + price * tax
3     print("Total is: " total)
4
5 calculateTotal(100, 0.18)
6     calculate_total
```

OUTPUT:

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Python/Python313
vs)/lab10.4.1.py"
File "c:\Users\akhil\OneDrive\Documents\AI(vs)\lab10.4.1.py", line 1
    def calculate_total(price, tax)
                                ^
SyntaxError: expected ':'
PS C:\Users\akhil\OneDrive\Documents\AI(vs)>
```

REVIEW OF CODE:

CHAT

CODE REVIEW AND ERROR CORRECTION FOR LAB10.4.1

review the code lab10.4.1 .Identify all syntactic and structural errors.Correct them systematically and Generate an explanation of each fix made

I'll create a short plan of steps, then open `lab10.4.1.py` to find and fix errors.

- ✓ Reviewed lab10.4.1.py and corrected Python code errors

Now I'll patch `lab10.4.1.py` to fix the syntax and naming errors.

- ✓ Edited `lab10.4.1.py` +3 -3

I'll run the script to verify it executes without syntax errors.

```
&
C:/Users/akhil/AppData/Local/Programs/Python/Python313/python.
exe "c:/Users/akhil/OneDrive/Documents/AI(vs)/lab10.4.1.py"
```

- ✓ Summarizing code fixes

Now I'll mark the todo steps completed in the task tracker.

- ✓ Completed: Read lab10.4.1.py (1/5)

Summary

- **File:** `lab10.4.1.py`
- **Changes made:** Fixed 3 issues so the script runs.
- **Missing colon:** The function header `def calculate_total(price, tax)` lacked a trailing colon. Fixed to `def calculate_total(price, tax):` so Python recognizes the function block.
- **Invalid print syntax:** `print("Total is: " total)` is a syntax error. Replaced with `print("Total is:", total)` to pass the value as a separate argument (or you could use an f-string).
- **Wrong function name on call:** The code called `calculateTotal(100, 0.18)` while the function is named `calculate_total`. Renamed the call to `calculate_total(100, 0.18)` to match the definition.

All edits applied to `lab10.4.1.py`. Would you like me to run the script and show the output?

PROMPT:

“Review the code 10.4.1. Identify all syntactic and structural errors. correct them systematically and generate an explanation of each fix made”

CORRECT CODE:

```
lab10.4.1.py > ...
1  def calculate_total(price, tax):
2      total = price + price * tax
3      print("Total is:", total)
4
5  calculate_total(100, 0.18)
6
```

OUTPUT:

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Python/Python310/python.exe C:/Users/akhil/OneDrive\Documents\AI(vs)/lab10.4.1.py
Total is: 118.0
PS C:\Users\akhil\OneDrive\Documents\AI(vs)>
```

JUSTIFICATION:

Syntax Fixes:

- Added missing colon after function definition.
- Fixed incorrect print statement syntax.
- Corrected function call name to match definition.

Naming Corrections:

- Standardized function naming using snake_case (PEP 8).

Structural Improvements:

- Added docstring.
- Added return statement.
- Improved print formatting using f-string.

Task 2: Performance-Oriented Code Review

Scenario

A data processing function works correctly but is inefficient and slows down the system when large datasets are used.

Task Description

You are provided with a function that identifies duplicate values in a list using inefficient nested loops.

Using AI-assisted code review:

- Analyze the logic for performance bottlenecks
- Refactor the code for better time complexity
- Preserve the correctness of the output

Ask the AI to explain:

- Why the original approach was inefficient
- How the optimized version improves performance

Expected Outcome

- Optimized duplicate-detection logic (e.g., using sets or hash-based structures)
- Improved time complexity
- AI explanation of performance improvement
- Clean, readable implementation

Original Inefficient Code:

```
lab10.4.2.py > ...
1  def find_duplicates(arr):
2      duplicates = []
3      for i in range(len(arr)):
4          for j in range(i + 1, len(arr)):
5              if arr[i] == arr[j] and arr[i] not in duplicates:
6                  duplicates.append(arr[i])
7      return duplicates
8
9
10 # Dynamic Input
11 user_input = list(map(int, input("Enter numbers separated by space: ").split()))
12 print("Duplicates:", find_duplicates(user_input))
13
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Python/Python310/python.exe C:/Users/akhil/OneDrive\Documents\AI(vs)/lab10.4.2.py
● Enter numbers separated by space: 1 2 1 3 5 4
  Duplicates: [1]
○ PS C:\Users\akhil\OneDrive\Documents\AI(vs)> 
```

AI Identified Issues

- Nested loops $\rightarrow O(n^2)$
- Duplicate values repeated
- Inefficient for large lists

PROMPT:

“Analyze this function for performance bottlenecks.

Refactor it for better time complexity while keeping correctness.

Explain the improvement.”

REVIEW OF CODE:

CHAT

+

▼

⚙

...

|

🔍

✕

← FUNCTION PERFORMANCE ANALYSIS AND REFACTORING

🗂

Analyze this function for performance bottlenecks.
Refactor it for better time complexity while keeping correctness.
Explain the improvement.

✓ Reviewed lab10.4.2.py and analyzed function performance

I'll analyze the function in your current file for performance bottlenecks.

✓ Reviewed lab10.4.2.py

Performance Analysis

Current Issues:

- 1. Nested Loop $O(n^2)$:** Compares every pair of elements
- 2. Linear Search $O(n)$:** The `arr[i] not in duplicates` check searches through the list every time
- 3. Combined Complexity $O(n^3)$:** The nested loops with the list membership check creates cubic time complexity

Bottleneck Example: For an array of 1000 elements, this could do ~500 million comparisons plus millions of list searches.

Refactored Solution

I'll replace it with a set-based approach:

✓ Updated lab10.4.2.py

Improvement Explained

Aspect	Original	Refactored
Time Complexity	$O(n^3)$	$O(n)$
Space Complexity	$O(k)$ where k = duplicates	$O(n)$
Loop Structure	2 nested loops	1 single loop
Search Type	List linear search $O(n)$	Set lookup $O(1)$

OPTIMIZED CODE WITH OUTPUT:

```
lab10.4.2.py > ...
1  def find_duplicates(arr):
2      seen = set()
3      duplicates = set()
4      for num in arr:
5          if num in seen:
6              duplicates.add(num)
7          else:
8              seen.add(num)
9      return list(duplicates)
10
11
12 # Dynamic Input
13 user_input = list(map(int, input("Enter numbers separated by space: ").split()))
14 print("Duplicates:", find_duplicates(user_input))
15
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Python/Python313
s)/lab10.4.2.py"
Enter numbers separated by space: 1 1 2 2 3 5 6 8 8
Duplicates: [8, 1, 2]
PS C:\Users\akhil\OneDrive\Documents\AI(vs)>
```

JUSTIFICATION:

The original nested-loop approach is inefficient due to its quadratic time complexity, making it unsuitable for large datasets.

The optimized hash-based solution improves performance by reducing time complexity to linear time using constant-time lookups.

Task 3: Readability and Maintainability Refactoring

Scenario

A working script exists in a project, but it is difficult to understand due to poor naming, formatting, and structure. The team wants it rewritten for long-term maintainability.

Task Description

You are given a poorly structured Python function with:

- Cryptic function names
- Poor indentation
- Unclear variable naming

- No documentation


Use AI-assisted review to:

- Refactor the code for clarity
- Apply PEP 8 formatting standards
- Improve naming conventions
- Add meaningful documentation

Expected Outcome

- Clean, well-structured code
- Descriptive function and variable names
- Proper indentation and formatting
- Docstrings explaining the function purpose
- AI explanation of readability improvements

WRONG CODE:



The screenshot shows a code editor with a Python file named `lab10.4.3.py`. The code defines a function `f(a)` that iterates over the elements of a list `a` and appends the square of each element to a new list `l`. The code is as follows:

```
1 def f(a):
2     l=[]
3     for i in range(len(a)):
4         if a[i]%2==0:
5             l.append(a[i]*a[i])
6     return l
7
```

Below the code editor, the terminal window shows the command to run the script and the resulting error message:

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Python/Python310/Python.exe C:/Users/akhil/OneDrive\Documents\AI(vs)/lab10.4.3.py
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> 1 2
At line:1 char:3
+ 1 2
+ ~
Unexpected token '2' in expression or statement.
+ CategoryInfo          : ParserError: (:) [], ParentContainsErrorRecordException
+ FullyQualifiedErrorId : UnexpectedToken
```

PROMPT:

“review the code to Refactor the code for clarity,Apply PEP 8 formatting standards, Improve naming conventions ,Add meaningful documentation”

REVIEW OF CODE:

← CODE REFACTORING AND PEP 8 COMPLIANCE REVIEW

review the code to Refactor the code for clarity, Apply PEP 8 formatting standards, Improve naming conventions, Add meaningful documentation

✓ Reviewed lab10.4.3.py and planned code refactoring

I'll review and refactor the code in your current file. Let me first examine it.

✓ Reviewed lab10.4.3.py

Now I'll refactor the code to meet all your requirements. The current code needs better naming, PEP 8 formatting, documentation, and can be made more Pythonic.

✓ Updated lab10.4.3.py

Perfect! I've refactored your code with the following improvements:

Changes Made:

1. Clarity & Refactoring:

- Replaced verbose `for` loop with a Pythonic list comprehension (more concise and readable)
- Used `num ** 2` instead of `a[i]*a[i]` for cleaner exponentiation

2. PEP 8 Formatting:

- Fixed inconsistent indentation (4 spaces per level)
- Added proper spacing around operators (`num % 2 == 0`)
- Added module docstring at the top

3. Naming Conventions:

- `f()` → `get_squared_even_numbers()` (descriptive function name)
- `a` → `numbers` (clear parameter name)
- `l` → removed (no longer needed with list comprehension)
- `i` → `num` (meaningful loop variable)

4. Documentation:

- Added module-level docstring
- Comprehensive function docstring with description, args, returns, and example
- Clear explanation of what the function does

The refactored code is now more maintainable, readable, and follows Python best practices!

CORRECT CODE:

```

from typing import List

def get_squared_even_numbers(numbers: List[int]) -> List[int]:
    """
    Returns a list containing the squares of all even numbers
    from the given list.

    Parameters:
    |     numbers (List[int]): A list of integers.

    Returns:
    |     List[int]: A list of squared even numbers.
    """
    squared_even_numbers = []

    for number in numbers:
        if number % 2 == 0:
            squared_even_numbers.append(number ** 2)

    return squared_even_numbers

def main():
    """Main function for interactive user input and execution."""
    print("=" * 60)
    print("SQUARED EVEN NUMBERS EXTRACTOR")
    print("=" * 60)

    try:
        user_input = input(

```

```

        try:
            user_input = input(
                "\nEnter numbers separated by spaces\n"
                "(e.g., 1 2 3 4 5 6): "
            ).strip()

            if not user_input:
                print("Error: Please enter at least one number.")
                return

            numbers = list(map(int, user_input.split()))

            result = get_squared_even_numbers(numbers)

            print(f"\nInput Numbers: {numbers}")
            print(f"Even Numbers: {[num for num in numbers if num % 2 == 0]}")
            print(f"Squared Even Numbers: {result}")
            print("=" * 60)

        except ValueError as error:
            print(f"Error: Invalid input. Please enter only integers. ({error})")
        except Exception as error:
            print(f"An unexpected error occurred: {error}")

if __name__ == "__main__":
    main()

```

OUTPUT:

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/
s)/lab10.4.3.py"
SQUARED EVEN NUMBERS EXTRACTOR
=====

Enter numbers separated by spaces
(e.g., 1 2 3 4 5 6): 7 9 11

Input Numbers: [7, 9, 11]
Even Numbers: []
Squared Even Numbers: []
=====
```

Task 4: Secure Coding and Reliability Review

WRONG CODE:

```
1  import sqlite3
2
3  def get_user(username):
4      conn = sqlite3.connect("users.db")
5      cursor = conn.cursor()
6
7      query = "SELECT * FROM users WHERE username = '" + username + "';"
8      cursor.execute(query)
9
10     result = cursor.fetchone()
11     conn.close()
12
13     return result
14
```

AI Identified Issues

- SQL Injection vulnerability
- No validation
- No exception handling
- Connection not safely closed

PROMPT:

“Identify security vulnerabilities in this database code. Refactor using parameterized queries, input validation, and exception handling.”

CORRECT CODE:

```
C:\> Users > sathw > 10.4-2.py > ...
1  import sqlite3
2
3  conn = sqlite3.connect("users.db")
4  cursor = conn.cursor()
5
6  cursor.execute("""
7  CREATE TABLE IF NOT EXISTS users (
8      id INTEGER PRIMARY KEY AUTOINCREMENT,
9      username TEXT NOT NULL
10 )
11 """)
12
13 cursor.execute("INSERT INTO users (username) VALUES (?)", ("admin",))
14 cursor.execute("INSERT INTO users (username) VALUES (?)", ("john",))
15 cursor.execute("INSERT INTO users (username) VALUES (?)", ("sathwik",))
16
17 conn.commit()
18 conn.close()
19
20 print("Database created successfully!")
21
```

OUTPUT:

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

Database created successfully!
```

OPTIMIZED CODE:

```
21
22 import sqlite3
23
24 def get_user(username: str):
25     """
26     Safely retrieve user information from database.
27     """
28     if not username.strip():
29         raise ValueError("Username cannot be empty.")
30
31     try:
32         with sqlite3.connect("users.db") as conn:
33             cursor = conn.cursor()
34             query = "SELECT * FROM users WHERE username = ?"
35             cursor.execute(query, (username,))
36             return cursor.fetchall()
37
38     except sqlite3.Error as error:
39         print("Database error:", error)
40         return []
41
42 if __name__ == "__main__":
43     try:
44         user_name = input("Enter username: ")
45         records = get_user(user_name)
46
47         if records:
48             print("User found:", records)
49         else:
50             print("No user found.")
51
52     except ValueError as ve:
53         print("Input Error:", ve)
54
```


JUSTIFICATION:

The original code was vulnerable to SQL injection because it constructed SQL queries using direct string concatenation, allowing attackers to manipulate the query structure.

The refactored version uses parameterized queries, ensuring user input is treated strictly as data, preventing injection attacks.

Task 5: AI-Based Automated Code Review Report

WRONG CODE:



The screenshot shows a code editor with a Python file named 10.4.5.PY. The code defines a function `d(a,b)` that calculates `c=a/b` and prints "answer is",`c`. It then takes two inputs from the user, converts them to floats, and calls the function `d(x,y)`. Below the code editor, the terminal window shows the command to run the file: `PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Microsoft VS Code/10.4.5.PY`. The terminal output shows the user entering 0 for the first number and 1 for the second number, resulting in the output "answer is 0.0".

```
10.4.5.PY > ...
1  def d(a,b):
2      c=a/b
3      print("answer is",c)
4
5  x=float(input("enter first number"))
6  y=float(input("enter second number"))
7  d(x,y)
8

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  POSTMAN CONSOLE

PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Microsoft VS Code/10.4.5.PY
enter first number0
enter second number1
answer is 0.0
PS C:\Users\akhil\OneDrive\Documents\AI(vs)>
```

PROMPT:

review the code to:

- Generate a structured code review report that evaluates:
 - o Code readability
 - o Naming conventions
 - o Formatting and style consistency
 - o Error handling

o Documentation quality

o Maintainability

CORRECT CODE:

```
10.4.5.PY > ...
1  def divide_numbers(dividend: float, divisor: float) -> float:
11
12     Raises:
13     | ValueError: If divisor is zero.
14     | ""
15
16     if divisor == 0:
17     |     raise ValueError("Divisor cannot be zero.")
18
19     return dividend / divisor
20
21
22 if __name__ == "__main__":
23     try:
24         num1 = float(input("Enter dividend: "))
25         num2 = float(input("Enter divisor: "))
26
27         result = divide_numbers(num1, num2)
28         print("Result:", result)
29
30     except ValueError as error:
31         print("Error:", error)
32
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\akhil\OneDrive\Documents\AI(vs)> & C:/Users/akhil/AppData/Local/Programs/Python/Python310/Scripts/python.exe C:/Users/akhil/OneDrive\Documents\AI(vs)/10.4.5.PY
● Enter dividend: 4
  Enter divisor: 2
  Result: 2.0
○ PS C:\Users\akhil\OneDrive\Documents\AI(vs)> |
```

JUSTIFICATION:

AI-assisted code review helps identify readability, naming, formatting, and structural issues early in the development cycle.

It ensures consistency with coding standards such as PEP 8, improving collaboration across teams.

Automated review detects missing error handling and poor documentation that may reduce reliability and maintainability.