

Assignment 14.2 Ai Assisted Coding


Htno:2303a510j7

Btno:30

Task 1: Landing Page Design

Prompt: Create a simple responsive landing page for a product or service using HTML and CSS. Include a header, hero section, and footer. Use clean layout alignment, good typography, and responsive design for desktop and mobile screens.


Code:



```
File Edit Selection View Go Run ... AI TEST
task1_student_information_system.sql 1 SQLTools Settings Extension: MySQL landingpage.html X task2.cpp

<> landingpage.html > html
2 <html lang="en">
3 <head>
7 <style>
66 @media (max-width: 768px) {
71 .hero p {
73 | }
74 | }
75 </style>
76 </head>
77 <body>
78 <header>
79 <h2>SmartFit</h2>
80 <p>Your Fitness Partner</p>
81 </header>
82
83 <section class="hero">
84 <h1>Transform Your Fitness Journey</h1>
85 <p>Track workouts, improve health, and stay motivated with SmartFit. A complete solution for your da
86 <button>Get Started</button>
87 </section>
88
89 <footer>
90 <p>&copy; 2026 SmartFit. All rights reserved.</p>
91 </footer>
92 </body>
93 </html>
```

Output:




Explanation:

- The landing page includes a header, hero section, and footer using HTML and CSS.
- CSS is used for alignment, typography, colors, and responsive design.
- Media query makes the page adjust properly on smaller screens.

Task 2: Theme Toggle Feature

Prompt: Create a web page with a button to switch between light and dark themes using JavaScript. Use CSS classes for styling and ensure the theme changes instantly when the button is clicked.


Code:



```
ion_system.sql 1 | SQLTools Settings | Extension: MySQL | landingpage.html | example2.html X | task2.cpp | CHAT | COMMAND NOT FOUND ERROR IN WL... | what command i used to run? | You used task2 to attempt to run the executable. On Windows, use task2.exe instead. | + example2.html | Describe what to build | + Auto | Local | Default Approvals
```

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8" />
5   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6   <title>Theme Toggle</title>
7   <style>
8     body {
9       font-family: Arial, sans-serif;
10      transition: background 0.3s, color 0.3s;
11      background: white;
12      color: black;
13      text-align: center;
14      padding: 50px;
15    }
16
17    .dark {
18      background: #121212;
19      color: white;
20    }
21
22    button {
23      padding: 10px 20px;
24      border: none;
25      background: #2563eb;
26      color: white;
27      border-radius: 5px;
28      cursor: pointer;
29      margin-top: 20px;
30    }
31  </style>
32 </head>
33 <body>
34   <h1>Theme Toggle Feature</h1>
35   <p>Click the button below to switch theme.</p>
36   <button onclick="toggleTheme()">Toggle Theme</button>
37
38   <script>
39     function toggleTheme() {
40       document.body.classList.toggle("dark");
41     }
42   </script>
43 </body>
44 </html>
```

Output:



Theme Toggle Feature

Click the button below to switch theme.

Toggle Theme


Explanation:

- A button is created to switch between light and dark modes.
- JavaScript uses `classList.toggle()` to add or remove the dark theme class.
- CSS handles the light and dark color styles with smooth transition.

Task 3: User Feedback Form

Prompt: Create a user feedback form with fields Username, Rating, and Comments using HTML, CSS, and JavaScript. Validate required fields and display success or error messages dynamically.

Code:



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8" />
5   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6   <title>Feedback Form</title>
7   <style>
8     body {
9       font-family: Arial, sans-serif;
10      background: #f3f4f6;
11      padding: 30px;
12    }
13
14    .form-container {
15      max-width: 400px;
16      margin: auto;
17      background: white;
18      padding: 20px;
19      border-radius: 8px;
20      box-shadow: 0 0 10px rgba(0,0,0,0.1);
21    }
22
23    input, select, textarea {
24      width: 100%;
25      margin-top: 10px;
26      margin-bottom: 15px;
27      padding: 10px;
28      border: 1px solid #ccc;
29      border-radius: 5px;
30    }
31  </style>
32 </head>
33 <body>
34   <div class="form-container">
35     <input type="text" id="username" placeholder="Enter Username" />
36     <select id="rating">
37       <option value="">Select Rating</option>
38       <option value="5">5 - Excellent</option>
39       <option value="4">4 - Good</option>
40       <option value="3">3 - Average</option>
41       <option value="2">2 - Poor</option>
42       <option value="1">1 - Bad</option>
43     </select>
44     <textarea id="comments" rows="4" placeholder="Enter Comments"></textarea>
45     <button onclick="validateForm()">Submit</button>
46     <div class="message" id="message"></div>
47   </div>
48
49   <script>
50     function validateForm() {
51       let username = document.getElementById("username").value.trim();
52       let rating = document.getElementById("rating").value;
53       let comments = document.getElementById("comments").value.trim();
54       let message = document.getElementById("message");
55
56       if (username === "" || rating === "" || comments === "") {
57         message.style.color = "red";
58         message.textContent = "All fields are required!";
59       } else {
60         message.style.color = "green";
61         message.textContent = "Feedback submitted successfully!";
62       }
63     }
64   </script>
65 </body>
66 </html>
```

```
File Edit Selection View Go Run ... AI TEST
SQLTools Settings Extension: MySQL landingpage.html example2.html example3.html task2.cpp
example3.html > html > body > script
2 <html lang="en">
49 <body>
66 <script>
67   function validateForm() {
68     let username = document.getElementById("username").value.trim();
69     let rating = document.getElementById("rating").value;
70     let comments = document.getElementById("comments").value.trim();
71     let message = document.getElementById("message");
72
73     if (username === "" || rating === "" || comments === "") {
74       message.style.color = "red";
75       message.textContent = "All fields are required!";
76     } else {
77       message.style.color = "green";
78       message.textContent = "Feedback submitted successfully!";
79     }
80   }
81 </script>
82 </body>
83 </html>
```


CHAT

COMMAND NOT FOUND ERROR IN WIL...

what command i used to run?

You used `task2` to attempt to run the executable. On Windows, use `task2.exe` instead.

Output:




Explanation:

- The form contains Username, Rating, and Comments fields.
- JavaScript validates whether all required fields are filled.
- Success or error message is displayed dynamically based on input.

Task 4: Image Gallery with JavaScript

Prompt: Create a small image gallery using HTML, CSS, and JavaScript. Dynamically load images and add next and previous buttons for navigation. Ensure the layout is responsive.

Code:




The image displays two screenshots of a VS Code editor interface. The top screenshot shows the 'example4.html' file with the following code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8" />
5   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6   <title>Image Gallery</title>
7   <style>
8     body {
9       font-family: Arial, sans-serif;
10      text-align: center;
11      background: #f9fafb;
12      padding: 30px;
13    }
14
15    .gallery-container {
16      max-width: 500px;
17      margin: auto;
18    }
19
20    img {
21      width: 100%;
22      height: 300px;
23      object-fit: cover;
24      border-radius: 10px;
25    }
26
27    button {
28      margin: 15px 10px;
29      padding: 10px 20px;
```

The bottom screenshot shows the same file with more code added:

```
27   button {
28     margin: 15px 10px;
29     padding: 10px 20px;
30     border: none;
31     background: #2563eb;
32     color: white;
33     border-radius: 5px;
34     cursor: pointer;
35   }
36 </style>
37 </head>
38 <body>
39   <div class="gallery-container">
40     <h2>Image Gallery</h2>
41     <img id="galleryImage" src="" alt="Gallery Image">
42     <div>
43       <button onclick="prevImage()">Previous</button>
44       <button onclick="nextImage()">Next</button>
45     </div>
46   </div>
47
48   <script>
49     const images = [
50       "https://picsum.photos/id/1015/600/400",
51       "https://picsum.photos/id/1025/600/400",
52       "https://picsum.photos/id/1035/600/400"
```

On the right side of both screenshots, there is a 'CHAT' panel. The top chat message asks 'what command i used to run?'. The response states: 'You used task2 to attempt to run the executable. On Windows, use task2.exe instead.' Below this, there is a search bar with 'example4.html' and a 'Describe what to build' button. At the bottom of the chat panel, there is a 'Local' dropdown and a 'Default Approvals' button.



Output:




Image Gallery



Previous

Next




Image Gallery



Previous

Next



Explanation:

- Images are stored in a JavaScript array and loaded dynamically.
- Next and Previous buttons change the displayed image.
- CSS makes the gallery responsive and visually clean.



Task 5: Notification Banner

Prompt: Create a notification banner at the top of a web page using HTML, CSS, and JavaScript. Add functionality to show and hide the banner with smooth transitions and clean UI styling.

Code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8" />
5   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6   <title>Notification Banner</title>
7   <style>
8     body {
9       font-family: Arial, sans-serif;
10      margin: 0;
11      padding-top: 70px;
12      text-align: center;
13    }
14
15    .banner {
16      position: fixed;
17      top: 0;
18      left: 0;
19      width: 100%;
20      background-color: #f59e0b;
21      color: white;
22      padding: 15px;
23      font-size: 18px;
24      transition: transform 0.4s ease;
25    }
26
27    .hidden {
28      transform: translateY(-100%);
29    }
30  </style>
31
32  <body>
33    <div id="banner" class="banner">
34      This is a notification banner!
35    </div>
36
37    <button onclick="showBanner()">Show Banner</button>
38    <button onclick="hideBanner()">Hide Banner</button>
39
40    <script>
41      const banner = document.getElementById("banner");
42
43      function showBanner() {
44        banner.classList.remove("hidden");
45      }
46
47      function hideBanner() {
48        banner.classList.add("hidden");
49      }
50    </script>
51  </body>
```

Output:



Explanation:

- A notification banner is placed at the top of the page using HTML and CSS.
- JavaScript functions are used to show and hide the banner.
- CSS transition provides smooth movement for better UI behavior.