# AI ASSISTANT CODING
# ASSIGNMENT-13.2

**Name:Thumiki Satya Sree**

**Ht.no:2303A51222**

**Batch:04**

**Task Description -1 (Refactoring – Eliminating Repetitive Logic)**

**• Task: Use AI-assisted coding techniques to restructure a Python program that performs repeated calculations, transforming it into a reusable and maintainable design.**

**Instructions:**

**• Ask AI to locate repeated computations within the program.**

**• Encapsulate repeated logic into reusable functions.**

**• Verify that program output remains unchanged after refactoring.**

**• Add proper docstrings to all defined functions.**

Sample code:

```python
length = 8
width = 4
print("Area:", length * width)
print("Perimeter:", 2 * (length + width))
length = 12
width = 6
print("Area:", length * width)
print("Perimeter:", 2 * (length + width))

```

Output:

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03
-26.py"
Area: 32
Perimeter: 24
Area: 72
Perimeter: 36
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

Prompt:  Refactor the following Python code by removing repeated calculations, creating a reusable function with proper docstrings, and keeping the program output unchanged.

Refactored Code:

```python
#Refactor the following Python code by removing repeated calculations, creating a reusable function with proper docstrings, and k
def calculate_rectangle(length, width):
    area = length * width
    perimeter = 2 * (length + width)
    print("Area:", area)
    print("Perimeter:", perimeter)
# First rectangle
calculate_rectangle(8, 4)
# Second rectangle
calculate_rectangle(12, 6)
```

Output:

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03
-26.py"
Area: 32
Perimeter: 24
Area: 72
Perimeter: 36
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

Refactoring Explanation

1. Removed repeated logic – The area and perimeter calculation was written twice.
2. Created reusable function → calculate_rectangle(length, width)
3. Added docstring explaining:
    - Purpose
    - Parameters
    - Return value
4. Improved maintainability – If calculation logic changes, you modify it only in one place.

**Task Description -2 (Refactoring – Modularizing Inline Calculations)**

**• Task: Use AI to refactor a Python script by extracting repeated inline calculations into reusable and well-documented functions.**

**Instructions:**

**• Identify repeated calculation patterns in the code.**

**• Convert them into reusable functions.**

**• Ensure readability and proper documentation.**

Sample code:

```
#Refactor the following Python code by removing repeated calculations, creating a reusable function with proper docstrings, and k
def calculate_rectangle(length, width):
    area = length * width
    perimeter = 2 * (length + width)
    print("Area:", area)
    print("Perimeter:", perimeter)
# First rectangle
calculate_rectangle(8, 4)
# Second rectangle
calculate_rectangle(12, 6)
```

Output:

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03-26.py"
Final Amount: 900.0
Final Amount: 1800.0
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

Prompt: Refactor the following Python code by extracting the repeated discount calculation into a reusable function with proper docstrings while keeping the same output.

Refactored Code:

```
amount = 1000
discount = amount * 0.10
final_amount = amount - discount
print("Final Amount:", final_amount)
amount = 2000
discount = amount * 0.10
final_amount = amount - discount
print("Final Amount:", final_amount)
```

Output:

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03-26.py"
Final Amount: 900.0
Final Amount: 1800.0
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

Explanation:

The original code had **repeated discount calculations**.

The repeated logic was moved into a **reusable function**.

The function takes **amount as input and calculates the final amount**.

A **docstring was added** for better documentation.

This improves **readability, reusability, and maintainability** while keeping the **same output**.

**Task Description -3 (Refactoring – Improving Loop and Conditional Performance)**

**• Task: Apply AI-based suggestions to enhance the performance of Python code that relies on nested loops and repeated conditional checks.**

**Instructions:**

**• Use AI to recommend more efficient data structures or logic simplifications.**

**• Replace inefficient constructs while preserving program behavior.**

**• Compare execution efficiency before and after refactoring.**

**Sample code:**

```python
students = ["Anil", "Bhavya", "Charan", "Divya"]
check_list = ["Charan", "Esha", "Bhavya"]
for name in check_list:
    exists = False
    for student in students:
        if name == student:
            exists = True
    if exists:
        print(name, "found")
    else:
        print(name, "not found")
```

Output:

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03-26.py"
Charan found
Esha not found
Bhavya found
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

Prompt:

Refactor the following Python code to improve loop and conditional performance by using a more efficient data structure while keeping the program output the same and adding clear comments.

Refactored code:

```python
#Refactor the following Python code to improve loop and conditional performance by using a more efficient data structure while ke
import time
# Original Data
students = ["Anil", "Bhavya", "Charan", "Divya"]
check_list = ["Charan", "Esha", "Bhavya"]
# Convert list to set for faster lookup
students_set = set(students)
start = time.time()
for name in check_list:
    if name in students_set:
        print(name, "found")
    else:
        print(name, "not found")
end = time.time()
print("Execution Time:", end - start)
```

Output:

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03-26.py"
Charan found
Esha not found
Bhavya found
Execution Time: 0.0011792182922363281
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

**Explanation:**

The original code used **nested loops** to check if a name exists in the students list.

This approach is **less efficient** because it checks every element repeatedly.

The refactored code replaces the list with a **set**, which allows **faster lookups**.

The **nested loop and extra condition variable were removed**, simplifying the logic.

This improves **performance, readability, and efficiency** while keeping the **same output**.

**Task Description -4 (Refactoring – Replacing Hardcoded Values with Constants)**

**• Task: Utilize AI assistance to improve maintainability by replacing hardcoded numerical values with named constants.**

**Instructions:**

**• Detect hardcoded numeric values used directly in expressions.**

**• Define descriptive constants at the beginning of the program.**

**• Update calculations to use these constants without changing results.**

**Sample code:**

```
print("Simple Interest:", (1000 * 2 * 5) / 100)
print("Simple Interest:", (2000 * 2 * 5) / 100)
```

**Output:**

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\User
Simple Interest: 100.0
Simple Interest: 200.0
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

**Prompt**: Refactor the following Python code by replacing hardcoded numeric values with descriptive constants and keep the program output unchanged.

Refactored Code:

```
#Refactor the following Python code by replacing hardcoded nume
# Define constants
RATE = 2
TIME = 5
# Calculate simple interest
print("Simple Interest:", (1000 * RATE * TIME) / 100)
print("Simple Interest:", (2000 * RATE * TIME) / 100)
```

**Output:**

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\User
Simple Interest: 100.0
Simple Interest: 200.0
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

**Explanation:**

1. Hardcoded values identified – Numbers 2 and 5 were used directly in calculations.
2. Constants created – Defined RATE and TIME at the beginning of the program.
3. Improved readability – Constant names make the code easier to understand.
4. Updated formula – Replaced numbers with constants in the calculation.
5. Better maintainability – Values can be changed in one place without affecting the whole code.

**Task Description -5 (Re factoring – Enhancing Variable Naming and Code Clarity)**

**• Task: Apply AI tools to improve code readability by renaming unclear variables and adding meaningful comments..**

**Instructions:**

• **Replace non-descriptive variable names with meaningful identifiers.**
• **Add inline comments where the logic may be unclear.**
• **Ensure program output remains the same.**

**Sample code:**

```
x = 50
y = 30
z = x + y
print(z)
```

**Output:**

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03-26.py"
80
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

**Prompt:**

Refactor the following Python code by renaming unclear variables with meaningful names and adding comments while keeping the program output the same.

Code:

```
#Refactor the following Python code by renaming unclear variables with meaningful names and adding comments while keeping the pro
# Store the first number
first_number = 50
# Store the second number
second_number = 30
# Calculate the sum of the two numbers
total_sum = first_number + second_number
# Print the result
print(total_sum)
```

**Output:**

```
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting> & C:\Users\Apple\AppData\Local\Microsoft\WindowsApps\python3.12.exe "c:/Users/Apple/OneDrive/Desktop/Ai Assisting/10-03-26.py"
80
PS C:\Users\Apple\OneDrive\Desktop\Ai Assisting>
```

**Explanation:**

1. Replaced unclear variables x, y, z with meaningful names.
2. Added comments to explain each step.
3. Improved code readability and clarity.
4. Program functionality and output remain the same.