

ASSIGNMENT-14.2


NAME: HABEEBA KHANAM

HALL TICKET :2303A51474

BATCH NO:29

LAB 14: WEB DESIGN APPLICATION – AI- ASSISTED HTML/CSS/JS GENERATION

TASK DESCRIPTION 1 – (LANDING PAGE DESIGN) CODE:




```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Lab 14</title>
5   <style>
6     body {
7       font-family: Arial;
8       margin: 0;
9     }
10    header {
11      background: #e333;
12      color: white;
13      padding: 15px;
14      text-align: center;
15    }
16    .hero {
17      text-align: center;
18      padding: 50px;
19      background: lightblue;
20    }
21    footer {
22      background: #e333;
23      color: white;
24      padding: 10px;
25      text-align: center;
26    }
27    .dark {
28      background: black;
29      color: white;
30    }
31    #banner {
32      background: yellow;
33      padding: 10px;
34      text-align: center;
35    }
36  </style>
37 </head>
38 <body>
39   <div id="banner">
40     Notification: Welcome!
41     <button onclick="closeBanner()">X</button>
42   </div>
43   <header>
44     <h1>My Product</h1>
45   </header>
46   <section class="hero">
47     <h2>Welcome</h2>
```

```
2 <html>
38 <body>
39 <section class= "hero">
40 </section>
41 <h3>Feedback Form</h3>
42 <form onsubmit="return validateForm()">
43   Name: <input type="text" id="name"><br><br>
44   Rating: <input type="number" id="rating"><br><br>
45   <button type="submit">Submit</button>
46 </form>
47 <p id="msg"></p>
48 <h3>Image Gallery</h3>
49 <button onclick="prev()">Prev</button>
50 <img id="img" width="200">
51 <button onclick="next()">Next</button>
52 <footer>
53   <p>© 2026</p>
54 </footer>
55 <script>
56 function toggleTheme() {
57   document.body.classList.toggle("dark");
58 }
59 function validateForm() {
60   let name = document.getElementById("name").value;
61   let rating = document.getElementById("rating").value;
62   if(name === "" || rating === "") {
63     document.getElementById("msg").innerText = "fill all fields";
64     return false;
65   }
66   document.getElementById("msg").innerText = "Submitted!";
67   return false;
68 }
69 let images = [
70   "https://via.placeholder.com/200",
71   "https://via.placeholder.com/200/ff0000",
72   "https://via.placeholder.com/200/00ff00"
73 ];
74 let index = 0;
75 function showImage() {
76   document.getElementById("img").src = images[index];
77 }
78 function next() {
79   index = (index + 1) % images.length;
80   showImage();
81 }
82 function prev() {
83   index = (index - 1 + images.length) % images.length;
```


```
84   index = (index - 1 + images.length) % images.length;
85   showImage();
86 }
87 function closeBanner() {
88   document.getElementById("banner").style.display = "none";
89 }
90 showImage();
91 </script>
92 </body>
93 </html>
```

OUTPUT:



TASK DESCRIPTION 2 – (THEME TOGGLE FEATURE)

Code:





The screenshot shows the Visual Studio Code editor with a file named `theme.html` open. The code is as follows:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Theme Toggle</title>
5
6   <style>
7     body {
8       font-family: Arial;
9       margin: 0;
10      padding: 20px;
11      background-color: #white;
12      color: #black;
13      transition: background 0.3s, color 0.3s;
14    }
15
16    .dark-mode {
17      background-color: #121212;
18      color: #f5f5f5;
19    }
20
21    button {
22      padding: 10px 15px;
23      border: none;
24      cursor: pointer;
25      background: #133;
26      color: #white;
27      border-radius: 5px;
28    }
29    button:hover {
30      background: #555;
31    }
32  </style>
33 </head>
34 <body>
35   <h2>Theme Toggle Feature</h2>
36   <p>This page supports light and dark mode.</p>
37   <button onclick="toggleTheme()">Toggle Theme</button>
38 </body>
39 </html>
```

The code defines a simple web page with a light theme by default. It includes a button that toggles between light and dark themes using CSS classes and JavaScript. The dark theme has a black background and light gray text.

Output:





TASK DESCRIPTION 3 – (USER FEEDBACK FORM)

CODE:


This screenshot shows the VS Code editor with the file 'feedback.html' open. The editor displays the HTML structure, including the DOCTYPE declaration, head section with a title and CSS styles, and the body section. The CSS styles define a container with a width of 300px, a margin of 100px auto, a background of white, padding of 20px, and a border-radius of 8px. The body contains a form with a text input for 'username', a number input for 'rating' (1-5), a text area for 'comments', and a submit button. A message div is also present.

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Feedback Form</title>
5   <style>
6     body {
7       font-family: Arial;
8       background-color: #f2f2f2;
9     }
10    .container {
11      width: 300px;
12      margin: 100px auto;
13      background: white;
14      padding: 20px;
15      border-radius: 8px;
16    }
17    input, textarea {
18      width: 100%;
19      margin-top: 5px;
20      margin-bottom: 10px;
21      padding: 8px;
22    }
23    button {
24      width: 100%;
25      padding: 10px;
26      background: #4CAF50;
27      color: white;
28      border: none;
29    }
30    #message {
31      text-align: center;
32      font-weight: bold;
33    }
34  </style>
35 </head>
36 <body>
37 <div class="container">
38   <h3>Feedback Form</h3>
39   <form onsubmit="return validateForm()">
40     Username:
41     <input type="text" id="username">
42     Rating (1-5):
43     <input type="number" id="rating">
44     Comments:
45     <textarea id="comments"></textarea>
46     <button type="submit">Submit</button>
47   </form>
```

This screenshot shows the VS Code editor with the file 'feedback.js' open. The editor displays the JavaScript code for the feedback form, including a 'validateForm' function that checks the 'username', 'rating', and 'comments' fields. The function sets the 'message' div's innerText and style based on the validation results.


```
37 <div class="container">
38   <h3>Feedback Form</h3>
39   <form onsubmit="return validateForm()">
40     Username:
41     <input type="text" id="username">
42     Rating (1-5):
43     <input type="number" id="rating">
44     Comments:
45     <textarea id="comments"></textarea>
46     <button type="submit">Submit</button>
47   </form>
48   <p id="message"></p>
49 </div>
50 <script>
51 function validateForm() {
52   let name = document.getElementById("username").value;
53   let rating = document.getElementById("rating").value;
54   let comments = document.getElementById("comments").value;
55   let msg = document.getElementById("message");
56   if(name === "" || rating === "" || comments === "") {
57     msg.innerText = "Please fill all fields";
58     msg.style.color = "red";
59     return false;
60   }
61   if(rating < 1 || rating > 5) {
62     msg.innerText = "Rating must be between 1 and 5";
63     msg.style.color = "red";
64     return false;
65   }
66   msg.innerText = "Feedback submitted successfully!";
67   msg.style.color = "green";
68   return true;
69 }
70 </script>
71 </body>
72 </html>
```


OUTPUT:




TASK DESCRIPTION - 4 (IMAGE GALLERY WITH JAVASCRIPT)

CODE:





PREVIOUS:



TASK DESCRIPTION - 5: (NOTIFICATION BANNER)

CODE:

```
File Edit Selection View Go Run ... AI
No Con... voice.notes.py echolearn_app.py speech_recognition.py index.html 1 theme.html feedback.html gallery.html notification.html AI - lab 2.py
VARIABLES
vscode > notification.html > html > @title
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Ultra Banner</title>
5 <style>
6 {
7   margin: 0;
8   font-family: 'Segoe UI', sans-serif;
9   height: 200vh;
10 }
11 #banner {
12   position: fixed;
13   top: 0;
14   width: 100%;
15   height: 90px;
16   display: flex;
17   justify-content: space-between;
18   align-items: center;
19   padding: 0 20px;
20   color: white;
21   background: url('https://images.unsplash.com/photo-1587525428034-b723cf961d3e') center/cover;
22   background-filter: blur(10px);
23   background-blend-mode: overlay;
24   background-color: rgba(0,0,0,0.5);
25   box-shadow: 0 5px 20px rgba(0,0,0,0.4);
26   transform: translateY(-100%);
27   opacity: 0;
28   transition: all 0.6s ease;
29 }
30 #banner.show {
31   transform: translateY(0);
32   opacity: 1;
33 }
34 .text {
35   font-size: 18px;
36   font-weight: bold;
37 }
38 .btn {
39   background: rgba(255,255,255,0.2);
40   border: none;
41   color: white;
42   padding: 8px 12px;
43   border-radius: 6px;
44   cursor: pointer;
45   margin-left: 10px;
46 }
47 .btn:hover {
48   background: rgba(255,255,255,0.4);
49 }
50 #progress {
51   position: absolute;
52   bottom: 0;
53   left: 0;
54   height: 4px;
55   width: 100%;
56   background: linear-gradient(to right, transparent, #000);
57   animation: progressAnim 5s linear forwards;
58 }
59 @keyframes progressAnim {
60   from {width: 100%;}
61   to {width: 0%;}
62 }
63 .show-btn {
64   margin: 120px;
65   padding: 10px 15px;
66   font-size: 16px;
67 }
68 </style>
69 </head>
70 <body>
71 <div id="banner">
72   <div class="text"> Welcome! Enjoy our premium experience.</div>
73   <div class="btn"> Get started</div>
74   <div class="progress"></div>
75   <div class="show-btn"> Show</div>
76 </div>
77 </body>
78 </html>
79
CALL STACK
notification.html
WATCH
LOADED SCRIPTS
BREAKPOINTS
Caught Except...
Uncaught Exce...
BROWSER OPTIONS
Ln 4 Col 32 Spaces: 4 UTF-8 CRLF HTML F4 Go Live
```

```
File Edit Selection View Go Run ... AI
No Con... voice.notes.py echolearn_app.py speech_recognition.py index.html 1 theme.html feedback.html gallery.html notification.html AI - lab 2.py
VARIABLES
vscode > notification.html > html > @title
2 <html>
3 <head>
4 <title>Ultra Banner</title>
5 <style>
6 {
7   margin: 0;
8   font-family: 'Segoe UI', sans-serif;
9   height: 200vh;
10 }
11 #banner {
12   position: fixed;
13   top: 0;
14   width: 100%;
15   height: 90px;
16   display: flex;
17   justify-content: space-between;
18   align-items: center;
19   padding: 0 20px;
20   color: white;
21   background: url('https://images.unsplash.com/photo-1587525428034-b723cf961d3e') center/cover;
22   background-filter: blur(10px);
23   background-blend-mode: overlay;
24   background-color: rgba(0,0,0,0.5);
25   box-shadow: 0 5px 20px rgba(0,0,0,0.4);
26   transform: translateY(-100%);
27   opacity: 0;
28   transition: all 0.6s ease;
29 }
30 #banner.show {
31   transform: translateY(0);
32   opacity: 1;
33 }
34 .text {
35   font-size: 18px;
36   font-weight: bold;
37 }
38 .btn {
39   background: rgba(255,255,255,0.2);
40   border: none;
41   color: white;
42   padding: 8px 12px;
43   border-radius: 6px;
44   cursor: pointer;
45   margin-left: 10px;
46 }
47 .btn:hover {
48   background: rgba(255,255,255,0.4);
49 }
50 #progress {
51   position: absolute;
52   bottom: 0;
53   left: 0;
54   height: 4px;
55   width: 100%;
56   background: linear-gradient(to right, transparent, #000);
57   animation: progressAnim 5s linear forwards;
58 }
59 @keyframes progressAnim {
60   from {width: 100%;}
61   to {width: 0%;}
62 }
63 .show-btn {
64   margin: 120px;
65   padding: 10px 15px;
66   font-size: 16px;
67 }
68 </style>
69 </head>
70 <body>
71 <div id="banner">
72   <div class="text"> Welcome! Enjoy our premium experience.</div>
73   <div class="btn"> Get started</div>
74   <div class="progress"></div>
75   <div class="show-btn"> Show</div>
76 </div>
77 </body>
78 </html>
79
CALL STACK
notification.html
WATCH
LOADED SCRIPTS
BREAKPOINTS
Caught Except...
Uncaught Exce...
BROWSER OPTIONS
Ln 4 Col 32 Spaces: 4 UTF-8 CRLF HTML F4 Go Live
```

The screenshot shows a VS Code editor with a file explorer on the left and a code editor in the center. The file explorer shows a project structure with files like `index.html`, `theme.html`, `feedback.html`, `gallery.html`, `notification.html`, and `AI - lab 2.py`. The code editor displays the `notification.html` file, which contains HTML and JavaScript code. The HTML includes a banner with a welcome message and a button to show the banner, and a progress bar. The JavaScript code defines functions `showBanner()` and `hideBanner()` to manage the banner's visibility and the progress bar's animation. The banner is initially hidden, and the progress bar is shown. When the banner is shown, the progress bar starts animating. When the banner is hidden, the progress bar stops animating.

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>
5 </title>
6 </head>
7 <body>
8 <div id="banner">
9 <div class="text"> Welcome! Enjoy our premium experience</div>
10 <div>
11 <button class="btn" onclick="hideBanner()">X</button>
12 </div>
13 </div>
14 <div id="progress"></div>
15 </div>
16 <button class="show-btn" onclick="showBanner()">Show Banner</button>
17 <script>
18 function showBanner() {
19   let banner = document.getElementById("banner");
20   banner.classList.add("show");
21
22   // Restart progress animation
23   let progress = document.getElementById("progress");
24   progress.style.animation = "none";
25   setTimeout(() => {
26     progress.style.animation = "progressAnim 5s linear forwards";
27     }, 10);
28   setTimeout(hideBanner, 5000);
29 }
30
31 function hideBanner() {
32   document.getElementById("banner").classList.remove("show");
33 }
34
35 window.onload = () => {
36   setTimeout(showBanner, 500);
37 }
38 </script>
39 </body>
40 </html>
```

OUTPUT:

