

Name: G.Srija Reddy

H.NO: 2303A51671

Batch: 23

Task 1:

Employee Data: Create Python code that defines a class named `Employee`` with the following attributes: ``empid``, ``empname``,

``designation``, ``basic_salary``, and ``exp``. Implement a method

``display_details()`` to print all employee details. Implement another

method ``calculate_allowance()`` to determine additional allowance

based on experience:

- If ``exp > 10 years`` → allowance = 20% of ``basic_salary``

- If ``5 ≤ exp ≤ 10 years`` → allowance = 10% of ``basic_salary``

- If ``exp < 5 years`` → allowance = 5% of ``basic_salary``

Finally, create at least one instance of the ``Employee`` class, call the

``display_details()`` method, and print the calculated allowance.

Code:

```
class Employee:
```

```
    def __init__(self,empid,empname,designation,salary,experience):
```

```
        self.empid=empid
```

```
        self.empname=empname
```

```
        self.designation=designation
```

```
        self.salary=salary
```

```
        self.experience=experience
```

```
    def display_details(self):
```

```
        print(f"Employee ID: {self.empid}")
```

```
        print(f"Employee Name: {self.empname}")
```

```
        print(f"Designation: {self.designation}")
```

```
        print(f"Salary: {self.salary}")
```

```

        print(f"Experience: {self.experience} years")
def cacalculate_allowance(self):
    if self.experience >10:
        allowance = 0.20 * self.salary
    elif 5<=self.experience <=10:
        allowance = 0.10 * self.salary
    else:
        allowance = 0.05 * self.salary
    print(f"Allowance: {allowance}")
    print(f"Total Salary including Allowance: {self.salary + allowance}")
emp1 = Employee(101, "Alice Smith", "Manager", 80000,12)
emp1.display_details()
emp1.cacalculate_allowance()

```

output: Employee ID: 101

Employee Name: Alice Smith

Designation: Manager

Salary: 80000

Experience: 12 years

Allowance: 16000.0

Total Salary including Allowance: 96000.0

Task 2: Electricity Bill Calculation- Create Python code that defines a class

named `ElectricityBill` with attributes: `customer_id`, `name`, and `units_consumed`. Implement a method `display_details()` to print customer details, and a method `calculate_bill()` where:

- Units \leq 100 \rightarrow ₹5 per unit**
- 101 to 300 units \rightarrow ₹7 per unit**
- More than 300 units \rightarrow ₹10 per unit**

Create a bill object, display details, and print the total bill amount.

Code:

```
class ElectricityBill:

    def __init__(self,customer_id,name,units_consumed):

        self.customer_id = customer_id

        self.name = name

        self.units_consumed = units_consumed

    def calculate_bill(self):

        if self.units_consumed <= 100:

            bill_amount = self.units_consumed * 5

        elif 101<=self.units_consumed <= 300:

            bill_amount =self.units_consumed * 7

        else:

            bill_amount = self.units_consumed * 10

        return bill_amount

    def display_bill(self):

        bill_amount = self.calculate_bill()

        print(f"Customer ID: {self.customer_id}")

        print(f"Customer Name: {self.name}")

        print(f"Units Consumed: {self.units_consumed}")

        print(f"Total Bill Amount: {bill_amount} INR")

# Example usage

obj1=ElectricityBill("C001","Alice",150)

obj1.display_bill()

obj2=ElectricityBill("C002","Bob",350)

obj2.display_bill()
```

output:

Customer ID: C001

Customer Name: Alice

Units Consumed: 150

Total Bill Amount: 1050 INR

Customer ID: C002

Customer Name: Bob

Units Consumed: 350

Total Bill Amount: 3500 INR

Task 3:

Product Discount Calculation- Create Python code that defines a class named `Product` with attributes: `product_id`, `product_name`, `price`, and `category`. Implement a method `display_details()` to print product details. Implement another method

`calculate_discount()` where:

- Electronics → 10% discount
- Clothing → 15% discount
- Grocery → 5% discount

Create at least one product object, display details, and print the final price after discount.

Code:

class Product:

```
def __init__(self,product_id,product_name,price,category):
```

```
    self.product_id = product_id
```

```
    self.product_name = product_name
```

```
    self.price = price
```

```
    self.category = category
```

```
def display_details(self):
```

```
    print(f"Product ID: {self.product_id}")
```

```
    print(f"Product Name: {self.product_name}")
```

```
    print(f"Price: {self.price}")
```

```
    print(f"Category: {self.category}")
```

```
def calculate_discount(self):
```

```
if self.category.lower() == "electronics":  
    discount = 0.10 * self.price  
elif self.category.lower() == "clothing":  
    discount = 0.15 * self.price  
else:  
    discount = 0.05 * self.price  
return discount
```

Example usage

```
product1 = Product(101, "Smartphone", 500, "Electronics")  
product1.display_details()  
discount1 = product1.calculate_discount()  
print(f"Discount on {product1.product_name}: {discount1}")  
print("\n")  
product2 = Product(202, "Jeans", 80, "Clothing")  
product2.display_details()
```

output:

Product ID: 101

Product Name: Smartphone

Price: 500

Category: Electronics

Discount on Smartphone: 50.0

Product ID: 202

Product Name: Jeans

Price: 80

Category: Clothing

Task 4:

Book Late Fee Calculation- Create Python code that defines a class

named `LibraryBook` with attributes: `book_id`, `title`, `author`, `borrower`, and `days_late`. Implement a method `display_details()` to print book details, and a method `calculate_late_fee()` where:

- Days late $\leq 5 \rightarrow \text{₹}5$ per day
- 6 to 10 days late $\rightarrow \text{₹}7$ per day
- More than 10 days late $\rightarrow \text{₹}10$ per day

Create a book object, display details, and print the late fee.

Code:

```
class LibraryBook:
    def __init__(self,book_id,title,author,borrower,days_late):
        self.book_id = book_id
        self.title = title
        self.author = author
        self.borrower = borrower
        self.days_late = days_late
    def display_details(self):
        print(f"Book ID: {self.book_id}")
        print(f"Title: {self.title}")
        print(f"Author: {self.author}")
        print(f"Borrower: {self.borrower}")
        print(f"Days Late: {self.days_late}")
    def calculate_late_fee(self):
        if self.days_late<= 5:
            fee=self.days_late * 5
        elif 6 <= self.days_late <= 10:
            fee=self.days_late * 7
        else:
            fee=self.days_late * 10
        return fee
```

Example usage

```
book = LibraryBook(book_id=101, title="The Great Gatsby", author="F. Scott Fitzgerald",  
borrower="Alice", days_late=8)
```

```
book.display_details()
```

```
late_fee = book.calculate_late_fee()
```

```
print(f"Late Fee: ${late_fee}")
```

output: Book ID: 101

Title: The Great Gatsby

Author: F. Scott Fitzgerald

Borrower: Alice

Days Late: 8

Late Fee: \$56

Task 5: Task 5:

Student Performance Report - Define a function

`student_report(student_data)` that accepts a dictionary containing student names and their marks. The function should:

- Calculate the average score for each student
- Determine pass/fail status (pass ≥ 40)
- Return a summary report as a list of dictionaries

Use Copilot suggestions as you build the function and format the output.

Code:

```
def student_report(student_marks):  
    report=[]  
    for name,marks in student_marks.items():  
        avg_marks=sum(student_marks.values())/len(student_marks)  
        if avg_marks>=40:  
            status="Pass"  
        else:  
            status="Fail"
```

```

        report.append({"name":name,"Average Marks":avg_marks,"Status":status})

    return report

student_marks={"nikhil":85,"ram":78,"Sam":65,"phani":45}

report=student_report(student_marks)

for student in report:

    print(student)

```

output:

c:/Users/nikhi/OneDrive/Attachments/Desktop/AI_assist_coding/pract5.1.py

```

{'name': 'nikhil', 'Average Marks': 68.25, 'Status': 'Pass'}
{'name': 'ram', 'Average Marks': 68.25, 'Status': 'Pass'}
{'name': 'Sam', 'Average Marks': 68.25, 'Status': 'Pass'}
{'name': 'phani', 'Average Marks': 68.25, 'Status': 'Pass'}

```

Task 6:

Taxi Fare Calculation-Create Python code that defines a class named ``TaxiRide`` with attributes: ``ride_id``, ``driver_name``, ``distance_km``, and ``waiting_time_min``. Implement a method ``display_details()`` to print ride details, and a method ``calculate_fare()`` where:

- ₹15 per km for the first 10 km
- ₹12 per km for the next 20 km
- ₹10 per km above 30 km
- Waiting charge: ₹2 per minute

Create a ride object, display details, and print the total fare.

Code:

```

class TaxiRide:

    def __init__(self, ride_id, driver_name, distance_km, waiting_time_min):

        self.ride_id = ride_id

        self.driver_name = driver_name

        self.distance_km = distance_km

        self.waiting_time_min = waiting_time_min

```



```
def display_details(self):
    print(f"Ride ID: {self.ride_id}")
    print(f"Driver Name: {self.driver_name}")
    print(f"Distance (km): {self.distance_km}")
    print(f"Waiting Time (min): {self.waiting_time_min}")

def calculate_fare(self):
    if self.distance_km <= 10:
        fare = self.distance_km * 15
    elif 11 <= self.distance_km <= 30:
        fare = (10 * 15) + (self.distance_km - 10) * 12
    else:
        fare = (10 * 15) + (20 * 12) + (self.distance_km - 30) * 10

    fare += self.waiting_time_min * 2

    return fare

ride = TaxiRide(501, "nikhilyams", 25, 10)
ride.display_details()
fare = ride.calculate_fare()
print(f"Total Fare: {fare}")
```

Output:

Ride ID: 501

Driver Name: nikhilyams

Distance (km): 25

Waiting Time (min): 10

Total Fare: 350

Task 7:

Statistics Subject Performance - Create a Python function

`statistics_subject(scores_list)` that accepts a list of 60 student scores and computes key performance statistics. The function should return the following:

- Highest score in the class
- Lowest score in the class
- Class average score
- Number of students passed (score ≥ 40)
- Number of students failed (score < 40)

Allow Copilot to assist with aggregations and logic

Code: `def statistics_subject(score_list):`

```
    total = sum(score_list)
```

```
    average = total / len(score_list)
```

```
    highest = max(score_list)
```

```
    lowest = min(score_list)
```

```
    passed = 0
```

```
    failed = 0
```

```
    for i in score_list:
```

```
        if i >= 40:
```

```
            passed += 1
```

```
        else:
```

```
            failed += 1
```

```
    print(f"Number of Students Passed: {passed}")
```

```
    print(f"Number of Students Failed: {failed}")
```

```
    return {
```

```
        "average": average,
```

```
        "highest": highest,
```

```
        "lowest": lowest
```

```

    }

scores = [
    28, 49, 33, 72, 15, 60, 95, 40, 53, 81, 22, 47, 68, 79, 34, 91, 44, 58, 73, 38, 66, 84, 29, 50,
    77, 92, 41,
    36, 65, 80, 54, 87, 30, 69, 45, 71, 39, 83, 59, 74
]

stats = statistics_subject(scores)

print(stats)

```

Output: Number of Students Passed: 30

Number of Students Failed: 10

{'average': 57.775, 'highest': 95, 'lowest': 15}

Task 8: Task Description #8 (Transparency in Algorithm Optimization)

Task: Use AI to generate two solutions for checking prime numbers:

- Naive approach(basic)
- Optimized approach

Prompt:

“Generate Python code for two prime-checking methods and explain how the optimized version improves performance.”

Expected Output:

- Code for both methods.
- Transparent explanation of time complexity.
- Comparison highlighting efficiency improvements.

Code: #Generate Python code for two prime-checking methods and explain how the optimized version improves performance.well commented”

Method 1: Basic Prime Checking

```

def is_prime_basic(n):
    """Check if a number is prime using basic method."""
    if n <= 1:
        return False
    for i in range(2, n):

```

```

        if n % i == 0:
            return False

    return True

# Method 2: Optimized Prime Checking
def is_prime_optimized(n):
    """Check if a number is prime using optimized method."""
    if n <= 1:
        return False

    if n <= 3:
        return True

    if n % 2 == 0 or n % 3 == 0:
        return False

    i = 5
    while i * i <= n:
        if n % i == 0 or n % (i + 2) == 0:
            return False

        i += 6

    return True

# Example usage
number = 29
print(f"Is {number} prime? {is_prime_basic(number)}")
print(f"Is {number} prime? {is_prime_optimized(number)}")

# Explanation of Optimization:

# The optimized method reduces the number of checks needed to determine if a number
is prime.

# Instead of checking all numbers up to n, it only checks up to the square root of n.

# It also skips even numbers and multiples of 3 after initial checks, significantly improving
performance for larger numbers.

#Generate Python code that extracts specific information from a nested dictionary
representing student data.

```

Output: Is 29 prime? True

Is 29 prime? True

Task 9:

Task Description #9 (Transparency in Recursive Algorithms)

Objective: Use AI to generate a recursive function to calculate Fibonacci numbers.

Instructions:

- 1. Ask AI to add clear comments explaining recursion.**
- 2. Ask AI to explain base cases and recursive calls.**

Expected Output:

- Well-commented recursive code.**
- Clear explanation of how recursion works.**
- Verification that explanation matches actual execution.**

Code: #generate a recursive function to calculate fibonacci numbers with clear comments and explain base case and recursive calls

def fibonacci(n):

"""

This function returns the nth Fibonacci number using recursion.

Base Case:

If n is 0, return 0.

If n is 1, return 1.

Recursive Case:

For n greater than 1, return the sum of the two preceding Fibonacci numbers:

```

    fibonacci(n-1) + fibonacci(n-2)
    """

    if n == 0:
        return 0 # Base case: the 0th Fibonacci number is 0
    elif n == 1:
        return 1 # Base case: the 1st Fibonacci number is 1
    else:
        # Recursive case: sum of the two preceding Fibonacci numbers
        return fibonacci(n - 1) + fibonacci(n - 2)

# Example usage
num = 10
print(f"The {num}th Fibonacci number is: {fibonacci(num)}")

```

Output: The 10th Fibonacci number is: 55

Task 10:

Task Description #10 (Transparency in Error Handling)

Task: Use AI to generate a Python program that reads a file and processes data.

Prompt:

“Generate code with proper error handling and clear explanations for each exception.”

Expected Output:

- **Code with meaningful exception handling.**
- **Clear comments explaining each error scenario.**
- **Validation that explanations align with runtime behavior.**

Code: #Generate code with proper error handling and clear explanations for each exception.

Generate a python code that reads a file and process data with well commented

```

def read_and_process_file(file_path):
    try:
        # Attempt to open the file
        with open(file_path, 'r') as file:
            data = file.readlines()

        # Process the data (for example, converting to uppercase)
        processed_data = [line.strip().upper() for line in data]

        return processed_data

    except FileNotFoundError:
        # Handle the case where the file does not exist
        return "Error: The file was not found. Please check the file path."

    except IOError:
        # Handle other I/O errors
        return "Error: An I/O error occurred while trying to read the file."

    except Exception as e:
        # Handle any other exceptions that may occur
        return f"An unexpected error occurred: {str(e)}"

# Example usage
file_path = 'example.txt'
result = read_and_process_file(file_path)
if isinstance(result, list):
    for line in result:
        print(line)
else:

```

```
print(result) # Print the error message if an error occurred
```

Output: Error: The file was not found. Please check the file path.