SchoolofComputerScienceandArtificial Intelligence

LabAssignment-15.5

Program :B.Tech(CSE)

Specialization :AIML

Course Title :AIAssistedCoding

Course Code : 23CS002PC304

Semester : VI

AcademicSession:2025-2026

Name of Student :P.Sushanthi

Enrollment No. : 2303A52102

Batch No. : 33

Date :13/03/26

Task1–StudentAttendanceAPI



GET/attendance→Viewattendancerecords



o POST/attendance→Mark attendance

POST http://localhost:3000/attendance Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQ

```
1 {
2 "name": "Sowmya",
3 "status": "Present"
4 }
```

Status: 200 OK Size: 43 Bytes Time: 9 ms Response

```
1 {
2   "id": 1,
3   "name": "Sowmya",
4   "status": "Present"
5 }
```

o PUT/attendance/{id}→Updateattendancerecord

TC Release Notes TC New Request

PUT http://localhost:3000/attendance/1 Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQ

```
1 {
2 "status": "Absent"
3 }
```

Status: 200 OK Size: 21 Bytes Time: 4 ms Response

```
1 {
2   "message": "Updated"
3 }
```

o DELETE/attendance/{id}→Removeattendanceentry

Release Notes | New Request

DELETE | http://localhost:3000/attendance/1 | Send

Query | Headers 2 | Auth | Body 1 | Tests | Pre Run

JSON | XML | Text | Form | Form-encode | GraphQ

```
1 {
2 "status": "Absent"
3 }
```

Status: 200 OK | Size: 21 Bytes | Time: 4 ms | Response

```
1 {
2   "message": "Deleted"
3 }
```

Task2–InventoryManagement API



GET/inventory→Listallitems



o POST/inventory→Addnewitem



o PUT/inventory/{id}→Updatestockquantity



o DELETE/inventory/{id}→Removeanitem

server.js localhost:3000/attendance

DELETE http://localhost:3000/inventory/1 Send

Status: 200 OK Size: 26 Bytes Time: 5 ms

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2 "message": "Item removed"
3 }
```

Response Headers 6 Cookies Results Docs

```
1 {
2   "message": "Item removed"
3 }
```

Task3–HotelRoomBookingAPI

server.js

server.js > ...

```
151 app.delete("/rooms/:id", (req, res) => {
153     const room = rooms.find(r => r.id == req.params.id);
154
155     if (!room) {
156         return res.json({ message: "Room not found" });
157     }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS node

```
PS S:\3 2 sem\AIAssisted_2026\Assignment15.5\attendance-api> node server.js
Server running on port 3000
PS S:\3 2 sem\AIAssisted_2026\Assignment15.5\attendance-api> node server.js
S:\3 2 sem\AIAssisted_2026\Assignment15.5\attendance-api\server.js:6
app.get("/inventory", (req, res) => {
^

ReferenceError: app is not defined
    at Object.<anonymous> (S:\3 2 sem\AIAssisted_2026\Assignment15.5\attendance-api\server.js:6:1)
    at Module._compile (node:internal/modules/cjs/loader:1761:14)
    at Object..js (node:internal/modules/cjs/loader:1893:10)
    at Module.load (node:internal/modules/cjs/loader:1481:32)
    at Module._load (node:internal/modules/cjs/loader:1300:12)
    at TracingChannel.traceSync (node:diagnostics_channel:328:14)
    at wrapModuleLoad (node:internal/modules/cjs/loader:245:24)
    at Module.executeUserEntryPoint [as runMain] (node:internal/modules/run_main:154:5)
    at node:internal/main/run_main_module:33:47

Node.js v24.13.0
PS S:\3 2 sem\AIAssisted_2026\Assignment15.5\attendance-api> node server.js
Server running on port 3000
PS S:\3 2 sem\AIAssisted_2026\Assignment15.5\attendance-api> node server.js
Server running on port 3000
```

o GET/rooms→Viewavailablerooms



o POST/rooms/book→Booka room



o GET/rooms/{id}→Viewbooking details



o DELETE/rooms/{id}→Cancelbooking



Task4–OnlineVotingAPI

```
// Import express
const express = require("express");
const app = express();

app.use(express.json());

// Candidate data
let candidates = [
    { id: 1, name: "Alice", votes: 0 },
    { id: 2, name: "Bob", votes: 0 },
    { id: 3, name: "Charlie", votes: 0 }
];

// GET all candidates
app.get("/candidates", (req, res) => {
    res.json(candidates);
});

// POST vote for candidate
app.post("/vote", (req, res) => {

    const candidate = candidates.find(c => c.id == req.body.id);

    if (!candidate) {
        return res.json({ message: "Candidate not found" });
    }

    candidate.votes++;

    res.json({
        message: "Vote recorded"
```

o GET/candidates→Listcandidates

GET http://localhost:3000/candidates Send

Status: 200 OK Size: 103 Bytes Time: 8 ms

```
[
  {
    "id": 1,
    "name": "Alice",
    "votes": 0
  },
  {
    "id": 2,
    "name": "Bob",
    "votes": 0
  },
  {
    "id": 3,
    "name": "Charlie",
    "votes": 0
  }
]
```

o POST/vote→Castavote

POST http://localhost:3000/vote Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
{
"id":1
}
```

Status: 200 OK Size: 73 Bytes Time: 9 ms

Response Headers 6 Cookies Results Docs

```
{
  "message": "Vote recorded",
  "candidate": {
    "id": 1,
    "name": "Alice",
    "votes": 1
  }
}
```

o GET/results→Viewvoting results

GET http://localhost:3000/results Send

Query Headers 2 Auth Body 1 Tests Pre Run

Query Parameters

parameter	value

Status: 200 OK Size: 158 Bytes Time: 3 ms

Response Headers 6 Cookies Results Docs { }

Copy

```
{
  "results": [
    {
      "id": 1,
      "name": "Alice",
      "votes": 1
    },
    {
      "id": 2,
      "name": "Bob",
      "votes": 0
    },
    {
      "id": 3,
      "name": "Charlie",
      "votes": 0
    }
  ],
  "winner": {
    "id": 1,
    "name": "Alice",
    "votes": 1
  }
}
```

Task5–TeacherManagementAPI

```
JS server.js  ×   TC New Request
JS server.js > app.put("/teachers/:id") callback > message
37  app.put("/teachers/:id", (req, res) => {
45      teacher.name = req.body.name || teacher.name;
46      teacher.subject = req.body.subject || teacher.subject;
47
48      res.json({
49          message: "Teacher updated",
50          teacher: teacher
51      });
52  });
53
54  // DELETE /teachers/:id → Remove teacher
55  app.delete("/teachers/:id", (req, res) => {
56
57      const teacher = teachers.find(t => t.id == req.params.id);
58
59      if (!teacher) {
60          return res.status(404).json({ message: "Teacher not found" });
61      }
62
63      teachers = teachers.filter(t => t.id != req.params.id);
64
65      res.json({ message: "Teacher removed successfully" });
66  });
67
68  // Start server
69  app.listen(3000, () => {
70      console.log("Server running on port 3000");
71  });
```

o GET/teachers→Listallteachers



o POST/teachers→Addanewteacher



o PUT/teachers/{id}→Updateteacherdetails



o DELETE/teachers/{id}→Removeateacher