NAME : K.Srija

Hall No : 2303A52189






Description
Editorial
Submissions
Solutio
494. Target Sum
Solved
Medium
Topics
Companies
You are given an integer array nums and an integer target.
You want to build an expression out of nums by adding one of the symbols '+' and '-' before each integer in nums and then concatenate all the integers.
For example, if nums = [2, 1], you can add a '+' before 2 and a '-' before 1 and concatenate them to build the expression "+2-1".
Return the number of different expressions that you can build, which evaluates to target.
Example 1:
Input: nums = [1,1,1,1,1], target = 3
Output: 5
Explanation: There are 5 ways to assign symbols to make the sum of nums be target 3.
12.6K
252
Code
Java
Auto
class Solution {
public int findTargetSumWays(int[] nums, int target) {
int n = nums.length;
int total = 0;
for(int num : nums){
total += num;
}
if((total + target) % 2 != 0 || total < Math.abs(target)) return 0;
int k = (total + target) / 2;
int[][] dp = new int[n][k + 1];
dp[0][0] = (nums[0] == 0) ? 2 : 1; // without picking any ele also i can make it 0;
if(nums[0] != 0 && nums[0] <= k){
dp[0][nums[0]] = 1;
}
for(int i = 1; i < n; i++){
Saved
Test Result
Testcase


Problem List
Submit
Premium
Description
Accepted
Editorial
983. Minimum Cost For Tickets
Solved
Medium
Topics
Companies
You have planned some train traveling one year in advance. The days of the year in which you will travel are given as an integer array days. Each day is an integer from 1 to 365.
Train tickets are sold in three different ways:
a 1-day pass is sold for costs[0] dollars,
a 7-day pass is sold for costs[1] dollars, and
a 30-day pass is sold for costs[2] dollars.
The passes allow that many days of consecutive travel.
For example, if we get a 7-day pass on day 2, then we can travel for 7 days: 2, 3, 4, 5, 6, 7, and 8.
Return the minimum number of dollars you need to travel every day in the given list of days.
8.9K
294
Code
Java
Auto
for (int i = n - 1; i >= 0; i--) {
int oneDay = costs[0] + dp[i + 1];
int j = i;
while (j < n && days[j] < days[i] + 7) {
j++;
}
int sevenDay = costs[1] + dp[j];
j = i;
while (j < n && days[j] < days[i] + 30) {
j++;
}
int thirtyDay = costs[2] + dp[j];
dp[i] = Math.min(oneDay, Math.min(sevenDay, thirtyDay));
}
return dp[0];
}
}
Saved
Test Result
Testcase



Description
Accepted
Code
1049. Last Stone Weight II
Solved
Medium
Topics
Hint
You are given an array of integers stones where stones[i] is the weight of the ith stone.
We are playing a game with the stones. On each turn, we choose any two stones and smash them together. Suppose the stones have weights x and y with x <= y. The result of this smash is:
If x == y, both stones are destroyed, and
If x != y, the stone of weight x is destroyed, and the stone of weight y has new weight y - x.
At the end of the game, there is at most one stone left.
Return the smallest possible weight of the left stone. If there are no stones left, return 0.
Example 1:
Java
Auto
class Solution {
public int lastStoneWeightII(int[] stones) {
int sum = 0;
for (int stone : stones) {
sum += stone;
}
int target = sum / 2;
boolean[] dp = new boolean[target + 1];
dp[0] = true;
for (int stone : stones) {
for (int j = target; j >= stone; j--) {
dp[j] = dp[j] || dp[j - stone];
}
}
for (int i = target; i >= 0; i--) {
if (dp[i]) {
return sum - 2 * i;
}
3.4K
82
31 Online
Test Result
Testcase

Sponsored by TON
HOME TOP CATALOG CONTESTS GYM PROBLEMSET GROUPS RATING EDU API CALENDAR HELP
Submit solution
Problem:
455A
Language:
Source code:
import java.util.*;
public class Main {
public static void main(String[] args) {
Scanner sc = new Scanner(System.in);
int n = sc.nextInt();
int[] freq = new int[100001];
for (int i = 0; i < n; i++) {
freq[sc.nextInt()]++;
}
long[] dp = new long[100001];
dp[1] = (long) freq[1];
for (int i = 2; i <= 100000; i++) {
long take = dp[i - 2] + (long) i * freq[i];
long skip = dp[i - 1];
dp[i] = Math.max(take, skip);
}
Switch off editor
Or choose file:
Pay attention
Before contest
Codeforces Round 1119 (Div. 3)
3 days
Register now »
Settings



HOME TOP CATALOG CONTESTS GYM PROBLEMSET GROUPS RATING EDU API CALENDAR HELP
Submit solution
Problem:
1195C
Language:
Source code:
long[] b = new long[n];
for (int i = 0; i < n; i++) {
a[i] = sc.nextLong();
}
for (int i = 0; i < n; i++) {
b[i] = sc.nextLong();
}
long[][] dp = new long[n][2];
dp[0][0] = a[0];
dp[0][1] = b[0];
for (int i = 1; i < n; i++) {
dp[i][0] = Math.max(dp[i - 1][0], dp[i - 1][1] + a[i]);
dp[i][1] = Math.max(dp[i - 1][1], dp[i - 1][0] + b[i]);
}
System.out.println(Math.max(dp[n - 1][0], dp[n - 1][1]));
}
}
Switch off editor
Pay attention
Before contest
Codeforces Round 1119 (Div. 3)
3 days
Register now »
Settings


HOME TOP CATALOG CONTESTS GYM PROBLEMSET GROUPS RATING EDU API CALENDAR HELP
→ Pay attention
Before contest
Codeforces Round 1119 (Div. 3)
Register now »
→ Settings
Submit solution
Hello 2019
Problem:
1097B - Petr and a Combination Lock
Language:
Source code:
Switch off editor
Or choose file:


Submit solution
Problem:
Language:
Source code:
Switch off editor
Or choose file:
Pay attention
Before contest
Codeforces Round 1119 (Div. 3)
Register now »
Settings


HOME TOP CATALOG CONTESTS GYM PROBLEMSET GROUPS RATING EDU API CALENDAR HELP
Submit solution
Problem:
Language:
Source code:
System.out.println(dp[n][0]);
Switch off editor
Pay attention
Before contest
Codeforces Round 1119 (Div. 3)
Register now »
Settings