AI ASSISTED CODING

Roll no: 2303A52454
B-34

Lab 11 – Data Structures with AI: Implementing Fundamental Structures

Task Description #1 – Stack Implementation

Task: Use AI to generate a Stack class with push, pop, peek, and is_empty methods.

Sample Input Code:

class Stack:

pass

Expected Output:

• *A functional stack implementation with all required methods and docstrings.*

```
"""Prompt:
Generate a Python class named Stack that implements the stack data
    structure using a list. The class should include the following
    methods:
push(item) - to add an element to the top of the stack
pop() - to remove and return the top element
peek() - to return the top element without removing it
is_empty() - to check whether the stack is empty
Include proper docstrings for the class and each method. Handle edge
    cases such as popping from an empty stack."""
```

```python
class Stack:
    """
    A class to represent a stack data structure.
    Uses a Python list to store stack elements.
    """
    def __init__(self):
        """Initialize an empty stack."""
        self.items = []

    def push(self, item):
        """
        Add an element to the top of the stack.
        :param item: Element to be added to the stack
        """
        self.items.append(item)

    def pop(self):
        """
        Remove and return the top element of the stack.
        :return: Top element of the stack
        :raises IndexError: If the stack is empty
        """
        if self.is_empty():
            raise IndexError("Pop from empty stack")
        return self.items.pop()

    def peek(self):
        """
        Return the top element without removing it.
        :return: Top element of the stack
```

```
Output
Top element: 30
Popped element: 30
Is stack empty? False

=== Code Execution Successful ===
```

```python
        return self.items.pop()

    def peek(self):
        """
        Return the top element without removing it.
        :return: Top element of the stack
        :raises IndexError: If the stack is empty
        """
        if self.is_empty():
            raise IndexError("Peek from empty stack")
        return self.items[-1]

    def is_empty(self):
        """
        Check whether the stack is empty.

        :return: True if stack is empty, False otherwise
        """
        return len(self.items) == 0

if __name__ == "__main__":
    stack = Stack()

    stack.push(10)
    stack.push(20)
    stack.push(30)

    print("Top element:", stack.peek())   # 30
    print("Popped element:", stack.pop()) # 30
    print("Is stack empty?", stack.is_empty())  # False
```

```
Output
Top element: 30
Popped element: 30
Is stack empty? False

=== Code Execution Successful ===
```

Task Description #2 – Queue Implementation Task:

Use AI to implement a Queue using Python lists.

Sample Input Code:

class Queue:

pass

Expected Output:

• FIFO-based queue class with enqueue, dequeue, peek, and size methods.

```
""" Prompt:
Generate a Python class named Queue that implements a FIFO (First-In-First
-Out) queue using a Python list. The class should include the following
methods:

enqueue(item) – to add an element to the rear of the queue
dequeue() – to remove and return the front element
peek() – to return the front element without removing it
size() – to return the number of elements in the queue """
```

```
main.py                                                    Share   Run        Output                    Clear
class Queue:
    """
    A class to represent a FIFO (First-In-First-Out) queue
    Uses a Python list to store queue elements.
    """
    def __init__(self):
        """Initialize an empty queue """
        self.items = []

    def enqueue(self, item):
        """
        Add an element to the rear of the queue
        :param item: Element to be added to the queue """
        self.items.append(item)

    def dequeue(self):
        """
        Remove and return the front element of the queue
        :return: Front element of the queue
        :raises IndexError: If the queue is empty
        """
        if self.is_empty():
            raise IndexError("Dequeue from empty queue")
        return self.items.pop(0)
    def peek(self):
        """
        Return the front element without removing it.
        :return: Front element of the queue
        :raises IndexError: If the queue is empty
        """
```

```
Front element: 10
Dequeued element: 10
Queue size: 2

=== Code Execution Successful ===
```

```
main.py                                                    Share   Run        Output                    Clear
    def peek(self):
        """
        Return the front element without removing it.
        :return: Front element of the queue
        :raises IndexError: If the queue is empty
        """
        if self.is_empty():
            raise IndexError("Peek from empty queue")
        return self.items[0]
    def size(self):
        """
        Return the number of elements in the queue.
        :return: Number of elements in the queue
        """
        return len(self.items)
    def is_empty(self):
        """
        Check whether the queue is empty.
        :return: True if queue is empty, False otherwise
        """
        return len(self.items) == 0
if __name__ == "__main__":
    queue = Queue()

    queue.enqueue(10)
    queue.enqueue(20)
    queue.enqueue(30)
    print("Front element:", queue.peek())
    print("Dequeued element:", queue.dequeue())
    print("Queue size:", queue.size()) # 2
```

```
Front element: 10
Dequeued element: 10
Queue size: 2

=== Code Execution Successful ===
```

Task Description #3 – Linked List

Task: Use AI to generate a Singly Linked List with insert and displaymethods.

Sample Input Code:

class Node:

pass class

LinkedList:

pass

Expected Output:

• A working linked list implementation with clear method documentation

```
""" Prompt:
Generate a Python implementation of a Singly Linked List.
Create a Node class to store data and a reference to the next node.
Create a LinkedList class with the following methods:

insert(data) – to insert a new node at the end of the list
display() – to display all elements of the linked list
Include clear docstrings for all classes and methods. """
```





Task Description #4 – Hash Table

Task: Use AI to implement a hash table with basic insert, search, and delete methods.

Sample Input Code: class

HashTable:

pass

Expected Output:

• Collision handling using chaining, with well-commented methods

```
"""Task Description #4 – Hash Table
Task: Use AI to implement a hash table with basic insert, search, and delete
methods.
Sample Input Code:
class HashTable:
pass
Expected Output:
• Collision handling using chaining, with well-commented methods. """
```





Task Description #5 – Graph Representation

Task: Use AI to implement a graph using an adjacency list.

Sample Input Code:

class Graph:

pass

Expected Output:

• Graph with methods to add vertices, add edges, and display connections.

```
""" Prompt:
Generate a Python class named Graph that represents a graph using an adjacency list.
The class should include the following methods:
add_vertex(vertex) - to add a new vertex to the graph
add_edge(vertex1, vertex2) - to add an edge between two vertices
display() - to display all vertices and their connected neighbors. """
```



Task Description #6: Smart Hospital Management System – Data Structure Selection

A hospital wants to develop a Smart Hospital Management System that handles:

1. Patient Check-In System – Patients are registered and treated in order of arrival.

2. Emergency Case Handling – Critical patients must be treated first.

3. Medical Records Storage – Fast retrieval of patient details using ID.

4. Doctor Appointment Scheduling – Appointments sorted by time.

5. Hospital Room Navigation – Represent connections between wards and rooms.

Student Task:

• For each feature, select the most appropriate data structure from the list below:

o Stack o Queue

o Priority

Queue o

Linked List

o Binary Search
Tree (BST)

o Graph o Hash

Table o Deque

- Justify your choice in 2–3 sentences per feature.
- Implement one selected feature as a working Python program with AI-assisted code generation.

Smart Hospital Management System – Data Structure Selection

---

1. Patient Check-In System Selected

Data Structure: Queue

Justification:
A Queue follows the First-In-First-Out (FIFO) principle. Patients are treated in the order they arrive, ensuring fairness. Therefore, a Queue is the most suitable structure for managing regular patient check-ins.

---

2. Emergency Case Handling

Selected Data Structure: Priority Queue

Justification:
Emergency patients must be treated based on severity rather than arrival time. A Priority Queue allows higher-priority (critical) patients to be treated first. This ensures immediate attention to life-threatening cases.

---

3. Medical Records Storage Selected Data Structure: Hash

Table

Justification:
Patient records need fast retrieval using a unique patient ID. A Hash Table provides average O(1) time complexity for search, insert, and delete operations. This makes record management efficient and scalable.

---

4. Doctor Appointment Scheduling

Selected Data Structure: Binary Search Tree (BST)

Justification:
Appointments must be maintained in sorted order based on time. A Binary Search Tree automatically keeps elements sorted. This makes scheduling and time-based retrieval efficient.

---

5. Hospital Room Navigation Selected Data Structure: Graph

Justification:
Hospital rooms and wards can be represented as nodes, and pathways as edges. A Graph effectively models connections between locations. It also supports pathfinding for navigation within the hospital.



Task Description #7: Smart City Traffic Control System A city

plans a Smart Traffic Management System that includes:

1. Traffic Signal Queue – Vehicles waiting at signals.

2. Emergency Vehicle Priority Handling – Ambulances and fire trucks prioritized.

3. Vehicle Registration Lookup – Instant access to vehicle details.

4. Road Network Mapping – Roads and intersections connected logically.

5. Parking Slot Availability – Track available and occupied slots.

Student Task

• For each feature, select the most appropriate data structure from the list below:

o Stack o Queue

o Priority Queue o

Linked List

o Binary Search

Tree (BST) o Graph o

Hash Table o Deque

• Justify your choice in 2–3 sentences per feature.

• Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

• A table mapping feature → chosen data structure → justification.

• A functional Python program implementing the chosen feature with comments and docstrings.

Smart City Traffic Control System

---

1. Traffic Signal Queue Selected Data

Structure: Queue

Justification:
Vehicles waiting at a traffic signal follow the First-In-First-Out (FIFO) principle. The vehicle that arrives first should move first when the signal turns green. Therefore, a Queue is the most appropriate structure for managing traffic signals fairly and efficiently.

---

2. Emergency Vehicle Priority Handling
Selected Data Structure: Priority Queue

Justification:
Emergency vehicles such as ambulances and fire trucks must be given immediate access regardless of arrival time. A Priority Queue allows higher-priority vehicles to be

processed before regular vehicles. This ensures faster emergency response and improved public safety.

---

3. Vehicle Registration Lookup

Selected Data Structure: Hash Table

Justification:
Vehicle details must be accessed instantly using a registration number. A Hash Table provides average O(1) time complexity for search operations. This makes it ideal for fast and efficient vehicle information retrieval.

---

4. Road Network Mapping Selected

Data Structure: Graph

Justification:
Roads and intersections can be represented as nodes and edges. A Graph efficiently models connections between locations and supports route-finding algorithms. This makes it suitable for navigation and traffic management systems.

---

5. Parking Slot Availability

Selected Data Structure: Binary Search Tree (BST)

Justification:
Parking slots can be stored in sorted order based on slot numbers. A Binary Search Tree maintains elements in sorted order and allows efficient insertion, deletion, and searching. This makes it suitable for tracking available and occupied parking slots.





Task Description #8: Smart E-Commerce Platform – Data Structure.

Challenge

An e-commerce company wants to build a Smart Online Shopping System with:

1. Shopping Cart Management – Add and remove products dynamically.

2. Order Processing System – Orders processed in the order they are Placed.

3. Top-Selling Products Tracker – Products ranked by sales count.

4. Product Search Engine – Fast lookup of products using product ID.

5. Delivery Route Planning – Connect warehouses and delivery locations.

Student Task

• For each feature, select the most appropriate data structure from the

list below:

o Stack o Queue

o Priority Queue o

Linked List

o Binary Search

Tree (BST) o Graph o

Hash Table o Deque

• Justify your choice in 2–3 sentences per feature.

• Implement one selected feature as a working Python program with AI-assisted code generation.

Expected Output:

• A table mapping feature → chosen data structure → justification.

• A functional Python program implementing the chosen feature with comments and docstrings.

Smart E-Commerce Platform – Data Structure Selection

---

1. Shopping Cart Management Selected

Data Structure: Linked List

Justification:
Products in a shopping cart are added and removed dynamically. A Linked List allows efficient insertion and deletion without shifting elements. This makes it suitable for managing frequently changing cart items.

---

2. Order Processing System Selected

Data Structure: Queue

Justification:

Orders must be processed in the order they are placed. A Queue follows the First-InFirst-Out (FIFO) principle, ensuring fairness. Therefore, it is ideal for handling customer orders.

---

3. Top-Selling Products Tracker

Selected Data Structure: Priority

Queue

Justification:
Products need to be ranked based on sales count. A Priority Queue allows items with higher sales to be accessed first. This ensures efficient tracking of top-selling products.

---

4. Product Search Engine

Selected Data Structure: Hash Table

Justification:
Products are searched using unique product IDs. A Hash Table provides average O(1) time complexity for search operations. This makes product lookup fast and efficient.

---

5. Delivery Route Planning Selected

Data Structure: Graph

Justification:
Warehouses and delivery locations can be represented as nodes, and roads as edges. A Graph efficiently models connections and supports shortest path algorithms. This makes it suitable for route optimization and logistics planning.

main.py

```python
products = {}
def add_product(product_id, name, price):
    products[product_id] = {
        'Name': name,
        'Price': price
    }
    print('Product added successfully.')
def search_product(product_id):
    if product_id in products:
        print('Product Found:')
        print('Product ID:', product_id)
        print('Name:', products[product_id]['Name'])
        print('Price:', products[product_id]['Price'])
    else:
        print('Product not found.')
def display_products():
    if len(products) == 0:
        print('No products available.')
    else:
        print('Available Products:')
        for pid in products:
            print(pid, '->', products[pid])
add_product('01', 'Laptop', 55000)
add_product('02', 'Mobile', 20000)
add_product('03', 'Headphones', 2000)
print()
display_products()
print('\nSearching for Product 102\n')
search_product('02')
print('\nSearching for Product 200\n')
search_product('200')
```

Output

```
Product added successfully.
Product added successfully.
Product added successfully.

Available Products:
01 -> {'Name': 'Laptop', 'Price': 55000}
02 -> {'Name': 'Mobile', 'Price': 20000}
03 -> {'Name': 'Headphones', 'Price': 2000}

Searching for Product 102

Product Found:
Product ID: 02
Name: Mobile
Price: 20000

Searching for Product 200

Product not found.
```