

AI ASSISTED CODING

Lab Assignment-1.5

NAME: D.Nihaal Krishna

HT.NO: 2303A52498

BATCH: 50

Task 1: AI-Generated Logic Without Modularization (String Reversal Without Functions)

✚ Scenario

You are developing a basic text-processing utility for a messaging application.

✚ Task Description

Use GitHub Copilot to generate a Python program that:

- Reverses a given string
- Accepts user input
- Implements the logic directly in the main code
- Does not use any user-defined functions

✚ Expected Output

- Correct reversed string
- Screenshots showing Copilot-generated code suggestions
- Sample inputs and outputs

PROMPT:

WRITE A PYTHON CODE FOR REVERSAL OF A STRING WITHOUT USING FUNCTIONS

CODE:

```
s = input("Enter a string: ")
reversed_string = ""
for i in range(len(s) - 1, -1, -1):
    reversed_string += s[i]
print("Reversed string:", reversed_string)
```

OUTPUT:

```
PS C:\Users\nihaa> & C:/Users/nihaa/AppData/Local/Programs/Python/Python313/python.exe
yr 2nd sem/AI Assistant coding/assign 1.5/AI_1.5"
Enter a string: LEVI
Reversed string: IVEL
PS C:\Users\nihaa> █
```

JUSTIFICATION:

1. The program prompts the user to enter a string.
2. It initializes an empty string to hold the reversed version.
3. It iterates through each character of the input string.
4. For each character, it prepends it to the reversed string.
5. Finally, it prints the reversed string to the console.

TASK-2

Task 2: Efficiency & Logic Optimization (Readability Improvement)

† Scenario

The code will be reviewed by other developers.

† Task Description

Examine the Copilot-generated code from **Task 1** and improve it by:

- Removing unnecessary variables
- Simplifying loop or indexing logic

- Improving readability
- Use Copilot prompts like:
 - *"Simplify this string reversal code"*
 - *"Improve readability and efficiency"*

Hint:

Prompt Copilot with phrases like

"optimize this code", "simplify logic", or "make it more readable"

✚ Expected Output

- Original and optimized code versions

Explanation of how the improvements reduce time complexity

PROMPT:

Develop a Python program that reverses a string using an optimized logical approach without defining any functions. Focus on improving efficiency compared to basic string concatenation.

CODE:

```
s = input()
reversed_string = s[::-1]
print(reversed_string)
```

OUTPUT:

```
PS C:\Users\nihaa> & C:/Users/nihaa/AppData/Local/Programs/Python/Python313/python.exe .5/AI_1.5"
ALLU ARJUN
NUJRA ULLA
PS C:\Users\nihaa> |
```

JUSTIFICATION:

1. **Commented Loop:** Nested loops (commented out) multiply numbers 10-1 by 20-1.
2. **User Input:** Takes string from user via `input()`.
3. **Reverse String:** `string[::-1]` reverses using slice notation (fastest method).
4. **Print Result:** Displays reversed string with label.

5. **Optimized:** No loops or functions— $O(n)$ efficient performance.

TASK-3

Task 3: Modular Design Using AI Assistance (String Reversal Using Functions)

† Scenario

The string reversal logic is needed in multiple parts of an application.

† Task Description

Use GitHub Copilot to generate a function-based Python program that:

- Uses a user-defined function to reverse a string
- Returns the reversed string
- Includes meaningful comments (AI-assisted)

† Expected Output

- Correct function-based implementation
- Screenshots documenting Copilot's function generation
- Sample test cases and outputs

PROMPT:

"Generate a reusable Python function to reverse a string with comments."

CODE:

```
# Function to reverse a given string
def reverse_string(text):
    """
    This function takes a string as input
    and returns the reversed version of it.
    """
    # Using slicing to reverse the string efficiently
    reversed_text = text[::-1]

    # Return the reversed string
    return reversed_text

# Taking user input
user_input = input("Enter a string: ")

# Calling the function and storing the result
result = reverse_string(user_input)

# Displaying the reversed string
print("Reversed string:", result)
```

OUTPUT:

```
PS C:\Users\nihaa> & C:/Users/nihaa/AppData/Local/Programs/Python/Python313/python.exe .5/AI_1.5"
Enter a string: bhAAi DEVUDU
Reversed string: UDUVED iAAhb
PS C:\Users\nihaa> █
```

EXPLANATION:

- Logic is reusable
- Clean structure
- Easy to debug
- Suitable for large applications

TASK-4

Task 4: Comparative Analysis – Procedural vs Modular Approach (With vs Without Functions) 🚩

Scenario

You are asked to justify design choices during a code review.

🚩 Task Description

Compare the Copilot-generated programs:

- Without functions (Task 1)
- With functions (Task 3)

Analyze them based on:

- Code clarity
- Reusability
- Debugging ease
- Suitability for large-scale applications 🚩 **Expected Output**

Comparison table or short analytical report

Analytical Report:

The procedural approach places all logic directly in the main program, which is simple but hard to reuse or maintain in larger applications. Debugging becomes more complex since errors are mixed with other code. In contrast, the modular approach encapsulates the reversal logic inside a function, making the program cleaner, reusable, and easier to test. Overall, modular design is more scalable and professional, aligning with best practices in software development.

TASK-5

Task 5: AI-Generated Iterative vs Recursive Fibonacci Approaches (Different Algorithmic Approaches to String Reversal)

✚ Scenario

Your mentor wants to evaluate how AI handles alternative logic paths.

✚ Task Description

Prompt GitHub Copilot to generate:

- A loop-based string reversal approach
- A built-in / slicing-based string reversal approach

✚ Expected Output ○ Two correct implementations

- Comparison discussing:
 - Execution flow
 - Time complexity
 - Performance for large inputs
 - When each approach is appropriate

PROMPT:

Generate two Python programs to reverse a string:

1) using a loop-based approach

2) using a built-in slicing approach

and show both implementations clearly

CODE:

```
def reverse_loop(text):
    reversed_text = ""
    for i in range(len(text) - 1, -1, -1):
        reversed_text += text[i]
    return reversed_text

user_input = input()
print(reverse_loop(user_input))
```

```
def reverse_slice(text):  
    return text[::-1]  
  
user_input = input()  
print(reverse_slice(user_input))
```

OUTPUT:

```
PS C:\Users\nihaa> & C:/Users/nihaa/AppData/Local/Programs/Python/Python313/python.exe  
.5/AI_1.5"  
levi  
ivel  
PS C:\Users\nihaa>
```

```
PS C:\Users\nihaa> & C:/Users/nihaa/AppData/Local/Programs/Python/Python313/python.exe  
.5/AI_1.5"  
NIHAAL  
LAAHIN  
PS C:\Users\nihaa>
```

Justification:

1. A single prompt was used to instruct GitHub Copilot to generate two different algorithmic approaches.
2. The loop-based method demonstrates iterative control flow and logical processing.
3. The slicing method uses Python's built-in features for efficiency and clarity.
4. Both approaches have the same time complexity, but slicing performs better in practice.
5. This comparison shows how AI adapts its output based on a well-structured prompt.