ASSIGNMENT – 7.3

2303A51060

Batch-10

Task-1

Prompt: Fixing syntax errors where a basic function definition of addition contains syntax errors.

Code :

```
def add_numbers(a, b):
    return a + b
# Taking user input for numbers to add
num1 = float(input("Enter first number: "))
num2 = float(input("Enter second number: "))
# Calling the function and printing the result
result = add_numbers(num1, num2)
print(f"The sum of {num1} and {num2} is: {result}")
```

Output :



Code Analysis :

- A function add_numbers(a, b) is defined to perform addition.

- Syntax issues are corrected to ensure proper function definition and return statement.
- User input is taken and converted to float for numeric calculation.
- Function is called with user inputs to compute the sum.
- Result is displayed using formatted output for clarity.

Task-2

Prompt: Debugging logic errors in loops with a simple function program that increments or decrements a counter based on user input.

Code:

```
def update_counter(counter, action):
    if action == 'increment':
        return counter + 1
    elif action == 'decrement':
        return counter - 1
    else:
        return counter
# Initialize counter
counter = 0
# Taking user input for action
action = input("Enter action (increment/decrement): ")
# Updating counter based on user input and printing the result
counter = update_counter(counter, action)
print(f"Counter value after {action}: {counter}")
```

Output :



Code Analysis :

- Function update_counter() updates counter based on user action.
- Conditional statements handle increment and decrement operations.
- Default case returns the same counter if action is invalid.
- Counter variable is initialized before processing.
- Demonstrates debugging of logical flow in conditional statements.

Task-3

Prompt : Handling runtime errors which function performs division without validations.

Code:

```
def safe_division(a, b):
    try:
        return a / b
    except ZeroDivisionError:
        return "Error: Division by zero is not allowed."
# Taking user input for numbers to divide
num1 = float(input("Enter numerator: "))
```

```
num2 = float(input("Enter denominator: "))
# Calling the function and printing the result
division_result = safe_division(num1, num2)
print(f"Result of division: {division_result}")
```

Output :



Code Analysis :

- Function safe_division() performs division inside a try block.
- ZeroDivisionError is handled using except to avoid program crash.
- User inputs are converted to float for accurate division.
- Function returns either result or error message.
- Demonstrates runtime error handling using exception handling.

Task-4

Prompt: Debugging class definition errors where the class for rectangle area calculation contains errors in method definition and attribute access.

Code:

```
class Rectangle:
```

```
    def __init__(self, width, height):
        self.width = width
        self.height = height

    def calculate_area(self):
        return self.width * self.height
# Taking user input for rectangle dimensions
width = float(input("Enter width of the rectangle: "))
height = float(input("Enter height of the rectangle: "))
# Creating a Rectangle object and calculating area
rectangle = Rectangle(width, height)
area = rectangle.calculate_area()
print(f"The area of the rectangle is: {area}")
```

Output :



Code Analysis :

- Rectangle class is created with width and height attributes.
- Constructor initializes object properties correctly.
- calculate_area() method returns area using instance variables.

 Object is created using user input values.

 Demonstrates debugging of method definition and attribute usage.

Task 5

Prompt: Resolving index errors in lists that access an out-of-range list index.

Code:

```
my_list = [1, 2, 3, 4, 5]
# Taking user input for index to access
index = int(input("Enter index to access (0-4): "))
# Accessing list element with error handling
try:
    print(f"Element at index {index}: {my_list[index]}")
except IndexError:
    print("Error: Index out of range. Please enter a valid index between 0 and 4.")
```

Output :



Code Analysis :

 A list is defined with fixed elements.

 User provides an index to access list elements.

 Access operation is placed inside a try block.

- IndexError is handled using except to prevent crash.
- Program ensures safe list access and user-friendly error message.