

Assignment - 1

Sushruth Reddy Chada
2303A51219 -04

09-01-2026


Task 0: Environment Setup:-


Task 0

- Install and configure GitHub Copilot in VS Code. Take screenshots of each step.

Expected Output

- Install and configure GitHub Copilot in VS Code. Take screenshots of each step.





Task 1: Non-Modular Logic (Factorial):-

: AI-Generated Logic Without Modularization (String Reversal Without Functions)

❖ Scenario

You are developing a basic text-processing utility for a messaging application.

❖ Task Description


Use GitHub Copilot to generate a Python program that:

- Reverses a given string
- Accepts user input
- Implements the logic directly in the main code
- Does not use any user-defined functions

❖ Expected Output

- Correct reversed string
- Screenshots showing Copilot-generated code suggestions

➤ Sample inputs and outputs



The screenshot shows the VS Code interface with the following details:

- Code Editor:** Task1.py file open, containing Python code to reverse a string.
- Terminal:** Shows the command `python task1.py` being run, followed by the output:

```
PS C:\Users\hp> & C:/Users/hp/AppData/Local/Microsoft/WindowsApps/python3.13.exe c:/Users/hp/OneDrive/Desktop/ai/task1.py
Enter a string to reverse: 2 3 4 5 6
Original String: 2 3 4 5 6
Reversed String: 6 5 4 3 2
PS C:\Users\hp>
```
- Bottom Status Bar:** Includes icons for battery, signal, and date/time (09-01-2026).
- Code Editor Bottom:** Shows tabs for PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, and PORTS. The TERMINAL tab is selected.
- Taskbar:** Shows various pinned application icons.



The screenshot shows a dark mode terminal window with the following details:

- Terminal:** Shows the command `python task1.py` being run, followed by the output:

```
PS C:\Users\hp> & C:/Users/hp/AppData/Local/Microsoft/WindowsApps/python3.13.exe c:/Users/hp/OneDrive/Desktop/ai/task1.py
Enter a string to reverse: 2 3 4 5 6
Original String: 2 3 4 5 6
Reversed String: 6 5 4 3 2
PS C:\Users\hp>
```

Task 2: AI Code Optimization:-

Efficiency & Logic Optimization (Readability Improvement)

❖ Scenario

The code will be reviewed by other developers.

❖ Task Description

Examine the Copilot-generated code from Task 1 and improve it by:

- Removing unnecessary variables
- Simplifying loop or indexing logic
- Improving readability
- Use Copilot prompts like:
 - “Simplify this string reversal code”
 - “Improve readability and efficiency”

Hint:

Prompt Copilot with phrases like

“optimize this code”, “simplify logic”, or “make it more readable”

❖ Expected Output

➢ Original and optimized code versions

➢ Explanation of how the improvements reduce time complexity

The screenshot shows the Visual Studio Code interface. On the left is the code editor with a file named 'task1.py' containing the following Python code:

```
C:\> Users > hp > OneDrive > Desktop > ai > task1.py > ...
1 user_input = input("Enter a string: ")
2
3 # Using Python's slicing for maximum efficiency
4 reversed_string = user_input[::-1]
5
6 print(f"Reversed: {reversed_string}")
```

To the right of the code editor is a terminal window showing the output of running the script:

```
PS C:\Users\hp\OneDrive\Desktop\ai> & 'c:\Users\hp\AppData\Local\Microsoft\WindowsApps\python3.13.exe' 'c:\Users\hp\.vscode\extensions\ms-python.python-2025.18.0-win32-x64\bundled\libs\debg\launcher' '50075' '---' 'c:\Users\hp\OneDrive\Desktop\ai\task1.py'
Enter a string: 40 50 60 70
Reversed: 70 60 50 40
PS C:\Users\hp\OneDrive\Desktop\ai>
```

Task 3: Modular Design Using AI Assistance (String Reversal Using Functions)

❖ Scenario

The string reversal logic is needed in multiple parts of an application.

❖ Task Description


Use GitHub Copilot to generate a function-based Python program that:

- Uses a user-defined function to reverse a string
- Returns the reversed string
- Includes meaningful comments (AI-assisted)

❖ Expected Output

- Correct function-based implementation
- Screenshots documenting Copilot’s function generation

➤ Sample test cases and outputs



```
task1.py
C:\> Users > hp > OneDrive > Desktop > ai > task1.py > ...
1 def reverse_string_functional(text):
2     """
3         Reverses the input string and returns it.
4     """
5     reversed_text = ""
6     for char in text:
7         |     reversed_text = char + reversed_text
8     return reversed_text
9
10 # Testing the function
11 input_str = input("Enter text: ")
12 result = reverse_string_functional(input_str)
13 print(f"Result: {result}")

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
5 4 3 2 1
5 4 3 2 1
PS C:\Users\hp\OneDrive\Desktop\ai> ^C
PS C:\Users\hp\OneDrive\Desktop\ai>
PS C:\Users\hp\OneDrive\Desktop\ai> c;; cd 'c:\Users\hp\OneDrive\Desktop\ai'; & 'c:\Users\hp\AppData\Local\Microsoft\WindowsApps\python3.13.exe' 'c:\Users\hp\vscode\extensions\ms-python.on.debugpy-2025.18.0-win32-x64\bundled\libs\debugpy\launcher' '54371' '--' 'c:\Users\hp\OneDrive\Desktop\ai\task1.py'
Enter text: Teju
Result: ujeT
PS C:\Users\hp\OneDrive\Desktop\ai>
```

Task 4: Comparative Analysis - Procedural vs Modular Approach (With vs Without Functions)

❖ Scenario

You are asked to justify design choices during a code review.

❖ Task Description

Compare the Copilot-generated programs:

➤ Without functions (Task 1)

➤ With functions (Task 3)

Analyze them based

on:

➤ Code clarity

➤ Reusability

➤ Debugging ease

➤ Suitability for large-scale applications

❖ Expected Output

Comparison table or short analytical report

Feature	Procedural (Without Functions)	Modular (With Functions)
Code Clarity	Easy for tiny scripts; messy for large ones.	Very high; logic is isolated and named.
Reusability	Must copy-paste code to use it again.	Can be called anywhere in the app.
Debugging	Harder to isolate where an error occurs.	Easy to unit test the specific function.
Scalability	Not suitable for large applications.	Essential for professional development.

Task 5: AI-Generated Iterative vs Recursive Fibonacci Approaches (Different Algorithmic Approaches to String Reversal)

❖ Scenario

Your mentor wants to evaluate how AI handles alternative logic paths.

❖ Task Description

Prompt GitHub Copilot to generate:

- A loop-based string reversal approach
- A built-in / slicing-based string reversal approach

❖ Expected Output

- Two correct implementations

➢ Comparison discussing:

- Execution flow
- Time complexity
- Performance for large inputs
- When each approach is appropriate.

```
C:\> Users > hp > OneDrive > Desktop > ai > task1.py > ...
1  def reverse_iterative(input_string):
2      reversed_str = ""
3      for char in input_string:
4          reversed_str = char + reversed_str
5      return reversed_str
6
7  def reverse_slicing(input_string):
8      return input_string[::-1]
9
10 test_input = input("Enter a string: ")
11
12 print(reverse_iterative(test_input))
13 print(reverse_slicing(test_input))
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS + v ... | ⌂ X
s\debugpy\launcher' '50436' ... 'c:\Users\hp\OneDrive\Desktop\ai\task1.py'
PS C:\Users\hp\OneDrive\Desktop\ai>
PS C:\Users\hp\OneDrive\Desktop\ai> ::; cd 'c:\Users\hp\OneDrive\Desktop\ai'; & 'c:\Users\hp\AppData\Local\Microsoft\WindowsApps\python3.13.exe' 'c:\Users\hp\.vscode\extensions\ms-pythonon.debugpy-2025.18.0-win32-x64\bundled\lib\debugpy\launcher' '57517' ... 'c:\Users\hp\OneDrive\Desktop\ai\task1.py'
Enter a string: 1 2 3 4 5
5 4 3 2 1
PS C:\Users\hp\OneDrive\Desktop\ai> [Δ 0 ⌂ Indexing completed.
```