HIGHPERFORMANCECOMPUTING

ASSIGNMENT-2

Name : A.JEEVAN SAI

HTNO : 2303A51420

Batch no : 21

Section1 : Section A — Vector Operations & Dot Product (CPU- bound, loop overhead)

```
import time import
random import
cProfile import
pstats import io
import tracemalloc

# ----------------------------
# Vector Operations
# ----------------------------

def vector_addition(a, b):
    result = [] for i in
    range(len(a)):
        result.append(a[i] + b[i])
    return result


def dot_product(a, b): dot
    = 0 for i in
    range(len(a)):
        dot += a[i] * b[i]
    return dot


# ----------------------------
# Main Execution
# ----------------------------

def main(): size = 100000 # size of
    vectors

    # Generate random vectors
    vec1 = [random.random() for _ in range(size)]
    vec2 = [random.random() for _ in range(size)]

    # Measure time for vector addition
```

```
    start_time = time.time() add_result =
    vector_addition(vec1, vec2) add_time =
    time.time() - start_time

    # Measure time for dot product
    start_time = time.time() dot_result
    = dot_product(vec1, vec2) dot_time
    = time.time() - start_time

    print("Vector Addition Time:", add_time, "seconds")
    print("Dot Product Time:", dot_time, "seconds")
    print("Dot Product Result:", dot_result)


# ----------------------------
# Profiling & Memory Tracking #
----------------------------

if __name__ == "__main__":
    tracemalloc.start()

    profiler =

    cProfile.Profile()

    profiler.enable() main()

    profiler.disable()

    # Capture profiling output
    s = io.StringIO()
    stats = pstats.Stats(profiler, stream=s).sort_stats("cumulative")
    stats.print_stats(10)

    print("\n--- Profiling Results (Top 10) ---")
    print(s.getvalue())

    # Memory usage current, peak =
    tracemalloc.get_traced_memory() print(f"Current Memory
    Usage: {current / 10**6:.2f} MB") print(f"Peak Memory
    Usage: {peak / 10**6:.2f} MB") tracemalloc.stop()
```

```
Vector Addition Time: 0.714285135269165 seconds
Dot Product Time: 0.31422996520996094 seconds
Dot Product Result: 24980.977204187504

--- Profiling Results (Top 10) ---
         300151 function calls (300150 primitive calls) in 1.864 seconds
```

```
   Ordered by: cumulative time
   List reduced from 25 to 10 due to restriction <10>

     ncalls tottime percall cumtime    percall filename:lineno(function)
       2/1    0.635    0.318    1.035    1.035 /tmp/ipython-input-
1594222699.py:30(main)
         1    0.443    0.443    0.606    0.606 /tmp/ipython-input-
1594222699.py:12(vector_addition)
         1    0.314    0.314    0.314    0.314 /tmp/ipython-input-
1594222699.py:19(dot_product)
    200000    0.275    0.000    0.275    0.000 {method 'random' of
'_random.Random' objects}
    100000 0.193 0.000 0.193 objects}    0.000 {method 'append' of 'list'
         3    0.000    0.000    0.003
                                         0.001 {built-in method
builtins.print}
        16    0.002    0.000    0.003
                                         0.000
                                         /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:526(write)
        16    0.000    0.000    0.000    0.000 /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:456(_schedule_flush)
         1    0.000    0.000    0.000    0.000 {method 'disable' of
'_lsprof.Profiler' objects}
         1    0.000    0.000    0.000    0.000 /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:202(schedule)



Current Memory Usage: 0.04 MB
Peak Memory Usage: 9.61 MB
```

Section2: Naïve Matrix Multiplication (O(n3) compute)

```
import time import
random import
cProfile import
pstats import io
import tracemalloc

# -------------------------------
# Naïve Matrix Multiplication # --
-----------------------------def
matrix_multiply(A, B):
    n = len(A) m
    = len(B[0])
    p = len(B)

    # Initialize result matrix
```

```
    C = [[0 for _ in range(m)] for _ in range(n)]
    # Triple nested loop (O(n^3))
    for i in range(n):
        for j in range(m):
            for k in range(p):
                C[i][j] += A[i][k] * B[k][j]

    return C


# -------------------------------
# Main Function
# -------------------------------def main(): size = 50 #
Change to 100 or 150 if system is powerful

    # Generate random matrices
    A = [[random.random() for _ in range(size)] for _ in range(size)]
    B = [[random.random() for _ in range(size)] for _ in range(size)]

    # Measure execution time
    start_time = time.time()
    C = matrix_multiply(A,
    B) end_time =
    time.time()

    print("Matrix Size:", size, "x", size)
    print("Execution Time:", end_time - start_time, "seconds")
    print("Sample Output C[0][0]:", C[0][0])


# -------------------------------
# Profiling & Memory Tracking # --
-----------------------------if
__name__ == "__main__":

    # Start memory tracking
    tracemalloc.start()

    # Start CPU profiling
    profiler =
    cProfile.Profile()
    profiler.enable()

    # Run main program
    main()
```

```python
    # Stop profiler
    profiler.disable()

    # Display profiling results
    s = io.StringIO()
    stats = pstats.Stats(profiler, stream=s).sort_stats("cumulative")
    stats.print_stats(10)

    print("\n--- Profiling Results (Top 10 Functions) ---")
    print(s.getvalue())

    # Memory usage results
    current, peak = tracemalloc.get_traced_memory()
    print(f"Current Memory Usage: {current / 10**6:.2f} MB")
    print(f"Peak Memory Usage: {peak / 10**6:.2f} MB")
    tracemalloc.stop()
```

```
Matrix Size: 50 x 50
Execution Time: 0.113677978515625 seconds
Sample Output C[0][0]: 12.841882144986402

--- Profiling Results (Top 10 Functions) ---
         5370 function calls (5366 primitive calls) in 0.129 seconds

   Ordered by: cumulative time
   List reduced from 74 to 10 due to restriction <10>

   ncalls tottime percall cumtime percall filename:lineno(function)
        2    0.000    0.000    0.120    0.060
/usr/lib/python3.12/asyncio/base_events.py:1922(_run_once)
        2    0.003      0.001 0.119 0.060
/usr/lib/python3.12/selectors.py:451(select)
        1    0.001    0.001    0.116    0.116 /tmp/ipython-input-
2467793161.py:31(main)
        1    0.114    0.114    0.114    0.114 /tmp/ipython-input-
2467793161.py:11(matrix_multiply)
     5000    0.007    0.000    0.007    0.000 {method 'random' of
'_random.Random' objects}
        4    0.001    0.000    0.005    0.001 /usr/local/lib/python3.12/dist-
packages/zmq/sugar/socket.py:632(send)
        2    0.000    0.000    0.001    0.001 /usr/local/lib/python3.12/dist-
packages/zmq/eventloop/zmqstream.py:654(_rebuild_io_state)
        3    0.000      0.000 0.001 0.000 {built-in method
builtins.print}
       18    0.001    0.000    0.001    0.000 /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:526(write)
```

```
        1    0.000    0.000    0.001    0.001
/usr/lib/python3.12/asyncio/events.py:86(_run)
Current Memory Usage: 0.08 MB
Peak Memory Usage: 0.27 MB
```

Section3: 2D Convolution (Stencil/Blur) on a Grid Aim

```
import time import
cProfile import
pstats import io
import tracemalloc

# -------------------------------#
2D Convolution (5x5 Blur Kernel) #
--------------------------------def
blur_2d(image, kernel): height =
len(image) width = len(image[0])
k_size = len(kernel) pad = k_size
// 2

    # Initialize output image with zeros
    output = [[0.0 for _ in range(width)] for _ in range(height)]

    # Apply convolution (ignore borders)
    for i in range(pad, height - pad):
        for j in range(pad, width -
            pad): acc = 0.0 for ki in
            range(k_size):
                for kj in range(k_size):
                    acc += image[i + ki - pad][j + kj - pad] * kernel[ki][kj]
            output[i][j] = acc

    return output


# -------------------------------
# Main Function
# --------------------------------def
main(): size = 200 # Image size
(200x200)

    # Create synthetic image
    image = [[(i + j) % 256 for j in range(size)] for i in range(size)]

    # 5x5 Blur Kernel (Uniform)
    kernel = [[1 / 25 for _ in range(5)] for _ in range(5)]
```

```
    # Measure execution time
    start_time = time.time() result =
    blur_2d(image, kernel) end_time =
    time.time()

    print("Image Size:", size, "x", size) print("Execution
    Time:", end_time - start_time, "seconds") print("Sample
    Output Pixel [100][100]:", result[100][100])


# --------------------------------
# Profiling & Memory Tracking # --
-----------------------------if
__name__ == "__main__":
tracemalloc.start()

    profiler =

    cProfile.Profile()

    profiler.enable() main()

    profiler.disable()

    # Profiling output
    s = io.StringIO()
    stats = pstats.Stats(profiler, stream=s).sort_stats("cumulative")
    stats.print_stats(10)

    print("\n--- Profiling Results (Top 10 Functions) ---")
    print(s.getvalue())

    # Memory usage current, peak =
    tracemalloc.get_traced_memory() print(f"Current Memory
    Usage: {current / 10**6:.2f} MB") print(f"Peak Memory
    Usage: {peak / 10**6:.2f} MB") tracemalloc.stop()
```

```
Image Size: 200 x 200
Execution Time: 2.0604727268218994 seconds
Sample Output Pixel [100][100]: 200.00000000000003

--- Profiling Results (Top 10 Functions) ---
         437 function calls (433 primitive calls) in 2.084 seconds

   Ordered by: cumulative time
   List reduced from 81 to 10 due to restriction <10>
```

```
       ncalls tottime percall cumtime percall filename:lineno(function)
        2   0.000 0.000 2.083 1.042
        /usr/lib/python3.12/asyncio/base_events.py:1922(_run_once)
        2    0.000    0.000    2.077    1.038
/usr/lib/python3.12/selectors.py:451(select)
        2    0.016    0.008    2.077    1.038 {method 'poll' of
'select.epoll' objects}
        1    0.214    0.214    2.061    2.061 /tmp/ipython-input-
1836106658.py:34(main)
        1    1.005    1.005    1.005    1.005 {built-in method time.sleep}
        1    0.841    0.841    0.841    0.841 /tmp/ipython-input-
1836106658.py:10(blur_2d)
        1    0.000    0.000    0.006    0.006
/usr/lib/python3.12/asyncio/events.py:86(_run)
        1    0.000    0.000    0.006    0.006 {method 'run' of
'_contextvars.Context' objects}
        1    0.000    0.000    0.006    0.006 /usr/local/lib/python3.12/dist-
packages/tornado/ioloop.py:750(_run_callback)
        1    0.000    0.000    0.006    0.006 /usr/local/lib/python3.12/dist-
packages/zmq/eventloop/zmqstream.py:685(<lambda>)



Current Memory Usage: 0.07 MB
Peak Memory Usage: 1.61 MB
```

Section4: Monte Carlo π Estimation (Random + Reduction)

```
import time import
random import
cProfile import
pstats import io
import tracemalloc

# -------------------------------
# Monte Carlo Pi Estimation
# ------------------------------def
monte_carlo_pi(num_samples):
inside_circle = 0

    for _ in range(num_samples):
        x = random.random()
        y = random.random()

        if x * x + y * y <= 1.0:
            inside_circle += 1
```

```
    pi_estimate = 4 * inside_circle / num_samples
    return pi_estimate
# -------------------------------
# Main Function
# ------------------------------def main():
samples = 5_000_000 # Number of random points

    start_time = time.time() pi_value
    = monte_carlo_pi(samples)
    end_time = time.time()

    print("Number of Samples:", samples)
    print("Estimated Pi Value:", pi_value)
    print("Execution Time:", end_time - start_time, "seconds")


# -------------------------------
# Profiling & Memory Tracking # --
-----------------------------if
__name__ == "__main__":
tracemalloc.start()

    profiler =

    cProfile.Profile()

    profiler.enable() main()

    profiler.disable()

    # Profiling output
    s = io.StringIO()
    stats = pstats.Stats(profiler, stream=s).sort_stats("cumulative")
    stats.print_stats(10)

    print("\n--- Profiling Results (Top 10 Functions) ---")
    print(s.getvalue())

    # Memory usage
    current, peak = tracemalloc.get_traced_memory()

    print(f"Current Memory Usage: {current / 10**6:.2f} MB")

    print(f"Peak Memory Usage: {peak / 10**6:.2f} MB")

    tracemalloc.stop()
```

```
Number of Samples: 5000000
Estimated Pi Value: 3.1411456
```

```
Execution Time: 12.97388243675232 seconds
--- Profiling Results (Top 10 Functions) ---
         10000154 function calls (10000153 primitive calls) in 12.975 seconds

   Ordered by: cumulative time
   List reduced from 24 to 10 due to restriction <10>

   ncalls tottime percall cumtime percall filename:lineno(function)
      2/1    0.726      0.363 12.975 12.975 /tmp/ipython-input-
1834780482.py:28(main)
        12 10.156      0.846 12.063     1.005 {built-in method time.sleep}
10000000     2.046    0.000    2.046    0.000 {method 'random' of
'_random.Random' objects}
        1    0.047    0.047    0.055    0.055 /tmp/ipython-input-
1834780482.py:11(monte_carlo_pi)
        3    0.000    0.000    0.001    0.000 {built-in method
builtins.print}
       14    0.000    0.000    0.001    0.000 /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:526(write)
       14    0.000    0.000    0.001    0.000 /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:456(_schedule_flush)
        1    0.000    0.000    0.001    0.001 /usr/local/lib/python3.12/dist-
packages/ipykernel/iostream.py:202(schedule)
        1    0.000    0.000    0.000    0.000 /usr/local/lib/python3.12/dist-
packages/zmq/sugar/socket.py:632(send)
        1    0.000    0.000    0.000    0.000 {method 'disable' of
'_lsprof.Profiler' objects}



Current Memory Usage: 0.02 MB
Peak Memory Usage: 0.02 MB
```

Section5: Pairwise Interactions (N2 Kernel, “Mini” N-Body)

```
import time import
random import
cProfile import
pstats import io
import tracemalloc
import math

# ------------------------------#
Pairwise Interaction Kernel (N^2) # -
-----------------------------def
pairwise_interactions(particles):
```

```
    n = len(particles)

    total_interaction = 0.0

    for i in range(n):

        xi, yi = particles[i] for
        j in range(i + 1, n):
        xj, yj = particles[j]

            # Compute distance (no physics
            integration) dx = xi - xj dy = yi - yj
            distance = math.sqrt(dx * dx + dy * dy) + 1e-9

    total_interaction += 1.0 / distance return

    total_interaction


# -------------------------------
# Main Function
# ------------------------------
def main():
    N = 2000 # Number of particles

    # Generate random particle positions
    particles = [(random.random(), random.random()) for _ in range(N)]

    # Measure execution time
    start_time = time.time()
    interaction_value = pairwise_interactions(particles)
    end_time = time.time()

    print("Number of Particles:", N) print("Total Interaction
    Value:", interaction_value) print("Execution Time:",
    end_time - start_time, "seconds")


# -------------------------------
# Profiling & Memory Tracking # --
-----------------------------if
__name__ == "__main__":
tracemalloc.start()

    profiler =

    cProfile.Profile()
```

```python
profiler.enable() main()

profiler.disable()

# Profiling output
s = io.StringIO()
stats = pstats.Stats(profiler, stream=s).sort_stats("cumulative")
stats.print_stats(10)

print("\n--- Profiling Results (Top 10 Functions) ---")
print(s.getvalue())

# Memory usage
current, peak = tracemalloc.get_traced_memory()
print(f"Current Memory Usage: {current / 10**6:.2f} MB")
print(f"Peak Memory Usage: {peak / 10**6:.2f} MB")
tracemalloc.stop()
```

```
Number of Particles: 2000
Total Interaction Value: 5990982.9975241935
Execution Time: 9.654498815536499 seconds

--- Profiling Results (Top 10 Functions) ---
         2003607 function calls (2003597 primitive calls) in 9.674 seconds

   Ordered by: cumulative time
   List reduced from 109 to 10 due to restriction <10>

   ncalls tottime percall cumtime percall filename:lineno(function)
        4    0.000    0.000    9.664    2.416
/usr/lib/python3.12/asyncio/base_events.py:1922(_run_once)
        1    0.012    0.012    9.638    9.638 /tmp/ipython-input-
3511488703.py:34(main)
        9    7.744    0.860    9.053    1.006 {built-in method time.sleep}
1999000      1.395    0.000    1.395    0.000 {built-in method math.sqrt}
        1    0.488      0.488 0.571 0.571 /tmp/ipython-input-
3511488703.py:12(pairwise_interactions)
      3/2    0.000    0.000    0.024    0.012 {method 'run' of
'_contextvars.Context' objects}
        2    0.000      0.000 0.024 0.012 /usr/local/lib/python3.12/dist-
packages/zmq/eventloop/zmqstream.py:574(_handle_events)
        1    0.000      0.000 0.024 0.024 /usr/local/lib/python3.12/dist-
packages/tornado/platform/asyncio.py:206(_handle_events)
        2    0.000      0.000 0.023 0.012 /usr/local/lib/python3.12/dist-
packages/zmq/eventloop/zmqstream.py:615(_handle_recv)
        2    0.000    0.000    0.023    0.011 /usr/local/lib/python3.12/dist-
```

```
packages/zmq/eventloop/zmqstream.py:547(_run_callback)



Current Memory Usage: 0.15 MB
Peak Memory Usage: 0.20 MB
```