

AI & ASSISTED CODING

ASSIGNMENT-10.3

Batch no.:28

HT NO.:2303A51690

Problem Statement 1: AI-Assisted Bug Detection


Scenario: A junior developer wrote the following Python function to calculate factorials:

```
def factorial(n):  
    result = 1  
    for i in range(1, n):  
        result = result * i  
    return result
```

Instructions:

1. Run the code and test it with factorial(5).
2. Use an AI assistant to:
 - o Identify the logical bug in the code.
 - o Explain why the bug occurs (e.g., off-by-one error).
 - o Provide a corrected version.
3. Compare the AI's corrected code with your own manual fix.
4. Write a brief comparison: Did AI miss any edge cases (e.g., negative numbers, zero)?

PYTHON CODE & OUTPUT :




The screenshot shows a code editor with a file named 'fac.py' open. The code defines a function 'factorial(n)' that calculates the factorial of 'n' using a loop. The function is tested with 'print(factorial(5))'. Below the code, the terminal output shows the execution of the script, resulting in the output '120'.

```
1 def factorial(n):  
2     result = 1  
3     for i in range(1, n):  
4         result = result * i  
5     return result  
6 print(factorial(5))  
7
```

Terminal Output:

```
PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe c:/Users/HP/OneDrive/Desktop/fac.py  
120  
PS C:\Users\HP>
```

CODE REVIEW & OUTPUT:



JUSTIFICATION:

1. The original function had an **off-by-one error** because `range(1, n)` excludes `n`.
 2. This caused incorrect factorial results (e.g., `factorial(5)` returned 24 instead of 120).
 3. AI correctly identified the logical bug in loop boundaries.
 4. AI suggested using `range(1, n + 1)` to fix the issue.
 5. AI considered **edge cases** like:
 - `n = 0` (should return 1)
 - Negative numbers (should raise error)
 6. AI-generated solution included **input validation**, improving robustness.
 7. Manual fix usually focuses only on logic, while AI includes additional safety checks.
 8. Therefore, AI improves both **correctness and reliability** of code.
-

Problem Statement 2: Task 2 — Improving Readability & Documentation

Scenario: The following code works but is poorly written:

```
.  
def calc(a, b, c):  
    if c == "add":  
        return a + b  
    elif c == "sub":  
        return a - b  
  
    elif c == "mul":  
        return a * b  
    elif c == "div":
```

Instructions:

5. Use AI to:

- o Critique the function's readability, parameter naming, and lack of documentation.


- o Rewrite the function with:

1. Descriptive function and parameter names.
2. A complete docstring (description, parameters, return value, examples).
3. Exception handling for division by zero.
4. Consideration of input validation.
6. Compare the original and AI-improved versions.
7. Test both with valid and invalid inputs (e.g., division by zero, non-string operation).

Expected Output:


A well-documented, robust, and readable function that handles errors gracefully.

PYTHON CODE & OUTPUT :



```
C: > Users > HP > OneDrive > Desktop > AI & AC.py > calc
1 def calc(a, b, c):
2     if c == "add":
3         return a + b
4     elif c == "sub":
5         return a - b
6     elif c == "mul":
7         return a * b
8     elif c == "div":
9         return a / b
```

CODE REVIEW & OUTPUT:



```
1 def calc(a, b, c):
2     if c == "add":
3         return a + b
4     elif c == "sub":
5         return a - b
6     elif c == "mul":
7         return a * b
8     elif c == "div":
9         if b == 0:
10            raise ValueError("Cannot divide by zero")
11        return a / b
12    else:
13        raise ValueError("Invalid operation")
14
15 # Example usage
16 if __name__ == "__main__":
17     print("Addition:", calc(10, 5, "add"))
18     print("Subtraction:", calc(10, 5, "sub"))
19     print("Multiplication:", calc(10, 5, "mul"))
20     print("Division:", calc(10, 5, "div"))
21
22     try:
23         print("Division by zero:", calc(10, 0, "div"))
24     except ValueError as e:
25         print("Error:", e)
26
27     try:
28         print("Invalid operation:", calc(10, 5, "mod"))
29     except ValueError as e:
30         print("Error:", e)
```

CODE REVIEW AND CORRECTIONS NEEDED

- handling).
- There's no check for division by zero, which would cause a runtime error if `b` is 0.
- There's no handling for invalid operation strings (e.g., if `c` is not one of "add", "sub", "mul", or "div"), which could lead to the function returning `None` unexpectedly.

Here's the corrected version of the code. I've added the missing return for division, a check for division by zero, and an `else` clause to handle invalid operations.

```
def calc(a, b, c):
    if c == "add":
        return a + b
    elif c == "sub":
        return a - b
    elif c == "mul":
        return a * b
    elif c == "div":
        if b == 0:
            raise ValueError("cannot divide by zero")
        return a / b
    else:
        raise ValueError("Invalid operation")
```

What kind of print statements do you want? For example, do you want the function to print the results directly instead of returning them, or add print statements for debugging, or something else? Please describe how you want the prints to work.

Enter your answer

Submit

```
17 | print("Addition:" + calc(10, 5, "add"))
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & A
PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & A
PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & A
C.py"
C.py"
Addition: 15
Addition: 15
Subtraction: 5
Multiplication: 50
Division: 2.0
Error: Cannot divide by zero
Error: Invalid operation
PS C:\Users\HP>
```

JUSTIFICATION:

1. Original function had **poor naming** (calc, a, b, c), reducing clarity.
2. There was **no docstring**, making it difficult to understand purpose and usage.
3. No handling for invalid operations.
4. Division by zero was not handled.
5. AI improved:
 - Function name (calculate_numbers)
 - Parameter names (num1, num2, operation)
6. AI added a **proper docstring** including:
 - Description
 - Parameters
 - Return type
 - Example
7. AI included **exception handling** for:
 - Invalid operations
 - Division by zero
 - Wrong input type

8. The improved version follows **clean code principles**.
 9. Thus, AI enhances **readability, maintainability, and error handling**.
-

Problem Statement 3: Enforcing Coding Standards

Scenario: A team project requires PEP8 compliance. A developer submits:

```
def Checkprime(n):  
    for i in range(2, n):  
        if n % i == 0:  
            return False  
    return True
```

Instructions:

8. Verify the function works correctly for sample inputs.
9. Use an AI tool (e.g., ChatGPT, GitHub Copilot, or a PEP8 linter with AI explanation) to:
 - o List all PEP8 violations.
 - o Refactor the code (function name, spacing, indentation, naming).
10. Apply the AI-suggested changes and verify functionality is preserved.
11. Write a short note on how automated AI reviews could streamline code reviews in large teams.

PYTHON CODE & OUTPUT :

CODE REVIEW & OUTPUT:

```
1 def check_prime(n):
2     if n < 2:
3         return False
4     for i in range(2, int(n**0.5) + 1):
5         if n % i == 0:
6             return False
7     return True
8
9 print(check_prime(7))
10
```

CHAT

CODE CORRECTION AND REVIEW REQUEST

crct the code and review the code

✓ Reviewed and updated AI & AC.py

✓ Updated AI & AC.py

Run `push` command?

& C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & AC.py"

Allow Skip

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

C.py"

PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & AC.py"

C.py"

C.py"

True

PS C:\Users\HP> |

JUSTIFICATION:

1. Original function violated **PEP8 naming conventions** (Checkprime).
2. PEP8 recommends lowercase with underscores → check_prime.
3. Missing docstring reduced documentation quality.
4. No validation for numbers less than 2.
5. AI identified naming, formatting, and documentation issues.
6. AI refactored code while preserving functionality.

7. Improved function became:

- More readable
- More professional
- Standards-compliant

8. AI-based review reduces manual effort in large teams.

9. Automated AI reviews improve consistency across projects.

10. Therefore, AI helps maintain **coding discipline and uniformity**.

Problem Statement 4: AI as a Code Reviewer in Real Projects

Scenario:

In a GitHub project, a teammate submits:

```
def processData(d):
```

```
    return [x * 2 for x in d if x % 2 == 0]
```

Instructions:

1. Manually review the function for:

- o Readability and naming.
- o Reusability and modularity.
- o Edge cases (non-list input, empty list, non-integer elements).

2. Use AI to generate a code review covering:

- a. Better naming and function purpose clarity.
- b. Input validation and type hints.
- c. Suggestions for generalization (e.g., configurable multiplier).

3. Refactor the function based on AI feedback.

4. Write a short reflection on whether AI should be a standalone reviewer or an assistant.

PYTHON CODE & OUTPUT :


```
File Edit Selection View Go Run ... Search
Welcome temp.py fac.py AI & AC.py
C: > Users > HP > OneDrive > Desktop > AI & AC.py > processData
1 def processData(d):
2     return [x * 2 for x in d if x % 2 == 0]
3
4
5
6
```

CODE REVIEW & OUTPUT:

```
File Edit Selection View Go Run ... Search
Welcome temp.py fac.py AI & AC.py X
C: > Users > HP > OneDrive > Desktop > AI & AC.py > ...
1 def processData(d):
2     return [x * 2 for x in d if x % 2 == 0]
3
4 # Test the function
5 data = [1, 2, 3, 4, 5, 6]
6 result = processData(data)
7 print("Original data:", data)
8 print("Processed data (even numbers doubled):", result)
9
```

```
PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & AC.py"
Original data: [1, 2, 3, 4, 5, 6]
Processed data (even numbers doubled): [4, 8, 12]
```

```
CHAT
CODE CORRECTION AND REVIEW REQUEST
CRCT AND REVIEW THE CODE
Reviewed and updated AI & AC.py
Edited AI & AC.py +0 -0
Run push command?
& C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "c:/Users/HP/OneDrive/Desktop/AI & AC.py"
```

JUSTIFICATION:

1. Original function name processData was vague.
2. Parameter d was unclear and non-descriptive.
3. No type hints were provided.
4. No validation for:
 - Non-list input
 - Non-numeric elements
5. AI suggested:
 - Clear function name (double_even_numbers)
 - Type hints using typing
 - Input validation

6. AI improved code reusability and clarity.
 7. AI suggested modular and configurable design.
 8. Refactored version became:
 - Safer
 - More maintainable
 - More reusable
 9. However, AI should assist human reviewers, not replace them.
 10. Final conclusion: AI enhances review quality but human judgment remains essential.
-

Problem Statement 5: — AI-Assisted Performance Optimization

Scenario: You are given a function that processes a list of integers, but it runs slowly on large datasets:

```
def sum_of_squares(numbers):  
    total = 0  
    for num in numbers:  
        total += num ** 2  
    return total
```

Instructions:

1. Test the function with a large list (e.g., `range(1000000)`).
2. Use AI to:
 - o Analyze time complexity.
 - o Suggest performance improvements (e.g., using built-in functions, vectorization with NumPy if applicable).
 - o Provide an optimized version.
3. Compare execution time before and after optimization.
4. Discuss trade-offs between readability and performance.

PYTHON CODE & OUTPUT :

```
1 def sum_of_squares(numbers):
2     total = 0
3     for num in numbers:
4         total += num ** 2
5     return total
6 print(sum_of_squares([1, 2, 3, 4, 5]))
7
8
```

CODE REVIEW & OUTPUT:

```
1 def sum_of_squares(numbers):
2     return sum(num ** 2 for num in numbers)
3
4 print(sum_of_squares([1, 2, 3, 4, 5]))
5
6
```

CHAT

CODE CORRECTION AND REVIEW REQUEST

give the corrected code

✓ Reviewed AI & AC.py and updated it

✓ Edited AI & AC.py +0 -0

Run **push** command?

& C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "C:/Users/HP/OneDrive/Desktop/AI & AC.py"

Allow Skip

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\HP> & C:/Users/HP/AppData/Local/Programs/Python/Python313/python.exe "C:/Users/HP/OneDrive/Desktop/AI & AC.py"
55
PS C:\Users\HP>
```

JUSTIFICATION:

1. Original function used a manual loop.
2. Time complexity was $O(n)$.
3. AI suggested a more Pythonic solution using:
 - `sum()` with generator expression.
4. Optimized version is:
 - Shorter
 - Cleaner
 - Slightly faster
5. AI explained performance reasoning clearly.

6. AI also suggested NumPy for large-scale optimization.
7. Trade-off discussion:
 - Built-in functions improve readability.
 - NumPy increases dependency.
8. AI encourages use of efficient built-in functions.
9. Code becomes both optimized and readable.
10. Therefore, AI supports performance enhancement while maintaining clarity.