

Ai 14.1

T. VIKAS

2303A52281

BATCH 43

Task: portfolio

Prompt: Develop a portfolio using the frontend

Code:

```
labexam2.py 2 tasklabexam.py index.html X
frontend > index.html > html > head > style > *
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>My Portfolio</title>
7
8      <!-- Google Font -->
9      <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap" rel="stylesheet">
10
11     <style>
12         * {
13             margin: 0;
14             padding: 0;
15             box-sizing: border-box;
16             font-family: 'Poppins', sans-serif;
17         }
18
19         body {
20             line-height: 1.6;
21             background: #f4f6f8;
22             color: #333;
23         }
24
25         /* Navbar */
26         nav {
27             position: fixed;
28             width: 100%;
29             background: #1e3a8a;
30             padding: 15px 0;
```

```
nav ul {
  display: flex;
  justify-content: center;
  list-style: none;
}

nav ul li {
  margin: 0 20px;
}

nav ul li a {
  color: white;
  text-decoration: none;
  font-weight: 500;
}

nav ul li a:hover {
  color: #facc15;
}
```

```
54
55 /* Sections */
56 section {
57     padding: 80px 20px;
58     min-height: 100vh;
59 }
60
61 .container {
62     max-width: 1000px;
63     margin: auto;
64 }
65
66 h1, h2 {
67     margin-bottom: 20px;
68     text-align: center;
69 }
70
71 /* About */
72 #about {
73     display: flex;
74     align-items: center;
75     justify-content: center;
76     text-align: center;
77 }
78
```

```

79  /* Projects */
80  .projects-grid {
81    display: grid;
82    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
83    gap: 20px;
84  }
85
86  .project-card {
87    background: white;
88    padding: 20px;
89    border-radius: 10px;
90    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
91    transition: transform 0.3s;
92  }
93
94  .project-card:hover {
95    transform: translateY(-5px);
96  }
97
98  /* Contact */
99  form {
100    display: flex;
101    flex-direction: column;
102    gap: 15px;
103    max-width: 500px;
104    margin: auto;

```

```

form {
  display: flex;
  flex-direction: column;
  gap: 15px;
  max-width: 500px;
  margin: auto;
}

input, textarea {
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

button {
  padding: 10px;
  border: none;
  background: #1e3a8a;
  color: white;
  cursor: pointer;
  border-radius: 5px;
}

```

```

<body>

  <!-- Navbar -->
  <nav>
    <ul>
      <li><a href="#about">About</a></li>
      <li><a href="#projects">Projects</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>

  <!-- About Section -->
  <section id="about">
    <div class="container">
      <h1>About Me</h1>
      <p>Hello! I'm a passionate developer skilled in building web applications. I love coding and solving real-world problems.</p>
    </div>
  </section>

  <!-- Projects Section -->
  <section id="projects">
    <div class="container">
      <h2>Projects</h2>
      <div class="projects-grid">
        <div class="project-card">
          <h3>Project 1</h3>
          <p>Description of your project.</p>


```


```

179
180 <!-- Contact Section -->
181 <section id="contact">
182   <div class="container">
183     <h2>Contact</h2>
184     <form>
185       <input type="text" placeholder="Your Name" required>
186       <input type="email" placeholder="Your Email" required>
187       <textarea rows="5" placeholder="Your Message"></textarea>
188       <button type="submit">Send</button>
189     </form>
190   </div>
191 </section>
192
193 <!-- Smooth Scroll Script -->
194 <script>
195   document.querySelectorAll('a[href^="#"]').forEach(anchor => {
196     anchor.addEventListener('click', function(e) {
197       e.preventDefault();
198
199       document.querySelector(this.getAttribute('href')).scrollIntoView({
200         behavior: 'smooth'
201       });
202     });
203   });
204 </script>

```

Output:





Summary: A personal portfolio website showcasing About, Projects, and Contact sections with a clean, responsive layout.

Implements modern UI design using Flexbox/Grid and smooth scrolling navigation.

Task 2: Online Store Product Page

Prompt: Design a product display page for an online store.

```
labexam2.py 2 tasklabexam.py index.html X JS script.js
Frontend > Task 2 online store > index.html > html
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Online Store</title>
7
8 <style>
9 * {
10   margin: 0;
11   padding: 0;
12   box-sizing: border-box;
13   font-family: Arial, sans-serif;
14 }
15
16 body {
17   background: #f5f5f5;
18 }
19
20 /* Header */
21 .header {
22   background: #1e88e5;
23   color: white;
24   padding: 15px;
25   text-align: center;
26 }
27
```

```
80
81  /* Cart */
82  .cart {
83    flex: 1;
84    background: #white;
85    padding: 15px;
86    border-radius: 10px;
87    height: fit-content;
88    box-shadow: 0 3px 10px #rgba(0,0,0,0.1);
89  }
90
91  .cart__title {
92    margin-bottom: 10px;
93  }
94
95  .cart__item {
96    font-size: 14px;
97    margin-bottom: 5px;
98  }
99
100 .cart__total {
101   margin-top: 10px;
102   font-weight: bold;
103 }
104
```

Frontend > Task 2 online store > index.html > html


```
2   <html lang="en">
114 <body>
120 <div class="container">
122   <!-- PRODUCTS -->
123   <div class="products" id="productList"></div>
124
125   <!-- Cart -->
126   <div class="cart">
127     <h2 class="cart__title">Cart</h2>
128     <div id="cartItems"></div>
129     <p class="cart__total">Total: ₹<span id="total">0</span></p>
130   </div>
131
132 </div>
133
134 <script>
135 const products = [
136   {name: "Headphones", price: 2000, img: "https://picsum.photos/200?1"},
137   {name: "Smart Watch", price: 3500, img: "https://picsum.photos/200?2"},
138   {name: "Shoes", price: 2500, img: "https://picsum.photos/200?3"},
139   {name: "Backpack", price: 1500, img: "https://picsum.photos/200?4"},
140   {name: "Laptop", price: 55000, img: "https://picsum.photos/200?5"},
141   {name: "Mobile", price: 20000, img: "https://picsum.photos/200?6"},
142   {name: "Camera", price: 30000, img: "https://picsum.photos/200?7"},
143   {name: "Keyboard", price: 1200, img: "https://picsum.photos/200?8"},
144   {name: "Mouse", price: 800, img: "https://picsum.photos/200?9"},
145   {name: "Speaker", price: 2200, img: "https://picsum.photos/200?10"},
146   {name: "Tablet", price: 18000, img: "https://picsum.photos/200?11"},
147   {name: "Power Bank", price: 1000, img: "https://picsum.photos/200?12"}
148 ];
149
```

```
151
152 // Display products
153 const productList = document.getElementById("productList");
154
155 products.forEach((p, index) => {
156   productList.innerHTML += `
157     <div class="product">
158       
159       <h3 class="product__title">${p.name}</h3>
160       <p class="product__price">₹${p.price}</p>
161       <button class="product__btn" onclick="addToCart(${index})">Add to Cart</button>
162     </div>
163   `;
164 });
165
166 // Add to cart
167 function addToCart(index) {
168   cart.push(products[index]);
169   updateCart();
170 }
171
172 // Update cart UI
173 function updateCart() {
174   const cartItems = document.getElementById("cartItems");
175   const total = document.getElementById("total");

```

```
1 // Update cart UI
2
3 function updateCart() {
4   const cartItems = document.getElementById("cartItems");
5   const total = document.getElementById("total");
6
7   cartItems.innerHTML = "";
8   let sum = 0;
9
10  cart.forEach(item => {
11    cartItems.innerHTML += `<p class="cart__item">${item.name} - ₹${item.price}</p>`;
12    sum += item.price;
13  });
14
15  total.textContent = sum;
16 }
17 </script>
18
19 </body>
20 </html>
```

Output:



Cart

Smart Watch - ₹3500

Shoes - ₹2500

Camera - ₹30000

Keyboard - ₹1200

Mouse - ₹800

Total: ₹38000

Summary:

An e-commerce product display with multiple items, images, and a functional shopping cart system. Uses BEM methodology, responsive design, and interactive add-to-cart features.

Task 3: Event Registration

Prompt: develop a form using the html to register for the event

Code:

```
Frontend > event.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <meta name="viewport" content="width=device-width, initial-scale=1.0">
6  <title>Event Registration</title>
7
8  <style>
9  * {
10   margin: 0;
11   padding: 0;
12   box-sizing: border-box;
13   font-family: "Segoe UI", sans-serif;
14 }
```

```
Frontend > event.html > html
2  <html lang="en">
83 <body>
85 <form class="form" id="registrationForm" aria-labelledby="formTitle">
86   <h2 id="formTitle" class="form__title">Event Registration</h2>
87
88   <!-- Name -->
89   <div class="form__group">
90     <label for="name" class="form__label">Full Name</label>
91     <input type="text" id="name" class="form__input" aria-required="true">
92     <div class="form__error" id="nameError"></div>
93   </div>
94
95   <!-- Email -->
96   <div class="form__group">
97     <label for="email" class="form__label">Email</label>
98     <input type="email" id="email" class="form__input" aria-required="true">
99     <div class="form__error" id="emailError"></div>
100  </div>
101
102   <!-- Phone -->
103   <div class="form__group">
104     <label for="phone" class="form__label">Phone Number</label>
105     <input type="tel" id="phone" class="form__input" aria-required="true">
106     <div class="form__error" id="phoneError"></div>
107   </div>
108
109   <!-- Session -->
110   <div class="form__group">
111     <label for="session" class="form__label">Select Session</label>
112     <select id="session" class="form__select" aria-required="true">
```

```

127 form.addEventListener("submit", function(e) {
134   const email = document.getElementById("email");
135   const phone = document.getElementById("phone");
136   const session = document.getElementById("session");
137
138   // Errors
139   const nameError = document.getElementById("nameError");
140   const emailError = document.getElementById("emailError");
141   const phoneError = document.getElementById("phoneError");
142   const sessionError = document.getElementById("sessionError");
143
144   // Reset errors
145   nameError.textContent = "";
146   emailError.textContent = "";
147   phoneError.textContent = "";
148   sessionError.textContent = "";
149
150   // Name validation
151   if (name.value.trim() === "") {
152     nameError.textContent = "Name is required";
153     valid = false;
154   }
155
156   // Email validation
157   const emailPattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
158   if (!email.value.match(emailPattern)) {
159     emailError.textContent = "Enter valid email";

```

Output:

Event Registration

Full Name

Email

Phone Number

Select Session

-- Choose a Session --

Register

Event Registration

Full Name

Email

Phone Number

Select Session

AI & Machine Learning

Register

Summary: A professional form to collect user details like name, email, phone, and session selection. Includes JavaScript validation, accessibility (ARIA), and clean UI styling.

Task 4: Resume Website

```
Frontend > resume.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <meta name="viewport" content="width=device-width, initial-scale=1.0">
6  <title>My Resume</title>
7
8  <!-- Google Fonts -->
9  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;600&family=Merriweather:wght@700&display=swap" rel="stylesheet">
10
11 <style>
12 * {
13   margin: 0;
14   padding: 0;
15   box-sizing: border-box;
16 }
17
18 /* Typography */
19 body {
20   font-family: 'Inter', sans-serif;
21   background: #f5f7fa;
22   color: #333;
23   scroll-behavior: smooth;
24 }
25
26 h1, h2 {
27   font-family: 'Merriweather', serif;
28 }
29
```

```

98     <!-- Navigation -->
99     <div class="nav">
100         <a href="#profile">Profile</a>
101         <a href="#skills">Skills</a>
102         <a href="#education">Education</a>
103         <a href="#experience">Experience</a>
104     </div>
105
106     <div class="container">
107
108         <!-- Profile -->
109         <section id="profile" class="section">
110             <h1>Profile Summary</h1>
111             <p>
112                 Passionate software developer with strong skills in web development,
113                 problem solving, and building scalable applications.
114             </p>
115         </section>
116
117         <!-- Skills -->
118         <section id="skills" class="section">
119             <h2>Skills</h2>
120             <div class="skills">
121                 <div class="skill">HTML</div>
122                 <div class="skill">CSS</div>
123                 <div class="skill">JavaScript</div>
124                 <div class="skill">Python</div>
125                 <div class="skill">Node.js</div>


```

```

128     </section>
129
130     <!-- Education -->
131     <section id="education" class="section">
132         <h2>Education</h2>
133         <p><strong>B.Tech in Computer Science</strong></p>
134         <p>XYZ University, 2022 - 2026</p>
135     </section>
136
137     <!-- Experience -->
138     <section id="experience" class="section">
139         <h2>Experience</h2>
140
141         <div class="experience__item">
142             <h3>Intern - Web Developer</h3>
143             <p>ABC Company (2025)</p>
144             <p>Worked on building responsive web applications.</p>
145         </div>
146
147         <div class="experience__item">
148             <h3>Project Developer</h3>
149             <p>Personal Projects</p>
150             <p>Developed portfolio and e-commerce applications.</p>
151         </div>
152
153     </section>
154

```

Output:



Summary: A one-page digital resume highlighting profile, skills, education, and experience sections. Designed with CSS Grid, professional typography, and smooth navigation.

Task 5: Restaurant Menu Page

Prompt: Develop a restaurant menu page using html

```
Frontend > resurent.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <meta name="viewport" content="width=device-width, initial-scale=1.0">
6  <title>Restaurant Menu</title>
7
8  <style>
9  * {
10   margin: 0;
11   padding: 0;
12   box-sizing: border-box;
13   font-family: "Segoe UI", sans-serif;
14 }
15
16 body {
17   background: #FFF8F0;
18   color: #333;
19 }
20
21 /* Header */
22 .header {
23   text-align: center;
24   padding: 20px;
25   background: #8B0000;
26   color: white;
```


```
35
36 <div class="menu">
37
38   <div class="menu__item">
39     <h3 class="menu__title">Margherita Pizza</h3>
40     <p class="menu__desc">Classic pizza with fresh tomatoes and mozzarella.</p>
41     <p class="menu__price">₹299</p>
42   </div>
43
44   <div class="menu__item">
45     <h3 class="menu__title">Veg Burger</h3>
46     <p class="menu__desc">Crispy patty with fresh veggies and sauces.</p>
47     <p class="menu__price">₹149</p>
48   </div>
49
50   <div class="menu__item">
51     <h3 class="menu__title">Pasta Alfredo</h3>
52     <p class="menu__desc">Creamy white sauce pasta with herbs.</p>
53     <p class="menu__price">₹249</p>
54   </div>
55
56   <div class="menu__item">
57     <h3 class="menu__title">Grilled Sandwich</h3>
58     <p class="menu__desc">Toasted sandwich with cheese and veggies.</p>
59     <p class="menu__price">₹129</p>
```

```

0 <body>
6 <div class="menu">
7   <div class="menu_item">
8     <h3 class="menu_title">Grilled Sandwich</h3>
9     <p class="menu_desc">Toasted sandwich with cheese and veggies.</p>
10    <p class="menu_price">₹129</p>
11  </div>
12
13  <div class="menu_item">
14    <h3 class="menu_title">French Fries</h3>
15    <p class="menu_desc">Crispy golden fries with seasoning.</p>
16    <p class="menu_price">₹99</p>
17  </div>
18
19  <div class="menu_item">
20    <h3 class="menu_title">Chocolate Shake</h3>
21    <p class="menu_desc">Rich chocolate milkshake topped with cream.</p>
22    <p class="menu_price">₹179</p>
23  </div>
24
25  <div class="menu_item">
26    <h3 class="menu_title">Paneer Tikka</h3>
27    <p class="menu_desc">Spiced grilled paneer cubes.</p>
28    <p class="menu_price">₹269</p>
29  </div>
30
31  <div class="menu_item">
32    <h3 class="menu_title">Cold Coffee</h3>
33    <p class="menu_desc">Chilled coffee with ice cream.</p>
34    <p class="menu_price">₹159</p>
35  </div>

```

Output:



Summary: A visually appealing digital menu displaying food items with descriptions and prices. Uses a responsive card layout, food-friendly colours, and hover effects for interactivity.