OPERATING SYSTEM - CS23431

EXP 6(D)

ROUND ROBIN CHEDULING

NAME: KRITHIKA B ROLL NO: 230701156

PROGRAM:

```
#include <stdio.h>
int main() {
  int n;
  printf("Enter number of processes: ");
  scanf("%d", &n);
  int p[n], a[n], bt[n], temptbt[n], slot;
  printf("Enter process ID, arrival time, burst time for each process:\n");
  for (int i = 0; i < n; i++) {
     scanf("%d %d %d", &p[i], &a[i], &bt[i]);
     temptbt[i] = bt[i];
  }
  printf("Enter quantum time slot: ");
  scanf("%d", &slot);
  int totalwt = 0, totalturn = 0, totaltime = 0;
  int i = 0, count = 0, completed = 0;
  printf("P_ID\tBT\tTAT\tWT\n");
```

```
while (completed != n) {
  if (temptbt[i] \le slot \&\& temptbt[i] > 0) {
     totaltime += temptbt[i];
    temptbt[i] = 0;
    count = 1;
  else if (temptbt[i] > 0) {
     totaltime += slot;
    temptbt[i] -= slot;
  }
  if (temptbt[i] == 0 \&\& count == 1) {
    completed++;
    int tat = totaltime - a[i];
    int wt = totaltime - a[i] - bt[i];
     printf("%d\t%d\t%d\n", p[i], bt[i], tat, wt);
     totalwt += wt;
     totalturn += tat;
    count = 0;
  }
  if (i == n - 1)
    i = 0;
  else
    i++;
}
```

```
printf("Average waiting time is \%d\n", totalwt / n); printf("Average turn around time is \%d\n", totalturn / n); return \ 0; \}
```

OUTPUT:

```
Enter number of processes: 4
Enter process ID, arrival time, burst time for each process:
4 3 6
Enter quantum time slot: 3
       BT
               TAT
                       WT
               13
               16
                       11
       6
                18
                        12
                21
                        14
Average waiting time is 11
Average turn around time is 17
```