

[Dashboard](#) / [My courses](#) / [CS23331-DAA-2023-CSE](#) / [Greedy Algorithms](#) / [1-G-Coin Problem](#)

Started on	Friday, 23 August 2024, 1:43 PM
State	Finished
Completed on	Friday, 23 August 2024, 1:56 PM
Time taken	13 mins 26 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```

1 #include<stdio.h>
2 int main(){
3     int a[]={1000,500,100,50,20,10,5,2,1};
4     int n;
5     int c=0;
6     scanf("%d",&n);
7     for(int i=0;i<9;i++)
8     {
9         c=c+n/a[i];
10        n=n%a[i];
11
12
13
14    }
15    printf("%d",c);
16
17 }
```

	Input	Expected	Got	
✓	49	5	5	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

◀ Problem 5: Finding Complexity using counter method

Jump to...



2-G-Cookies Problem ▶