```
Question 1
Correct
Marked out of 1.00
```

Given an ArrayList, the task is to get the first and last element of the ArrayList in Java.

```
Input: ArrayList = [1, 2, 3, 4]
Output: First = 1, Last = 4

Input: ArrayList = [12, 23, 34, 45, 57, 67, 89]
Output: First = 12, Last = 89
```

Approach:

- 1. Get the ArrayList with elements.
- 2. Get the first element of ArrayList using the get(index) method by passing index = 0.
- 3. Get the last element of ArrayList using the get(index) method by passing index = size 1.

Answer: (penalty regime: 0 %)

```
1 → import java.util.*;
 2 public class Arrayele {
 3 🔻
        public static void main(String[] args) {
            ArrayList<Integer> numbers = new ArrayList<>();
 5
            Scanner sc = new Scanner(System.in);
 6
            int n = sc.nextInt();
 7
            for (int i = 0; i < n; i++) {
 8
                numbers.add(sc.nextInt());
 9
10
            System.out.println("ArrayList: "+numbers);
11
            if (!numbers.isEmpty())
12
            {
                Integer firstElement = numbers.get(0);
13
14
                Integer lastElement = numbers.get(numbers.size() - 1);
                System.out.println("First : " + firstElement + ","+" Last : " + lastElement);
15
16
            }
17
            else {
                System.out.println("The ArrayList is empty.");
18
19
20
        }
   }
21
```

	Test	Input	Expected	Got	
~	1	6 30 20 40 50 10 80	ArrayList: [30, 20, 40, 50, 10, 80] First : 30, Last : 80	ArrayList: [30, 20, 40, 50, 10, 80] First : 30, Last : 80	~
~	2	4 5 15 25 35	ArrayList: [5, 15, 25, 35] First : 5, Last : 35	ArrayList: [5, 15, 25, 35] First : 5, Last : 35	~

Passed all tests! <

```
Question 2
Correct
Marked out of 1.00
```

The given Java program is based on the ArrayList methods and its usage. The Java program is partially filled. Your task is to fill in the incomplete statements to get the desired output.

list.set();

list.indexOf());

list.lastIndexOf())

list.contains()

list.size());

list.add();

list.remove();

The above methods are used for the below Java program.

Answer: (penalty regime: 0 %)

```
Reset answer
```


```
1 v import java.util.ArrayList;
 2 import java.util.Scanner;
 3 v public class Prog {
4
5 🔻
        public static void main(String[] args) {
6
            Scanner sc = new Scanner(System.in);
 7
            int n = sc.nextInt();
 8
            ArrayList<Integer> list = new ArrayList<Integer>();
            for (int i = 0; i < n; i++)
9
10
                list.add(sc.nextInt());
11
12
            // Printing initial ArrayList
13
            System.out.println("ArrayList: " + list);
14
15
            // Replacing the element at index 1 with 100
16
            list.set(1, 100);
17
            // Getting the index of first occurrence of 100
18
19
            System.out.println("Index of 100 = " + list.indexOf(100));
20
            // Getting the index of last occurrence of 100
21
22
            System.out.println("LastIndex of 100 = " + list.lastIndexOf(100));
23
24
            // Check whether 200 is in the list or not
25
            System.out.println(list.contains(200)); // Output: false
26
27
            // Print ArrayList size
28
            System.out.println("Size Of ArrayList = " + list.size());
29
30
            // Inserting 500 at index 1
31
            list.add(1, 500);
32
            // Removing an element from position 3
33
34
            list.remove(3);
35
            // Print final ArrayList
36
37
            System.out.print("ArrayList: " + list);
38
39
        }
40
    }
41
```

	Test	Input	Expected	Got	
~	1	5	ArrayList: [1, 2, 3, 100, 5]	ArrayList: [1, 2, 3, 100, 5]	~
		1	Index of 100 = 1	Index of 100 = 1	
		2	LastIndex of 100 = 3	LastIndex of 100 = 3	
		3	false	false	
		100	Size Of ArrayList = 5	Size Of ArrayList = 5	
		5	ArrayList: [1, 500, 100, 100, 5]	ArrayList: [1, 500, 100, 100, 5]	

Passed all tests! ✓

```
Question 3
Correct
Marked out of 1.00
```

Write a Java program to reverse elements in an array list.



```
Sample input and Output:

Red
Green
Orange
White
Black
Sample output
List before reversing:
[Red, Green, Orange, White, Black]
List after reversing:
[Black, White, Orange, Green, Red]
```

Answer: (penalty regime: 0 %)

```
1 ⋅ import java.util.*;
 2 * public class ReverseStringArrayList {
3 ▼
        public static void main(String[] args) {
4
            ArrayList<String> list = new ArrayList<>();
 5
            Scanner sc=new Scanner(System.in);
 6
            int n=sc.nextInt();
7
            sc.nextLine();
            for (int i = 0; i < n; i++) {
8
9
                list.add(sc.nextLine());
10
11
            System.out.println("List before reversing : ");
            System.out.println(list);
12
13
            Collections.reverse(list);
            System.out.println("List after reversing : ");
14
15
            System.out.println(list);
16
        }
17
    }
18
```

	Test	Input	Expected	Got	
~	1	5 Red Green Orange White Black	List before reversing : [Red, Green, Orange, White, Black] List after reversing : [Black, White, Orange, Green, Red]	List before reversing : [Red, Green, Orange, White, Black] List after reversing : [Black, White, Orange, Green, Red]	~
~	2	4 CSE AIML AIDS CYBER	List before reversing : [CSE, AIML, AIDS, CYBER] List after reversing : [CYBER, AIDS, AIML, CSE]	List before reversing : [CSE, AIML, AIDS, CYBER] List after reversing : [CYBER, AIDS, AIML, CSE]	~

Passed all tests! 🗸

◄ Lab-10-MCQ

Jump to...

Lab-11-MCQ ►